


***L. J. Smith***  
***Stair Systems***

**Crystal Lake**

***Quality Stair Systems***















**List Pricing**  
*Effective June 2011*



## Table of Contents

Stair Rails	3-7
Wall Rails	7
Shoe Rail & Fillet	7-8
Bending Moulds	8
Iron Collection	9-11
Wood Balusters	12-14
Wood Balusters - Traditionally Manufactured ("S-line") Products	14
Newel Posts	15-19
Box Newels	20
Conect-A-Kit Handrail Fittings	21-30
Wall Rail Fittings	31
Assembled Handrail Fittings - Traditionally Manufactured ("S-line") Products	32-33
Starting Steps	34
Risers	34
Treads	35
False Treads & Risers	35
Landing Treads and Mouldings	35
Rosettes and Stair Brackets	36
Skirtboard	36
Stairway Installation Hardware and Tools	37
RailPro Pre-Assembled Railing System	38

## Woolf List Pricing

STAIR RAIL										PCS/ BNDL	WT/ LF
ITEM	SPECIE	8'	10'	12'	14'	16'	18'	20'	DESCRIPTION		
LJ-6000 	POPLAR	49.28	61.60	73.92	86.24	98.56	110.88	123.20	Contemporary	9	1.1
	BEECH	54.20	67.75	81.30	94.85	108.40	121.95	135.50			
	MAPLE	78.75	98.44	118.13	137.81	157.50	177.19	196.88			
	RED OAK	66.55	83.19	99.83	116.46	133.10	149.74	166.38			
LJ-6001 	POPLAR	49.28	61.60	73.92	86.24	98.56	110.88	123.20	Contemporary	8	1.1
	BEECH	54.20	67.75	81.30	94.85	108.40	121.95	135.50			
	MAPLE	78.75	98.44	118.13	137.81	157.50	177.19	196.88			
	RED OAK	66.55	83.19	99.83	116.46	133.10	149.74	166.38			
LJ-6002 	POPLAR	49.28	61.60	73.92	86.24	98.56	110.88	123.20	Contemporary	8	1.1
	BEECH	54.20	67.75	81.30	94.85	108.40	121.95	135.50			
	MAPLE	78.75	98.44	118.13	137.81	157.50	177.19	196.88			
	RED OAK	66.55	83.19	99.83	116.46	133.10	149.74	166.38			
LJ-6003 	POPLAR	140.75	175.94	211.13	246.31	281.50			Contemporary	4	2
	RED OAK	190.08	237.60	285.12	332.64	380.16					
LJ-6203 	POPLAR	161.70	202.13	242.55	282.98	323.40			Contemporary	4	2
	RED OAK	204.88	256.10	307.32	358.54	409.76					
LJ-6005 	POPLAR	90.50	113.13	135.75	158.38	181.00	203.63	226.25	Hampton Plowed 1 3/4" (Hemlock Plowed 1 5/8")	6	1.4
	BEECH	95.88	119.85	143.82	167.79	191.76	215.73	239.70			
	RED OAK	89.33	111.66	134.00	156.33	178.66	200.99	223.33			
	MAPLE	147.98	184.98	221.97	258.97	295.96	332.96	369.95			
	CHERRY	176.93	221.16	265.40	309.63	353.86	398.09	442.33			
	HEMLOCK	59.50	74.38	89.25	104.13	119.00	133.88	148.75			
LJ-6010 	POPLAR	44.43	55.54	66.65	77.75	88.86	99.97	111.08	Traditional	8	1.3
	BEECH	51.85	64.81	77.78	90.74	103.70	116.66	129.63			
	RED OAK	51.45	64.31	77.18	90.04	102.90	115.76	128.63			
	MAPLE	93.05	116.31	139.58	162.84	186.10	209.36	232.63			
	HEMLOCK	58.88	73.60	88.32	103.04	117.76	132.48	147.20			
LJ-6010SC 	POPLAR	41.63	52.04	62.45	72.85	83.26			Solid Cap Traditional	8	1.3
	RED OAK	59.63	74.54	89.45	104.35	119.26					
	MAPLE	85.58	106.98	128.37	149.77	171.16					
	CHERRY	131.40	164.25	197.10	229.95	262.80					
LJ-6010U 	OAK	51.45	64.30	77.15	90.03	102.90	115.76		UltraRail	8	1.3
LJ-6010B 	POPLAR	138.83	173.54	208.25	242.95	277.66			Traditional Bending (7 pieces)	8	1.3
	MAPLE	232.70	290.88	349.05	407.23	465.40					
	RED OAK	201.38	251.73	302.07	352.42	402.76					
	CHERRY	378.15	472.69	567.23	661.76	756.30					
LJ-6010P 	POPLAR	46.78	58.48	70.17	81.87	93.56	105.26	116.95	Traditional Plowed 1 1/4"	8	1.3
	BEECH	57.08	71.35	85.62	99.89	114.16	128.43	142.70			
	RED OAK	53.78	67.23	80.67	94.12	107.56	121.01	134.45			
	MAPLE	98.68	123.35	148.02	172.69	197.36	222.03	246.70			
	HEMLOCK	64.23	80.29	96.35	112.40	128.46	144.52	160.58			
LJ-6010P/6000F 	POPLAR	57.02	71.28	85.53	99.79	114.04	128.30	142.55	Traditional Plowed 1 1/4" With LJ-6000F Fillet	8	1.3
	BEECH	68.52	85.65	102.78	119.91	137.04	154.17	171.30			
	RED OAK	66.98	83.73	100.47	117.22	133.96	150.71	167.45			
	MAPLE	114.28	142.85	171.42	199.99	228.56	257.13	285.70			
LJ-6010P/6050 	HEMLOCK	69.03	86.29	103.55	120.80	138.06	155.32	172.58	Trad. Plowed 1 1/4" w/LJ-6050 Fillet	8	1.3
LJ-6010PSC 	POPLAR	45.83	57.29	68.75	80.20	91.66			Solid Cap Traditional Plowed 1 1/4"	8	1.3
	RED OAK	63.83	79.79	95.75	111.70	127.66					
	MAPLE	91.38	114.23	137.07	159.92	182.76					
	CHERRY	138.68	173.35	208.02	242.69	277.36					
LJ-6010PSC/6000F 	POPLAR	56.07	70.09	84.11	98.12	112.14			Solid Cap Traditional Plowed 1 1/4" With LJ-6000F Fillet	8	1.3
	RED OAK	77.03	96.29	115.55	134.80	154.06					
	MAPLE	106.98	133.73	160.47	187.22	213.96					
	CHERRY	157.32	196.65	235.98	275.31	314.64					
LJ-6010PU 	OAK	53.78	67.23	80.67	94.12	107.56	121.01		UltraRail Plowed 1 1/4"	8	1.3
LJ-6210 	POPLAR	37.90	47.38	56.85	66.33	75.80	85.28	94.75	Traditional	6	1.5
	BEECH	87.23	109.04	130.85	152.65	174.46	196.27	218.08			
	MAPLE	141.88	177.35	212.82	248.29	283.76	319.23	354.70			
	RED OAK	60.10	75.13	90.15	105.18	120.20	135.23	150.25			

16' lengths of fingerjointed and FJ1 handrail will be 16' long. All others will be at least 15'6" long.

## Woolf List Pricing



LJ-6210B



LJ-6210P



LJ-6109



LJ-6109B



LJ-6109P0



LJ-6109P1



LJ-6400



LJ-6400P

STAIR RAIL										PCS/	WT/
ITEM	SPECIE	8'	10'	12'	14'	16'	18'	20'	DESCRIPTION	BNDL	LF
LJ-6210SC	POPLAR	<b>62.68</b>	<b>78.35</b>	<b>94.02</b>	109.69	<b>125.36</b>			Solid Cap Traditional	6	1.5
	RED OAK	<b>80.68</b>	100.85	121.02	141.19	<b>161.36</b>					
	MAPLE	<b>130.10</b>	<b>162.63</b>	<b>195.15</b>	227.68	260.20					
	CHERRY	196.13	245.16	294.20	343.23	392.26					
LJ-6210B Bending Mould Sold Separately See pg. 9	POPLAR	129.98	162.48	194.97	227.47	259.96			Traditional Bending (9 pieces)	6	1.5
	MAPLE	255.78	319.73	383.67	447.62	511.56					
	RED OAK	215.58	269.48	323.37	377.27	431.16					
	CHERRY	478.48	598.10	717.72	837.34	956.96					
LJ-6210P	POPLAR	39.98	49.98	59.97	69.97	79.96	89.96	99.95	Traditional Plowed 1 3/4"	6	1.5
	BEECH	87.23	109.04	130.85	152.65	174.46	196.27	218.08			
	MAPLE	147.63	184.54	221.45	258.35	295.26	332.17	369.08			
	RED OAK	62.90	78.63	94.35	110.08	125.80	141.53	157.25			
LJ-6210P/6007	POPLAR	50.38	62.98	75.57	88.17	100.76	113.36	125.95	Traditional Plowed 1 3/4" With LJ-6007 Fillet	6	1.5
	BEECH	99.07	123.84	148.61	173.37	198.14	222.91	247.68			
	MAPLE	165.23	206.54	247.85	289.15	330.46	371.77	413.08			
	RED OAK	<b>78.34</b>	<b>97.93</b>	<b>117.51</b>	<b>137.10</b>	<b>156.68</b>	176.27	195.85			
LJ-6210PSC	POPLAR	<b>66.88</b>	83.60	100.32	117.04	<b>133.76</b>			Solid Cap Traditional Plowed 1 3/4"	6	1.5
	RED OAK	<b>84.88</b>	106.10	<b>127.32</b>	148.54	<b>169.76</b>					
	MAPLE	131.80	164.75	197.70	230.65	263.60					
	CHERRY	198.35	247.94	297.53	347.11	396.70					
LJ-6210PSC/6007	POPLAR	77.28	<b>96.60</b>	<b>115.92</b>	135.24	<b>154.56</b>			Solid Cap Traditional Plowed 1 3/4" With LJ-6007 Fillet	6	1.5
	RED OAK	100.32	125.40	150.48	175.56	200.64					
	MAPLE	<b>149.40</b>	<b>186.75</b>	<b>224.10</b>	<b>261.45</b>	<b>298.80</b>					
	CHERRY	220.35	275.44	330.53	385.61	440.70					
LJ-6109	POPLAR	107.95	134.94	161.93	188.91	215.90	242.89	269.88	1 7/8" Versatile	6	1.3
	BEECH	125.58	156.98	188.37	219.77	251.16	282.56	313.95			
	MAPLE	154.78	193.48	232.17	270.87	309.56	348.26	386.95			
	RED OAK	131.15	163.94	196.73	229.51	262.30	295.09	327.88			
LJ-6109SC	POPLAR	130.83	163.54	196.25	228.95	261.66			Solid Cap 1 7/8" Versatile	6	1.3
	RED OAK	166.95	208.69	250.43	292.16	333.90					
	MAPLE	197.08	246.35	295.62	344.89	394.16					
	CHERRY	237.08	296.35	355.62	414.89	474.16					
LJ-6109B Does not require bending mould.	POPLAR	486.28	607.85	729.42	850.99	972.56			Versatile Bending (9 pieces)	6	1.3
	MAPLE	565.90	707.38	848.85	990.33	1131.80					
	RED OAK	527.20	659.00	790.80	922.60	1054.40					
	CHERRY	879.70	1099.63	1319.55	1539.48	1759.40					
LJ-6109P0 or LJ-6109P1	POPLAR	112.10	140.13	168.15	196.18	224.20	252.23	280.25	1 7/8" Versatile Plowed 1 1/4" or 1 7/8" Versatile Plowed 1 3/4"	6	1.3
	BEECH	130.38	162.98	195.57	228.17	260.76	293.36	325.95			
	MAPLE	262.55	328.19	393.83	459.46	525.10	590.74	656.38			
	RED OAK	160.30	200.38	240.45	280.53	320.60	360.68	400.75			
LJ-6109PS0 or LJ-6109PS1	POPLAR	157.10	196.38	235.65	274.93	314.20			Solid Cap Versatile Plowed 1 1/4" or Solid Cap Versatile Plowed 1 3/4"	6	1.3
	RED OAK	170.38	212.98	255.57	298.17	340.76					
	MAPLE	201.80	252.25	302.70	353.15	403.60					
	CHERRY	284.63	355.79	426.95	498.10	569.26					
LJ-6400	POPLAR	83.95	104.94	125.93	146.91	167.90	188.89	209.88	Victorian	5	2
	BEECH	92.25	115.31	138.38	161.44	184.50	207.56	230.63			
	MAPLE	183.28	229.10	274.92	320.74	366.56	412.38	458.20			
	RED OAK	113.30	141.63	169.95	198.28	226.60	254.93	283.25			
LJ-6400SC	POPLAR	92.45	115.56	138.68	161.79	184.90			Solid Cap Victorian	5	2
	RED OAK	115.50	144.38	173.25	202.13	231.00					
	MAPLE	204.18	255.23	306.27	357.32	408.36					
	CHERRY	179.73	224.66	269.60	314.53	359.46					
LJ-6400P	POPLAR	88.75	110.94	133.13	155.31	177.50	199.69	221.88	Victorian Plowed 1 3/4"	5	2
	BEECH	92.25	115.31	138.38	161.44	184.50	207.56	230.63			
	MAPLE	183.28	229.10	274.92	320.74	366.56	412.38	458.20			
	RED OAK	113.30	141.63	169.95	198.28	226.60	254.93	283.25			
LJ-6400PSC	POPLAR	92.45	115.56	138.68	161.79	184.90			Solid Cap Victorian Plowed 1 3/4"	5	2
	RED OAK	115.50	144.38	173.25	202.13	231.00					
	MAPLE	204.18	255.23	306.27	357.32	408.36					
	CHERRY	179.73	224.66	269.60	314.53	359.46					









16' lengths of fingerjointed and FJ1 handrail will be 16' long. All others will be at least 15'6" long.

Woolf List Pricing















STAIR RAIL										PCS/	WT/
ITEM	SPECIE	8'	10'	12'	14'	16'	18'	20'	DESCRIPTION	BNDL	LF
LJ-6519	POPLAR	92.85	116.06	139.28	162.49	185.70	208.91	232.13	Hampton	5	1.6
	BEECH	101.75	127.19	152.63	178.06	203.50	228.94	254.38			
	MAPLE	156.55	195.69	234.83	273.96	313.10	352.24	391.38			
	RED OAK	132.73	165.91	199.10	232.28	265.46	298.64	331.83			
LJ-6519SC	POPLAR	96.63	120.79	144.95	169.10	193.26			Solid Cap Hampton	5	1.6
	RED OAK	138.43	173.04	207.65	242.25	276.86					
	MAPLE	221.68	277.10	332.52	387.94	443.36					
	CHERRY	215.20	269.00	322.80	376.60	430.40					
LJ-6519B Bending Mould Sold Separately See pg. 9	POPLAR	429.53	536.91	644.30	751.68	859.06			Hampton Bending (7 pieces)	5	1.6
	MAPLE	597.30	746.63	895.95	1045.28	1194.60					
	RED OAK	579.98	724.98	869.97	1014.97	1159.96					
	CHERRY	735.75	919.69	1103.63	1287.56	1471.50					
LJ-6519P	POPLAR	92.78	115.98	139.17	162.37	185.56	208.76	231.95	Hampton Plowed 1 3/4" (Hemlock Plowed 1 5/8")	5	1.6
	BEECH	101.75	127.19	152.63	178.06	203.50	228.94	254.38			
	RED OAK	132.73	165.91	199.10	232.28	265.46	298.64	331.83			
	MAPLE	156.55	195.69	234.83	273.96	313.10	352.24	391.38			
	HEMLOCK	69.38	86.73	104.07	121.42	138.76	156.11	173.45			
LJ-6519PSC	POPLAR	96.63	120.79	144.95	169.10	193.26			Solid Cap Hampton Plowed 1 3/4"	5	1.6
	RED OAK	138.43	173.04	207.65	242.25	276.86					
	MAPLE	224.43	280.54	336.65	392.75	448.86					
	CHERRY	215.20	269.00	322.80	376.60	430.40					
LJ-6601	POPLAR	57.18	71.48	85.77	100.07	114.36	128.66	142.95	Challis	8	1.3
	BEECH	63.89	79.86	95.84	111.81	127.78	143.75	159.73			
	MAPLE	97.10	121.38	145.65	169.93	194.20	218.48	242.75			
	RED OAK	82.20	102.75	123.30	143.85	164.40	184.95	205.50			
LJ-6601SC	POPLAR	72.53	90.66	108.80	126.93	145.06			Solid Cap Challis	8	1.3
	RED OAK	92.55	115.69	138.83	161.96	185.10					
	MAPLE	109.35	136.69	164.03	191.36	218.70					
	CHERRY	108.30	135.38	162.45	189.53	216.60					
LJ-6601B Bending Mould Sold Separately See pg. 9	POPLAR	172.78	215.98	259.17	302.37	345.56			Challis Bending (7 pieces)	8	1.3
	MAPLE	212.35	265.44	318.53	371.61	424.70					
	RED OAK	268.10	335.13	402.15	469.18	536.20					
	CHERRY	313.35	391.69	470.03	548.36	626.70					
LJ-6601P	POPLAR	59.28	74.10	88.92	103.74	118.56	133.38	148.20	Challis Plowed 1 1/4"	8	1.3
	BEECH	66.78	83.48	100.17	116.87	133.56	150.26	166.95			
	MAPLE	103.00	128.75	154.50	180.25	206.00	231.75	257.50			
	RED OAK	86.90	108.63	130.35	152.08	173.80	195.53	217.25			
LJ-6601P/6000F	POPLAR	69.52	86.90	104.28	121.66	139.04	156.42	173.80	Challis Plowed 1 1/4" With LJ-6000F Fillet	8	1.3
	BEECH	78.22	97.78	117.33	136.89	156.44	176.00	195.55			
	MAPLE	118.60	148.25	177.90	207.55	237.20	266.85	296.50			
	RED OAK	100.10	125.13	150.15	175.18	200.20	225.23	250.25			
LJ-6601PSC	POPLAR	76.53	95.66	114.80	133.93	153.06			Solid Cap Challis Plowed 1 1/4"	8	1.3
	RED OAK	97.68	122.10	146.52	170.94	195.36					
	MAPLE	115.28	144.10	172.92	201.74	230.56					
	CHERRY	113.95	142.44	170.93	199.41	227.90					
LJ-6601PSC/6000F	POPLAR	86.77	108.46	130.16	151.85	173.54			Solid Cap Challis Plowed 1 1/4" With LJ-6000F Fillet	8	1.3
	RED OAK	110.88	138.60	166.32	194.04	221.76					
	MAPLE	130.88	163.60	196.32	229.04	261.76					
	CHERRY	132.59	165.74	198.89	232.03	265.18					
LJ-6701	POPLAR	79.18	98.98	118.77	138.57	158.36	178.16	197.95	Challis	6	1.5
	BEECH	92.10	115.13	138.15	161.18	184.20	207.23	230.25			
	MAPLE	142.58	178.23	213.87	249.52	285.16	320.81	356.45			
	RED OAK	120.08	150.10	180.12	210.14	240.16	270.18	300.20			
LJ-6701SC	POPLAR	103.73	129.66	155.60	181.53	207.46			Solid Cap Challis	6	1.5
	RED OAK	132.33	165.41	198.50	231.58	264.66					
	MAPLE	156.08	195.10	234.12	273.14	312.16					
	CHERRY	153.88	192.35	230.82	269.29	307.76					
LJ-6701B Bending Mould Sold Separately See pg. 9	POPLAR	258.33	322.91	387.50	452.08	516.66			Challis Bending (10 pieces)	6	1.5
	MAPLE	317.70	397.13	476.55	555.98	635.40					
	RED OAK	390.33	487.91	585.50	683.08	780.66					
	CHERRY	456.33	570.41	684.50	798.58	912.66					

## Woolf List Pricing

STAIR RAIL										PCS/	WT/
ITEM	SPECIE	8'	10'	12'	14'	16'	18'	20'	DESCRIPTION	BNDL	LF
 LJ-6701P	POPLAR	88.53	110.66	132.80	154.93	177.06	199.19	221.33	Challis Plowed 1 1/4"	6	1.5
	BEECH	102.95	128.69	154.43	180.16	205.90	231.64	257.38			
	MAPLE	152.60	190.75	228.90	267.05	305.20	343.35	381.50			
	RED OAK	134.30	167.88	201.45	235.03	268.60	302.18	335.75			
LJ-6701P/6000F	POPLAR	98.77	123.46	148.16	172.85	197.54	222.23	246.93	Challis Plowed 1 1/4" With LJ-6000F Fillet	6	1.5
	BEECH	114.39	142.99	171.59	200.18	228.78	257.38	285.98			
	MAPLE	168.20	210.25	252.30	294.35	336.40	378.45	420.50			
	RED OAK	147.50	184.38	221.25	258.13	295.00	331.88	368.75			
 LJ-6701PSC	POPLAR	113.00	141.25	169.50	197.75	226.00			Solid Cap Challis Plowed 1 1/4"	6	1.5
	RED OAK	144.15	180.19	216.23	252.26	288.30					
	MAPLE	171.08	213.85	256.62	299.39	342.16					
	CHERRY	168.60	210.75	252.90	295.05	337.20					
LJ-6701PSC/6000F	POPLAR	123.24	154.05	184.86	215.67	246.48			Solid Cap Challis Plowed 1 1/4" With LJ-6000F Fillet	6	1.5
	RED OAK	157.35	196.69	236.03	275.36	314.70					
	MAPLE	186.68	233.35	280.02	326.69	373.36					
	CHERRY	187.24	234.05	280.86	327.67	374.48					
 LJ-6900B	POPLAR	108.05	135.06	162.08	189.09	216.10	243.11	270.13	Bristol	5	1.9
	BEECH	110.25	137.81	165.38	192.94	220.50	248.06	275.63			
	MAPLE	169.45	211.81	254.18	296.54	338.90	381.26	423.63			
	RED OAK	143.73	179.66	215.60	251.53	287.46	323.39	359.33			
LJ-6900SC	POPLAR	200.03	250.04	300.05	350.05	400.06			Solid Cap Bristol	5	1.9
	RED OAK	222.25	277.81	333.38	388.94	444.50					
	MAPLE	261.15	326.44	391.73	457.01	522.30					
	CHERRY	260.98	326.23	391.47	456.72	521.96					
 LJ-6900P Bending Mould Sold Separately See pg. 9	POPLAR	569.45	711.81	854.18	996.54	1138.90			Bristol Bending	5	1.9
	RED OAK	632.73	790.91	949.10	1107.28	1265.46					
	MAPLE	578.88	723.60	868.32	1013.04	1157.76					
	CHERRY	742.15	927.69	1113.23	1298.76	1484.30					
LJ-6900P	POPLAR	108.58	135.73	162.87	190.02	217.16	244.31	271.45	Bristol Plowed 1 3/4"	5	1.9
	BEECH	110.75	138.44	166.13	193.81	221.50	249.19	276.88			
	MAPLE	171.98	214.98	257.97	300.97	343.96	386.96	429.95			
	RED OAK	144.88	181.10	217.32	253.54	289.76	325.98	362.20			
 LJ-6A10	POPLAR	118.98	148.73	178.47	208.22	237.96	267.71	297.45	Bristol Plowed 1 3/4" With LJ-6007 Fillet	5	1.9
	BEECH	122.59	153.24	183.89	214.53	245.18	275.83	306.48			
	MAPLE	189.58	236.98	284.37	331.77	379.16	426.56	473.95			
	RED OAK	160.32	200.40	240.48	280.56	320.64	360.72	400.80			
LJ-6900PSC	POPLAR	200.03	250.04	300.05	350.05	400.06			Solid Cap Bristol Plowed 1 3/4"	5	1.9
	RED OAK	222.25	277.81	333.38	388.94	444.50					
	MAPLE	268.50	335.63	402.75	469.88	537.00					
	CHERRY	287.05	358.81	430.58	502.34	574.10					
 LJ-6A10B	POPLAR	210.43	263.04	315.65	368.25	420.86			Solid Cap Bristol Plowed 1 3/4" With LJ-6007 Fillet	5	1.9
	RED OAK	237.69	297.11	356.54	415.96	475.38					
	MAPLE	286.10	357.63	429.15	500.68	572.20					
	CHERRY	309.05	386.31	463.58	540.84	618.10					
LJ-6A10	POPLAR	54.70	68.38	82.05	95.73	109.40	123.08	136.75	Traditional Code	8	1.3
	BEECH	61.20	76.50	91.80	107.10	122.40	137.70	153.00			
	MAPLE	89.33	111.66	134.00	156.33	178.66	200.99	223.33			
	RED OAK	78.65	98.31	117.98	137.64	157.30	176.96	196.63			
 LJ-6A10P0	POPLAR	69.40	86.75	104.10	121.45	138.80			Traditional Code Solid Cap	8	1.3
	RED OAK	88.58	110.73	132.87	155.02	177.16					
	MAPLE	82.15	102.69	123.23	143.76	164.30					
	CHERRY	131.40	164.25	197.10	229.95	262.80					
LJ-6A10B Bending Mould Sold Separately See pg. 9	POPLAR	165.35	206.69	248.03	289.36	330.70			Traditional Code Bending	8	1.3
	MAPLE	212.35	265.44	318.53	371.61	424.70					
	RED OAK	256.55	320.69	384.83	448.96	513.10					
	CHERRY	380.25	475.31	570.38	665.44	760.50					
 LJ-6A10P0 or LJ-6A10P1	POPLAR	56.73	70.91	85.10	99.28	113.46	127.64	141.83	Traditional Code Plowed 1 1/4" or	8	1.3
	BEECH	63.88	79.85	95.82	111.79	127.76	143.73	159.70			
	MAPLE	94.70	118.38	142.05	165.73	189.40	213.08	236.75	Traditional Code Plowed 1 3/4"		
	RED OAK	83.15	103.94	124.73	145.51	166.30	187.09	207.88			

16' lengths of fingerjointed and FJ1 handrail will be 16' long. All others will be at least 15'6" long.

## Woolf List Pricing

STAIR RAIL										PCS/	WT/	
ITEM	SPECIE	8'	10'	12'	14'	16'	18'	20'	DESCRIPTION	BNDL	LF	
 LJ-6B10	LJ-6A10PS0	POPLAR	73.23	91.54	109.85	128.15	146.46		Trad. Code Solid Cap Plwd 1 /4" or Trad. Code Solid Cap Plwd 1 3/4"	8	1.3	
		RED OAK	93.45	116.81	140.18	163.54	186.90					
	LJ-6A10PS1	MAPLE	87.73	109.66	131.60	153.53	175.46					
		CHERRY	138.68	173.35	208.02	242.69	277.36					
 LJ-6B10B	LJ-6B10	POPLAR	54.70	68.38	82.05	95.73	109.40	123.08	Regency	6	1.5	
		BEECH	61.20	76.50	91.80	107.10	122.40	137.70				153.00
		MAPLE	89.33	111.66	134.00	156.33	178.66	200.99				223.33
		RED OAK	78.65	98.31	117.98	137.64	157.30	176.96				196.63
 LJ-6B10B	LJ-6B10SC	POPLAR	69.40	86.75	104.10	121.45	138.80		Regency Solid Cap	6	1.5	
		RED OAK	88.58	110.73	132.87	155.02	177.16					
		MAPLE	82.15	102.69	123.23	143.76	164.30					
		CHERRY	131.40	164.25	197.10	229.95	262.80					
 LJ-6B10P1	LJ-6B10B	POPLAR	165.35	206.69	248.03	289.36	330.70		Regency Bending	6	1.5	
		MAPLE	212.35	265.44	318.53	371.61	424.70					
		RED OAK	256.55	320.69	384.83	448.96	513.10					
		CHERRY	380.25	475.31	570.38	665.44	760.50					
 LJ-6B10P0	LJ-6B10P0	POPLAR	56.73	70.91	85.10	99.28	113.46	127.64	Regency Plowed 1 1/4" or Regency Plowed 1 3/4"	6	1.5	
		BEECH	63.88	79.85	95.82	111.79	127.76	143.73				159.70
		LJ-6B10P1	MAPLE	94.70	118.38	142.05	165.73	189.40	213.08	236.75		
			RED OAK	83.15	103.94	124.73	145.51	166.30	187.09	207.88		
 LJ-6B10P0	LJ-6B10PS0	POPLAR	73.23	91.54	109.85	128.15	146.46		Regency Solid Cap Plowed 1 /4" or Regency Solid Cap Plowed 1 3/4"	6	1.5	
		RED OAK	93.45	116.81	140.18	163.54	186.90					
		LJ-6B10PS1	MAPLE	87.73	109.66	131.60	153.53	175.46				
			CHERRY	138.68	173.35	208.02	242.69	277.36				
WALL RAILS										PCS/	WT/	
ITEM	SPECIE	8'	10'	12'	14'	16'	18'	20'	DESCRIPTION	BNDL	LF	
 LJ-6039	LJ-6039	POPLAR	38.85	48.56	58.28	67.99	77.70	87.41	Wall Rail	10	0.7	
		BEECH	42.65	53.31	63.98	74.64	85.30	95.96				106.63
		MAPLE	61.63	77.04	92.45	107.85	123.26	138.67				154.08
		RED OAK	52.40	65.50	78.60	91.70	104.80	117.90				131.00
 LJ-6040	LJ-6040	POPLAR	34.53	43.16	51.80	60.43	69.06	77.69	Wall Rail	10	0.7	
		BEECH	36.55	45.69	54.83	63.96	73.10	82.24				91.38
		MAPLE	57.10	71.38	85.65	99.93	114.20	128.48				142.75
		RED OAK	48.53	60.66	<b>72.80</b>	84.93	<b>97.06</b>	109.19				121.33
 LJ-6041	LJ-6041	POPLAR	68.23	85.29	102.35	119.40	136.46	153.52	Wall Rail	8	1	
		BEECH	74.90	93.63	112.35	131.08	149.80	168.53				187.25
		MAPLE	109.20	136.50	163.80	191.10	218.40	245.70				273.00
		RED OAK	92.03	115.04	138.05	161.05	184.06	207.07				230.08
 LJ-6042P	LJ-6042	POPLAR	41.78	52.23	62.67	73.12	83.56	94.01	Wall Rail	10	1.1	
		BEECH	44.35	55.44	66.53	77.61	88.70	99.79				110.88
		MAPLE	68.65	85.81	102.98	120.14	137.30	154.46				171.63
		RED OAK	57.95	72.44	<b>86.93</b>	101.41	<b>115.90</b>	130.39				144.88
		HEMLOCK	25.30	31.63	37.95	44.28	50.60	56.93				63.25
LJ-6042P	HEMLOCK	32.48	40.60	48.72	56.84	64.96	73.08	81.20	Wall Rail Plowed 1 5/8"	10	1	
SHOERAIL										BNDL	LF	
ITEM	SPECIE	8'	10'	12'	14'	16'	DESCRIPTION		BNDL	LF		
 LJ-6001S	LJ-6000S	POPLAR	28.65	35.81	42.98	50.14	57.30	Shoe Plowed 1 1/4"		10	0.5	
		BEECH	31.43	39.29	47.15	55.00	62.86					
		MAPLE	45.85	57.31	68.78	80.24	91.70					
		RED OAK	<b>38.68</b>	<b>48.35</b>	<b>58.02</b>	67.69	<b>77.36</b>					
 LJ-6001S	LJ-6001S	POPLAR	29.48	36.85	44.22	51.59	58.96	Shoe Plowed 1 3/4"		10	0.4	
		BEECH	32.43	40.54	48.65	56.75	64.86					
		MAPLE	46.85	58.56	70.28	81.99	93.70					
		RED OAK	<b>39.75</b>	<b>49.69</b>	<b>59.63</b>	69.56	<b>79.50</b>					

16' lengths of fingerjointed and FJ1 handrail will be 16' long. All others will be at least 15'6" long.

Wool List Pricing

SHOERAIL									
ITEM	SPECIE	8'	10'	12'	14'	16'	DESCRIPTION	BNDL	LF
LJ-6006	POPLAR	31.23	39.04	46.85	54.65	62.46	Shoe Plowed 1 3/4" (Hemlock Plowed 1 5/8")	12	0.6
	BEECH	35.20	44.00	52.80	61.60	70.40			
	MAPLE	51.55	64.44	77.33	90.21	103.10			
	RED OAK	46.48	58.10	69.72	81.34	92.96			
	CHERRY	66.95	83.69	100.43	117.16	133.90			
HEMLOCK	23.60	29.50	35.40	41.30	47.20				
LJ-6045	POPLAR	18.68	23.35	28.02	32.69	37.36	Shoe Plowed 1 1/4"	10	0.5
	BEECH	21.70	27.13	32.55	37.98	43.40			
	MAPLE	31.23	39.04	46.85	54.65	62.46			
	RED OAK	28.30	35.38	42.45	49.53	56.60			
	CHERRY	40.28	50.35	60.42	70.49	80.56			
	HEMLOCK	23.33	29.16	35.00	40.83	46.66			
FILLET									
ITEM	SPECIE	Price per lineal foot				DESCRIPTION	LF/ BNDL	WT/ LF	
LJ-6000F	POPLAR					Fillet 5/16" x 1 1/4"	300'	0.1	
	BEECH	1.28							
	RED OAK	1.43							
	MAPLE	1.65							
	CHERRY	1.95							
LJ-6007	POPLAR	2.33				Fillet 1 3/4" x 5/16"	300'	0.2	
	BEECH	1.30							
	RED OAK	1.48							
	MAPLE	1.93							
	CHERRY	2.20							
	HEMLOCK	2.75							
LJ-6050	POPLAR	0.70				Fillet 1 1/4" x 5/16"	300'	0.1	
	BEECH	0.78							
	RED OAK	0.90							
	MAPLE	1.18							
	CHERRY	1.38							
	HEMLOCK	1.63							
LJ-6000F-03	POPLAR	0.60				3' Fillet 5/16" x 1 1/4"	300'	0.1	
	BEECH	4.22							
	RED OAK	4.72							
	MAPLE	5.45							
	CHERRY	6.44							
LJ-6007-03	POPLAR	7.69				3' Fillet 1 3/4" x 5/16"	300'	0.2	
	BEECH	4.29							
	RED OAK	4.88							
	MAPLE	6.37							
	CHERRY	7.26							
LJ-6050-03	POPLAR	9.08				3' Fillet 1 1/4" x 5/16"	300'	0.1	
	BEECH	2.57							
	RED OAK	2.97							
	MAPLE	3.89							
	CHERRY	4.55							
BENDING MOLD									
LJ-6010BM	PINE	3.00	per L.F. one side		Bending Mold for LJ-6010B, LJ-6210B		224'	0.4	
LJ-6519BM	PINE	5.45	per L.F. one side		Bending Mold for LJ-6519B		224'	0.4	
LJ-6910BM-08	POLYVINYL	82.40	per 8' PC. one side		Bending Mold for LJ-6010B, LJ-6210B		16-8'	0.6	
LJ-6601BM	PINE	1.53	per L.F. one side		Bending Mold for LJ-6601B		336'	0.4	
LJ-6701BM	PINE	1.53	per L.F. one side		Bending Mold for LJ-6701B		336'	0.4	
LJ-6900BM	PINE	5.88	per L.F. one side		Bending Mold for LJ-6900B		224'	0.35	
LJ-6A10BM	PINE	4.18	per L.F. one side		Bending Mold for LJ-6A10B		224'	0.35	
LJ-6B10BM-08	POLYVINYL	100.45	per 8' pc. one side		Bending Mold for LJ-6B10B		224'	0.35	




LJ-6006



LJ-6045




LJ-6000F



LJ-6007




LJ-6050




LJ-6010BM  
LJ-6910BM



LJ-6519BM



LJ-6601BM



LJ-6701BM



LJ-6900BM




LJ-6A10BM




LJ-6B10BM

Shaded = In Stock Crystal Lake


## Woolf List Pricing




LI-3200S LI-3210S LI-3240S LI-3270HF



LI-5100S LI-5105S LI-5100G LI-5105G




LI-5102S LI-5107S LI-5110S LI-5115S  
LI-5103S LI-5108S  
LI-5104S LI-5109S




LI-5111HE LI-5111HF LI-5111G LI-5111S

IRON NEWELS										
ITEM	Satin Black	Flat Black Textured	Silver Vein	Bronze Vein	Satin Nickel	Oil Rubbed Copper	DESCRIPTION	SIZE	PCS/BOX	LBS/BOX
LI-3200S	74.98	74.98	74.98	74.98	71.98	89.89	Single Basket Newel-Smooth	1-3/16"x48"	1	20
LI-3210S	61.55	61.55	61.55	61.55	59.13	73.88	Single Twist Newel-Smooth	1-3/16"x48"	1	20
LI-3240S	74.98	74.98	74.98	74.98	--	--	Single Loose Twist Newel-Smooth	1-3/16"x48"	1	20
LI-3270HF	102.08	102.08	102.08	102.08	98.00	122.50	Gothic Newel-Hammered Face	1-3/16"x48"	1	20
IRON BALUSTERS										
ITEM	Satin Black	Flat Black Textured	Silver Vein	Bronze Vein	Satin Nickel	Oil Rubbed Copper	DESCRIPTION	SIZE	PCS/BOX	LBS/BOX
LI-5100S-35	8.75	14.75	14.75	14.75	15.23	15.85	Single Basket-Smooth	1/2" x 35"	12	31
LI-5100S-38	8.95	14.85	14.85	14.85	15.55	18.98	Single Basket-Smooth	1/2" x 38"	12	34
LI-5100S-42	11.23	14.95	14.95	14.95	16.03	19.55	Single Basket-Smooth	1/2" x 42"	12	38
LI-5100G-35	16.85	16.85	16.85	16.85	--	--	Single Basket-Grooved Face	1/2" x 35"	12	31
LI-5100G-38	17.23	17.23	17.23	17.23	--	--	Single Basket-Grooved Face	1/2" x 38"	12	34
LI-5100G-42	17.75	17.75	17.75	17.75	--	--	Single Basket-Grooved Face	1/2" x 42"	12	38
LI-5102S-35	26.70	26.70	--	--	--	--	Single Brass Basket-Smooth	1/2" x 35"	12	31
LI-5102S-38	27.28	27.28	--	--	--	--	Single Brass Basket-Smooth	1/2" x 38"	12	34
LI-5102S-42	28.13	28.13	--	--	--	--	Single Brass Basket-Smooth	1/2" x 42"	12	38
LI-5103S-35	24.58	24.58	--	--	--	--	Single Copper Basket-Smooth	1/2" x 35"	12	31
LI-5103S-38	25.13	25.13	--	--	--	--	Single Copper Basket-Smooth	1/2" x 38"	12	34
LI-5103S-42	25.88	25.88	--	--	--	--	Single Copper Basket-Smooth	1/2" x 42"	12	38
LI-5104S-35	24.58	24.58	--	--	--	--	Single Satin Nickel Basket-Smooth	1/2" x 35"	12	31
LI-5104S-38	25.13	25.13	--	--	--	--	Single Satin Nickel Basket-Smooth	1/2" x 38"	12	34
LI-5104S-42	25.88	25.88	--	--	--	--	Single Satin Nickel Basket-Smooth	1/2" x 42"	12	38
LI-5105S-35	10.28	17.85	17.85	17.85	18.50	10.98	Double Basket-Smooth	1/2" x 35"	12	35
LI-5105S-38	10.50	17.95	17.95	17.95	18.90	11.13	Double Basket-Smooth	1/2" x 38"	12	38
LI-5105S-42	14.18	18.08	18.08	18.08	19.48	11.28	Double Basket-Smooth	1/2" x 42"	12	42
LI-5105G-35	20.48	20.48	20.48	20.48	--	--	Double Basket-Grooved Face	1/2" x 35"	12	35
LI-5105G-38	20.90	20.90	20.90	20.90	--	--	Double Basket-Grooved Face	1/2" x 38"	12	38
LI-5105G-42	21.58	21.58	21.58	21.58	--	--	Double Basket-Grooved Face	1/2" x 42"	12	42
LI-5107S-35	45.58	45.58	--	--	--	--	Double Brass Basket-Smooth	1/2" x 35"	12	35
LI-5107S-38	46.55	46.55	--	--	--	--	Double Brass Basket-Smooth	1/2" x 38"	12	38
LI-5107S-42	47.98	47.98	--	--	--	--	Double Brass Basket-Smooth	1/2" x 42"	12	42
LI-5108S-35	39.63	39.63	--	--	--	--	Double Copper Basket-Smooth	1/2" x 35"	12	35
LI-5108S-38	40.45	40.45	--	--	--	--	Double Copper Basket-Smooth	1/2" x 38"	12	38
LI-5108S-42	41.73	41.73	--	--	--	--	Double Copper Basket-Smooth	1/2" x 42"	12	42
LI-5109S-35	39.63	39.63	--	--	--	--	Double Satin Nickel Basket-Smooth	1/2" x 35"	12	35
LI-5109S-38	40.45	40.45	--	--	--	--	Double Satin Nickel Basket-Smooth	1/2" x 38"	12	38
LI-5109S-42	41.73	41.73	--	--	--	--	Double Satin Nickel Basket-Smooth	1/2" x 42"	12	42
LI-5110S-35	6.83	9.18	9.18	9.18	9.03	7.35	Single Twist-Smooth	1/2" x 35"	12	28
LI-5110S-38	7.03	9.38	9.38	9.38	9.23	7.48	Single Twist-Smooth	1/2" x 38"	12	30
LI-5110S-42	7.88	9.68	9.68	9.68	9.53	7.60	Single Twist-Smooth	1/2" x 42"	12	34
LI-5110G-35	10.00	10.00	10.00	10.00	--	--	Single Twist-Grooved Face	1/2" x 35"	12	28
LI-5110G-38	10.20	10.20	10.20	10.20	--	--	Single Twist-Grooved Face	1/2" x 38"	12	30
LI-5110G-42	10.53	10.53	10.53	10.53	--	--	Single Twist-Grooved Face	1/2" x 42"	12	34
LI-5111G-35	12.48	12.48	12.48	12.48	--	--	1/2 X 1/2 Plain-Grooved Face	1/2" x 35"	12	28
LI-5111G-38	12.73	12.73	12.73	12.73	--	--	1/2 X 1/2 Plain-Grooved Face	1/2" x 38"	12	30
LI-5111G-42	13.13	13.13	13.13	13.13	--	--	1/2 X 1/2 Plain-Grooved Face	1/2" x 42"	12	34
LI-5111HE-35	12.78	12.78	12.78	12.78	--	--	1/2 X 1/2 Plain-Hammered Edge	1/2" x 35"	12	28
LI-5111HE-38	13.05	13.05	13.05	13.05	--	--	1/2 X 1/2 Plain-Hammered Edge	1/2" x 38"	12	30
LI-5111HE-42	13.45	13.45	13.45	13.45	--	--	1/2 X 1/2 Plain-Hammered Edge	1/2" x 42"	12	34
LI-5111HF-35	12.78	12.78	12.78	12.78	--	--	1/2 X 1/2 Plain-Hammered Face	1/2" x 35"	12	28
LI-5111HF-38	13.05	13.05	13.05	13.05	--	--	1/2 X 1/2 Plain-Hammered Face	1/2" x 38"	12	30
LI-5111HF-42	13.45	13.45	13.45	13.45	--	--	1/2 X 1/2 Plain-Hammered Face	1/2" x 42"	12	34
LI-5111S-35	6.60	8.68	8.68	8.68	8.53	8.15	1/2 X 1/2 Plain-Smooth	1/2" x 35"	12	28
LI-5111S-38	6.80	8.85	8.85	8.85	8.73	8.28	1/2 X 1/2 Plain-Smooth	1/2" x 38"	12	30
LI-5111S-42	7.58	9.15	9.15	9.15	9.00	8.40	1/2 X 1/2 Plain-Smooth	1/2" x 42"	12	34
LI-5115S-35	6.88	10.05	10.05	10.05	9.88	7.35	Double Twist-Smooth	1/2" x 35"	12	28
LI-5115S-38	7.08	10.28	10.28	10.28	10.13	7.50	Double Twist-Smooth	1/2" x 38"	12	30
LI-5115S-42	8.03	10.58	10.58	10.58	10.43	7.63	Double Twist-Smooth	1/2" x 42"	12	34
LI-5115G-35	10.75	10.75	10.75	10.75	--	--	Double Twist-Grooved Face	1/2" x 35"	12	28
LI-5115G-38	10.98	10.98	10.98	10.98	--	--	Double Twist-Grooved Face	1/2" x 38"	12	30
LI-5115G-42	11.30	11.30	11.30	11.30	--	--	Double Twist-Grooved Face	1/2" x 42"	12	34


# Woolf List Pricing




LI-5120S LI-5125S LI-5120G LI-5125G




LI-5130S LI-5135S LI-5140S LI-5145S



LI-5140G LI-5145G LI-5150G LI-5150S




LI-5156S LI-5160S LI-5170HF LI-5175HF



LI-5176HF LI-5180S LI-5185S


ITEM	IRON BALUSTERS							DESCRIPTION	SIZE	PCS/ BOX	LBS/ BOX
	Satin Black	Flat Black Textured	Silver Vein	Bronze Vein	Satin Nickel	Oil Rubbed Copper					
LI-5120S-35	13.50	13.50	13.50	13.50	--	--	Single Collar-Smooth	1/2" x 35"	12	31	
LI-5120S-38	13.55	13.55	13.55	13.55	--	--	Single Collar-Smooth	1/2" x 38"	12	34	
LI-5120S-42	13.68	13.68	13.68	13.68	--	--	Single Collar-Smooth	1/2" x 42"	12	38	
LI-5120G-35	20.25	20.25	20.25	20.25	--	--	Single Collar-Grooved Face	1/2" x 35"	12	31	
LI-5120G-38	20.68	20.68	20.68	20.68	--	--	Single Collar-Grooved Face	1/2" x 38"	12	34	
LI-5120G-42	21.33	21.33	21.33	21.33	--	--	Single Collar-Grooved Face	1/2" x 42"	12	38	
LI-5125S-35	14.98	14.98	14.98	14.98	--	--	Double Collar-Smooth	1/2" x 35"	12	36	
LI-5125S-38	15.05	15.05	15.05	15.05	--	--	Double Collar-Smooth	1/2" x 38"	12	39	
LI-5125S-42	15.13	15.13	15.13	15.13	--	--	Double Collar-Smooth	1/2" x 42"	12	43	
LI-5125G-35	24.30	24.30	24.30	24.30	--	--	Double Collar-Grooved Face	1/2" x 35"	12	36	
LI-5125G-38	24.80	24.80	24.80	24.80	--	--	Double Collar-Grooved Face	1/2" x 38"	12	39	
LI-5125G-42	25.58	25.58	25.58	25.58	--	--	Double Collar-Grooved Face	1/2" x 42"	12	43	
LI-5130S-35	14.98	14.98	14.98	14.98	--	--	Single Feather-Smooth	1/2" x 35"	12	33	
LI-5130S-38	15.28	15.28	15.28	15.28	--	--	Single Feather-Smooth	1/2" x 38"	12	36	
LI-5130S-42	15.78	15.78	15.78	15.78	--	--	Single Feather-Smooth	1/2" x 42"	12	40	
LI-5135S-35	16.28	16.28	16.28	16.28	--	--	Double Feather-Smooth	1/2" x 35"	12	33	
LI-5135S-38	16.63	16.63	16.63	16.63	--	--	Double Feather-Smooth	1/2" x 38"	12	36	
LI-5135S-42	17.13	17.13	17.13	17.13	--	--	Double Feather-Smooth	1/2" x 42"	12	40	
LI-5140S-35	14.70	14.70	14.70	14.70	--	--	Single Loose Twist-Smooth	1/2" x 35"	12	27	
LI-5140S-38	15.05	15.05	15.05	15.05	--	--	Single Loose Twist-Smooth	1/2" x 38"	12	30	
LI-5140S-42	15.50	15.50	15.50	15.50	--	--	Single Loose Twist-Smooth	1/2" x 42"	12	33	
LI-5140G-35	12.88	12.88	12.88	12.88	--	--	Single Loose Twist-Grooved Face	1/2" x 35"	12	27	
LI-5140G-38	13.15	13.15	13.15	13.15	--	--	Single Loose Twist-Grooved Face	1/2" x 38"	12	30	
LI-5140G-42	13.55	13.55	13.55	13.55	--	--	Single Loose Twist-Grooved Face	1/2" x 42"	12	33	
LI-5145S-35	15.63	15.63	15.63	15.63	--	--	Double Loose Twist-Smooth	1/2" x 35"	12	27	
LI-5145S-38	15.95	15.95	15.95	15.95	--	--	Double Loose Twist-Smooth	1/2" x 38"	12	29	
LI-5145S-42	16.43	16.43	16.43	16.43	--	--	Double Loose Twist-Smooth	1/2" x 42"	12	32	
LI-5145G-35	13.68	13.68	13.68	13.68	--	--	Double Loose Twist-Grooved Face	1/2" x 35"	12	27	
LI-5145G-38	13.95	13.95	13.95	13.95	--	--	Double Loose Twist-Grooved Face	1/2" x 38"	12	29	
LI-5145G-42	14.40	14.40	14.40	14.40	--	--	Double Loose Twist-Grooved Face	1/2" x 42"	12	32	
LI-5150S-35	12.95	41.03	41.03	41.03	39.40	14.95	"S" Scroll-Smooth	1/2" x 35"	10	30	
LI-5150S-38	13.15	41.90	41.90	41.90	40.23	15.38	"S" Scroll-Smooth	1/2" x 38"	10	33	
LI-5150S-42	20.85	43.20	43.20	43.20	41.45	20.63	"S" Scroll-Smooth	1/2" x 42"	10	36	
LI-5150G-35	44.00	44.00	44.00	44.00	--	--	"S" Scroll-Grooved Face	1/2" x 35"	10	30	
LI-5150G-38	44.93	44.93	44.93	44.93	--	--	"S" Scroll-Grooved Face	1/2" x 38"	10	33	
LI-5150G-42	46.33	46.33	46.33	46.33	--	--	"S" Scroll-Grooved Face	1/2" x 42"	10	36	
LI-5156S-35	10.93	8.95	8.95	8.95	--	--	Belly Baluster-Smooth	1/2" x 35"	12	30	
LI-5156S-38	11.15	9.15	9.15	9.15	--	--	Belly Baluster-Smooth	1/2" x 38"	12	33	
LI-5156S-42	11.50	9.43	9.43	9.43	--	--	Belly Baluster-Smooth	1/2" x 42"	12	36	
LI-5160S-35	13.00	13.00	13.00	13.00	--	--	Wave Baluster-Smooth	1/2" x 35"	12	30	
LI-5160S-38	13.25	13.25	13.25	13.25	--	--	Wave Baluster-Smooth	1/2" x 38"	12	33	
LI-5160S-42	13.68	13.68	13.68	13.68	--	--	Wave Baluster-Smooth	1/2" x 42"	12	36	
LI-5170HF-35	19.63	19.63	19.63	19.63	19.33	23.58	Single Gothic-Hammered Face	1/2" x 35"	12	30	
LI-5170HF-38	20.05	20.05	20.05	20.05	19.73	24.05	Single Gothic-Hammered Face	1/2" x 38"	12	33	
LI-5170HF-42	18.75	20.65	20.65	20.65	20.33	24.78	Single Gothic-Hammered Face	1/2" x 42"	12	36	
LI-5175HF-35	23.88	23.88	23.88	23.88	23.48	28.65	Double Gothic-Hammered Face	1/2" x 35"	12	36	
LI-5175HF-38	24.38	24.38	24.38	24.38	23.98	29.25	Double Gothic-Hammered Face	1/2" x 38"	12	39	
LI-5175HF-42	23.43	25.15	25.15	25.15	24.73	30.18	Double Gothic-Hammered Face	1/2" x 42"	12	43	
LI-5176HF-35	31.08	31.08	31.08	31.08	30.55	37.28	Gothic Basket-Hammered Face	1/2" x 35"	6	20	
LI-5176HF-38	31.73	31.73	31.73	31.73	31.20	38.05	Gothic Basket-Hammered Face	1/2" x 38"	6	22	
LI-5176HF-42	32.68	32.68	32.68	32.68	32.18	39.25	Gothic Basket-Hammered Face	1/2" x 42"	6	25	
LI-5180S-35	29.25	29.25	29.25	29.25	--	--	Single Medallion-Smooth	1/2" x 35"	12	27	
LI-5180S-38	29.85	29.85	29.85	29.85	--	--	Single Medallion-Smooth	1/2" x 38"	12	29	
LI-5180S-42	30.78	30.78	30.78	30.78	--	--	Single Medallion-Smooth	1/2" x 42"	12	32	
LI-5185S-35	32.55	32.55	32.55	32.55	--	--	Double Medallion-Smooth	1/2" x 35"	12	30	
LI-5185S-38	33.23	33.23	33.23	33.23	--	--	Double Medallion-Smooth	1/2" x 38"	12	33	
LI-5185S-42	34.25	34.25	34.25	34.25	--	--	Double Medallion-Smooth	1/2" x 42"	12	36	

## Woolf List Pricing




LI-5186S   LI-5187S   LI-   LI-5195HE

IRON BALUSTERS										
ITEM	Satin Black	Flat Black Textured	Silver Vein	Bronze Vein	DESCRIPTION	SIZE	PCS/ BOX	LBS/ BOX		
LI-5186S-42	47.43	47.43	47.43	47.43	Arch Panel - Smooth	1/2" x 42"	6	66		
LI-5187S-42	47.43	47.43	47.43	47.43	Panel - Smooth	1/2" x 42"	6	64		
LI-5190HE-35	<b>38.25</b>	<b>38.25</b>	<b>38.25</b>	<b>38.25</b>	Single Forged-Hammered Edge	1/2" x 35"	12	30		
LI-5190HE-38	<b>39.05</b>	<b>39.05</b>	<b>39.05</b>	<b>39.05</b>	Single Forged-Hammered Edge	1/2" x 38"	12	33		
LI-5190HE-42	40.28	40.28	40.28	40.28	Single Forged-Hammered Edge	1/2" x 42"	12	36		
LI-5195HE-35	<b>46.15</b>	<b>46.15</b>	<b>46.15</b>	<b>46.15</b>	Double Forged-Hammered Edge	1/2" x 35"	12	36		
LI-5195HE-38	<b>47.13</b>	<b>47.13</b>	<b>47.13</b>	<b>47.13</b>	Double Forged-Hammered Edge	1/2" x 38"	12	39		
LI-5195HE-42	48.60	48.60	48.60	48.60	Double Forged-Hammered Edge	1/2" x 42"	12	43		




LIH-5300S   LIH-5305S   LIH-5310S

HOLLOW IRON BALUSTERS						
ITEM	Satin Black	Oil Rubbed Copper	DESCRIPTION	SIZE	PCS/ BOX	LBS/ BOX
LIH-5300S-44	15.38	18.43	HOLLOW Single Basket-Smooth	1/2" x 44"	12	22
LIH-5305S-44	18.65	22.38	HOLLOW Double Basket-Smooth	1/2" x 44"	12	22
LIH-5310S-44	6.18	10.93	HOLLOW Single Twist-Smooth	1/2" x 44"	12	22
LIH-5311S-44	8.60	10.33	HOLLOW 1/2 X 1/2 Plain-Smooth	1/2" x 44"	12	19
LIH-5315S-44	6.45	11.98	HOLLOW Double Twist-Smooth	1/2" x 44"	12	22
LIH-5150S-44	39.75	47.68	HOLLOW "S" Scroll-Smooth	1/2" x 44"	10	31



LIH-5311S   LIH-5315S   LIH-5150S


IRON ACCESSORIES											
ITEM	Satin Black	Flat Black Textured	Silver Vein	Bronze Vein	Brass	Copper	Satin Nickel	Oil Rubbed Copper	DESCRIPTION	PCS/ BOX	LBS/ BOX
LI-3100	<b>1.88</b>	1.88	<b>1.88</b>	<b>1.88</b>	--	--	2.48	<b>2.13</b>	Angled Collar	16	4
LI-3101	<b>1.63</b>	1.63	<b>1.63</b>	<b>1.63</b>	--	--	2.48	<b>1.93</b>	Flat Collar	16	4
LI-3102	1.95	1.63	1.63	1.63	--	--	2.13	2.13	Scalloped Square Shoe	16	4
LI-3103	1.95	1.63	1.63	1.63	--	--	2.13	2.13	Scalloped Round Shoe	16	4
LI-3104	2.50	2.50	2.50	2.50	--	--	2.48	3.03	HE/HF Angled Collar	16	4
LI-3105	2.50	2.50	2.50	2.50	--	--	2.48	3.03	HE/HF Flat Collar	16	4
LI-3106	1.95	1.95	1.95	1.95	4.55	4.55	3.40	4.18	Adjustable Knuckle	16	5
LI-3107	3.48	3.48	3.48	3.48	--	--	--	--	HE/HF Adjustable Knuckle	16	5
LI-3108	2.63	2.63	2.63	2.63	--	--	2.25	2.75	Screw-Down Base	16	7
LI-3180	11.40	11.40	11.40	11.40	--	--	--	--	Flower Medallion	1	1.1
LI-3181	11.40	11.40	11.40	11.40	--	--	--	--	Star Medallion	1	1.1
LI-3182	11.40	11.40	11.40	11.40	--	--	--	--	Daisy Medallion	1	1.1
LI-3183	11.40	11.40	11.40	11.40	13.68	13.68	--	--	Decorative Medallion	1	1.1
LI-3760	36.77	36.77	--	--	--	--	36.17	36.17	Iron Newel Mounting Kit	1	3
LI-3701					72.05				Contractor Adhesive Cartridge	12	30
LI-3702					343.90				Contractor Adhesive Injector Tool	1	3.8
LI-3703					9.15				Contractor Adhesive Nozzle	24	0.5
LI-3704					53.18				Job-Lot Self Contained Adhesive Kit	8	7.2
LI-3705					61.28				Job-Lot Caulk Gun Adhesive Kit	8	7.5
LI-3706					7.25				Job-Lot Adhesive Nozzle	24	0.5



LI-3100   LI-3101   LI-3102   LI-3103   LI-3106   LI-3180   LI-3181   LI-3182   LI-3183   LI-3760

## Woolf List Pricing

Any of our wood balusters are available with a painted finish. Please call for lead times and pricing.




NUMBER	WOOD TYPE							DESCRIPTION	SIZE	PCS/ BOX	LBS/ BOX
	PRIMED	POPLAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK				
LJ-2011-34"	6.60	10.00	12.03	13.35	12.40	8.20	--	Challis Taper Top	1-1/4" x 34"	40	35
LJ-2011-38"	7.30	12.70	15.25	16.95	15.33	10.40	--	Challis Taper Top	1-1/4" x 38"	40	40
LJ-2011-42"	8.85	15.63	18.78	20.85	16.50	12.83	--	Challis Taper Top	1-1/4" x 42"	40	43
LJ-2111-34"	13.85	14.25	16.25	20.98	24.58	18.28	--	Challis Taper Top	1-3/4" x 34"	25	51
LJ-2111-38"	14.85	15.95	18.18	23.45	27.43	20.43	--	Challis Taper Top	1-3/4" x 38"	25	59
LJ-2111-42"	16.80	17.43	19.75	25.53	29.88	22.25	--	Challis Taper Top	1-3/4" x 42"	25	63
LJ-5004ND-31" **	6.73	6.73	7.90	8.58	12.80	9.88	7.58	5005 Turning on 1 1/4" Square**	1-1/4" x 31"	40	25
LJ-5004-34"	6.88	6.93	8.18	8.95	13.40	10.30	8.50	5005 Turning on 1 1/4" Square	1-1/4" x 34"	40	27
LJ-5004-38"	8.73	8.48	9.63	11.38	16.93	13.00	10.80	5005 Turning on 1 1/4" Square	1-1/4" x 38"	40	30
LJ-5004-42"	10.75	10.05	11.55	14.00	20.90	16.10	13.30	5005 Turning on 1 1/4" Square	1-1/4" x 42"	40	34
LJ-5005ND-31" **	10.43	12.25	13.73	17.23	26.48	12.65	8.28	Hampton Square Top **	* 1-3/4" x 31"	25	40
LJ-5005-34"	5.73	8.35	12.82	14.38	22.40	13.55	8.60	Hampton Square Top	* 1-3/4" x 34"	25	60
LJ-5005-38"	6.23	9.50	14.33	15.78	24.65	14.95	9.85	Hampton Square Top	* 1-3/4" x 38"	25	67
LJ-5005-42"	6.80	10.20	15.00	18.65	25.50	15.50	10.95	Hampton Square Top	* 1-3/4" x 42"	25	76
LJ-50058-34"	--	N/A	27.33	31.75	35.65	27.65	N/A	Octagonal Square Top	1-3/4" x 34"	25	60
LJ-50058-38"	--	N/A	30.60	35.50	39.88	30.90	N/A	Octagonal Square Top	1-3/4" x 38"	25	67
LJ-50058-42"	--	N/A	33.78	39.20	44.08	34.15	N/A	Octagonal Square Top	1-3/4" x 42"	25	76
LJ-5015ND-31" **	5.43	5.75	6.58	8.58	12.80	5.83	5.95	Colonial Taper Top **	1-1/4" x 31"	50	38
LJ-5015-34"	3.38	6.08	6.95	7.70	10.80	6.50	6.15	Colonial Taper Top	1-1/4" x 34"	50	43
LJ-5015-38"	3.75	7.73	8.83	9.28	13.68	7.10	7.73	Colonial Taper Top	1-1/4" x 38"	50	49
LJ-5015-42"	4.20	9.58	10.85	10.30	16.85	10.18	9.70	Colonial Taper Top	1-1/4" x 42"	50	53
LJ-5035-34"	5.08	7.40	7.88	10.13	13.20	7.15	--	Colonial Taper Top	1-1/4" x 34"	50	31
LJ-5035-38"	6.48	9.28	9.83	12.13	14.68	7.90	--	Colonial Taper Top	1-1/4" x 38"	50	35
LJ-5035-42"	7.78	11.50	13.83	17.08	15.75	8.48	--	Colonial Taper Top	1-1/4" x 42"	50	38
LJ-5040-34"	8.08	8.75	10.60	11.68	14.73	11.13	--	Full Taper	1-1/8" x 34"	40	76
LJ-5040-38"	8.53	9.25	11.20	12.33	18.48	14.25	--	Full Taper	1-1/8" x 38"	40	88
LJ-5040-42"	9.73	10.55	12.55	13.80	22.98	17.65	--	Full Taper	1-1/8" x 42"	40	94
LJ-5060-34"	4.50	5.03	5.85	6.38	8.68	5.15	5.98	Square Craftsman	1-1/4" x 34"	40	76
LJ-5060-38"	4.85	5.75	6.65	7.25	9.93	5.88	7.58	Square Craftsman	1-1/4" x 38"	40	88
LJ-5060-42"	5.20	6.13	7.13	7.78	10.68	6.28	8.13	Square Craftsman	1-1/4" x 42"	40	94
LJ-5060V-34"	7.93	9.00	10.13	11.60	13.25	18.00	--	Square Craftsman V-Groove	1-1/4" x 34"	40	76
LJ-5060V-38"	8.73	9.40	10.45	12.28	14.35	19.18	--	Square Craftsman V-Groove	1-1/4" x 38"	40	88
LJ-5060V-42"	9.15	9.80	10.95	13.03	15.23	20.33	--	Square Craftsman V-Groove	1-1/4" x 42"	40	94
LJ-5067-34"	3.95	7.68	9.23	8.95	11.50	8.00	6.15	Square Top	1-1/4" x 34"	40	36
LJ-5067-38"	4.30	9.10	10.90	10.60	13.63	9.45	7.73	Square Top	1-1/4" x 38"	40	41
LJ-5067-42"	4.73	10.85	13.00	12.68	16.23	11.20	9.10	Square Top	1-1/4" x 42"	40	44
LJ-5070-34"	7.30	5.45	7.28	7.58	10.13	8.73	--	Round Craftsman	1-1/4" x 34"	40	76
LJ-5070-38"	7.80	5.95	7.95	8.30	11.15	9.55	--	Round Craftsman	1-1/4" x 38"	40	88
LJ-5070-42"	8.30	6.45	8.60	9.08	12.23	10.43	--	Round Craftsman	1-1/4" x 42"	40	94
LJ-5090-34"	--	--	--	--	--	--	8.60	Terrace on 1 5/8" Square	1-5/8" x 34"	25	32
LJ-5090-38"	--	--	--	--	--	--	9.85	Terrace on 1 5/8" Square	1-5/8" x 38"	25	36
LJ-5090-42"	--	--	--	--	--	--	10.95	Terrace on 1 5/8" Square	1-5/8" x 42"	25	40
LJ-5141ND-31" **	5.43	5.75	6.50	8.58	12.80	6.80	5.95	Square Top **	1-1/4" x 31"	40	38
LJ-5141-34"	4.40	6.20	8.00	8.63	11.28	7.45	6.15	Square Top	1-1/4" x 34"	40	40
LJ-5141-38"	4.65	7.03	8.85	9.53	12.78	8.43	7.73	Square Top	1-1/4" x 38"	40	49
LJ-5141-42"	5.13	11.58	12.70	11.20	17.78	12.38	10.73	Square Top	1-1/4" x 42"	40	52
LJ-5200-34"	5.20	7.40	8.33	8.10	10.43	6.85	6.15	Hampton Taper Top	1-1/4" x 34"	40	36
LJ-5200-38"	6.63	8.78	9.88	9.63	12.33	8.95	7.73	Hampton Taper Top	1-1/4" x 38"	40	41
LJ-5200-42"	7.98	10.80	12.95	12.60	16.15	11.83	9.70	Hampton Taper Top	1-1/4" x 42"	40	44
LJ-5300-34"	7.98	8.33	17.35	14.18	24.15	15.95	9.45	Hampton Taper Top	* 1-3/4" x 34"	25	43
LJ-5300-38"	8.63	9.00	18.78	15.48	26.20	17.28	10.85	Hampton Taper Top	* 1-3/4" x 38"	25	49
LJ-5300-42"	9.40	9.33	20.93	17.98	29.33	18.40	12.05	Hampton Taper Top	* 1-3/4" x 42"	25	53
LJ-53008-34"	--	N/A	22.75	26.30	29.55	22.93	N/A	Octagonal Taper Top	1-3/4" x 34"	25	43
LJ-53008-38"	--	N/A	24.58	28.60	32.13	24.90	N/A	Octagonal Taper Top	1-3/4" x 38"	25	49
LJ-53008-42"	--	N/A	27.48	31.95	35.93	27.85	N/A	Octagonal Taper Top	1-3/4" x 42"	25	53
LJ-5360-34"	11.38	5.28	10.78	12.98	17.75	9.85	8.60	Square Craftsman	* 1-3/4" x 34"	25	77
LJ-5360-38"	14.68	7.70	14.35	15.45	21.13	12.70	9.85	Square Craftsman	* 1-3/4" x 38"	25	86
LJ-5360-42"	15.48	8.73	15.23	16.68	22.90	13.38	10.90	Square Craftsman	* 1-3/4" x 42"	25	94
LJ-5360V-34"	13.15	11.85	13.65	17.85	23.83	19.10	--	Square Craftsman V-Groove	1-3/4" x 34"	25	77
LJ-5360V-38"	16.30	14.48	16.33	20.33	27.95	20.63	--	Square Craftsman V-Groove	1-3/4" x 38"	25	86
LJ-5360V-42"	17.08	15.13	17.18	21.78	30.10	25.45	--	Square Craftsman V-Groove	1-3/4" x 42"	25	94
LJ-5370-34"	11.38	8.78	12.10	14.38	17.25	16.38	--	Round Craftsman	1-3/4" x 34"	25	77
LJ-5370-38"	14.68	9.60	13.25	15.88	19.05	17.65	--	Round Craftsman	1-3/4" x 38"	25	86
LJ-5370-42"	15.48	10.43	14.45	17.38	20.88	19.38	--	Round Craftsman	1-3/4" x 42"	25	94

\*\* 31" Balusters are for Kneewall Stairways Only. These balusters are not pre-drilled or pinned with LJ-PIN E-Z.

## Woolf List Pricing


Any of our wood balusters are available with a painted finish. Please call for lead times and pricing.



BALUSTERS												
NUMBER	WOOD TYPE							DESCRIPTION	SIZE	PCS/ BOX	LBS/ BOX	
	PRIMED	POPLAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK					
LJB-2905-34"	24.78	33.30	36.63	37.00	43.30	30.85	N/A	Bristol Beaded Square Top	1-3/4" x 34"	25	60	
LJB-2905-38"	29.45	39.88	43.88	44.33	51.88	36.95	N/A	Bristol Beaded Square Top	1-3/4" x 38"	25	69	
LJB-2905-42"	35.33	47.50	52.23	52.78	59.30	44.00	N/A	Bristol Beaded Square Top	1-3/4" x 42"	25	74	
LJB-2915-34"	27.15	36.40	40.05	40.45	47.35	35.23	N/A	Bristol Beaded Taper Top	1-3/4" x 34"	25	51	
LJB-2915-38"	31.70	42.98	47.28	47.75	55.90	41.60	N/A	Bristol Beaded Taper Top	1-3/4" x 38"	25	59	
LJB-2915-42"	36.98	49.35	54.28	54.83	64.18	47.78	N/A	Bristol Beaded Taper Top	1-3/4" x 42"	25	63	
LJC-5060-34"	10.55	8.78	10.80	11.60	24.15	16.28	10.43	Chamfered Edge Sq. Craftsman	1-1/4" x 34"	40	76	
LJC-5060-38"	11.25	9.40	12.43	13.35	25.80	19.45	11.03	Chamfered Edge Sq. Craftsman	1-1/4" x 38"	40	88	
LJC-5060-42"	11.70	9.83	13.55	14.53	27.03	21.35	12.60	Chamfered Edge Sq. Craftsman	1-1/4" x 42"	40	94	
LJC-5060V-34"	14.68	10.08	11.93	12.67	17.97	16.91	--	Chamf. Craftsman V-Groove	1-1/4" x 34"	40	76	
LJC-5060V-38"	15.02	10.65	13.41	14.25	19.13	19.80	--	Chamf. Craftsman V-Groove	1-1/4" x 38"	40	88	
LJC-5060V-42"	15.39	11.03	14.43	15.33	20.09	21.54	--	Chamf. Craftsman V-Groove	1-1/4" x 42"	40	94	
LJC-5360-34"	14.45	12.35	16.65	18.83	32.48	25.75	13.10	Chamfered Edge Sq. Craftsman	* 1-3/4" x 34"	25	77	
LJC-5360-38"	16.48	14.20	18.75	21.10	36.25	29.33	15.83	Chamfered Edge Sq. Craftsman	* 1-3/4" x 38"	25	86	
LJC-5360-42"	17.33	14.93	20.78	23.53	41.10	33.23	17.35	Chamfered Edge Sq. Craftsman	* 1-3/4" x 42"	25	94	
LJC-5360V-34"	18.82	13.34	17.25	19.23	24.44	25.53	--	Chamf. Craftsman V-Groove	1-3/4" x 34"	25	77	
LJC-5360V-38"	19.33	15.01	19.17	21.32	26.89	28.79	--	Chamf. Craftsman V-Groove	1-3/4" x 38"	25	86	
LJC-5360V-42"	19.93	15.67	21.02	23.50	29.82	32.33	--	Chamf. Craftsman V-Groove	1-3/4" x 42"	25	94	
LJF-2005-34"	17.03	17.25	18.63	23.38	35.30	20.70	--	Fluted Square Top	1-3/4" x 34"	25	60	
LJF-2005-38"	20.48	20.65	22.33	27.98	42.15	24.75	--	Fluted Square Top	1-3/4" x 38"	25	69	
LJF-2005-42"	24.65	24.85	26.85	33.73	51.00	29.83	--	Fluted Square Top	1-3/4" x 42"	25	74	
LJF-2015-34"	18.68	18.90	20.48	25.65	37.30	31.35	--	Fluted Taper Top	1-3/4" x 34"	25	51	
LJF-2015-38"	22.08	22.25	24.13	30.20	45.58	36.95	--	Fluted Taper Top	1-3/4" x 38"	25	59	
LJF-2015-42"	25.70	25.85	27.93	35.10	53.18	42.95	--	Fluted Taper Top	1-3/4" x 42"	25	63	
LJF-2105-34"	22.48	23.10	24.93	33.30	27.50	29.00	--	Challis Fluted Urn Square Top	1-3/4" x 34"	25	60	
LJF-2105-38"	26.95	27.68	29.83	39.75	31.33	34.65	--	Challis Fluted Urn Square Top	1-3/4" x 38"	25	69	
LJF-2105-42"	32.38	33.28	36.00	47.88	35.63	41.73	--	Challis Fluted Urn Square Top	1-3/4" x 42"	25	74	
LJF-2115-34"	24.65	25.30	27.43	36.35	31.33	27.45	--	Challis Fluted Urn Pin Top	1-3/4" x 34"	25	51	
LJF-2115-38"	29.10	29.88	32.38	42.95	33.95	30.40	--	Challis Fluted Urn Pin Top	1-3/4" x 38"	25	59	
LJF-2115-42"	33.80	34.73	37.33	49.98	35.63	32.45	--	Challis Fluted Urn Pin Top	1-3/4" x 42"	25	63	
LJF-2905-34"	23.33	31.95	35.15	35.53	41.58	30.95	--	Bristol Fluted Square Top	1-3/4" x 34"	25	60	
LJF-2905-38"	28.03	38.55	42.43	42.85	50.13	37.33	--	Bristol Fluted Square Top	1-3/4" x 38"	25	69	
LJF-2905-42"	33.93	46.13	50.78	51.28	60.00	42.75	--	Bristol Fluted Square Top	1-3/4" x 42"	25	74	
LJF-2915-34"	25.73	35.08	38.58	38.98	45.63	33.95	--	Bristol Fluted Taper Top	1-3/4" x 34"	25	51	
LJF-2915-38"	30.28	41.65	45.80	46.25	54.18	40.30	--	Bristol Fluted Taper Top	1-3/4" x 38"	25	59	
LJF-2915-42"	35.55	48.00	52.80	53.35	62.43	46.48	--	Bristol Fluted Taper Top	1-3/4" x 42"	25	63	
LJF-5060-34"	10.55	8.78	10.80	11.60	10.70	10.43	--	Fluted Square Craftsman	1-1/4" x 34"	40	76	
LJF-5060-38"	11.25	9.40	12.43	13.35	11.60	11.25	--	Fluted Square Craftsman	1-1/4" x 38"	40	88	
LJF-5060-42"	11.70	9.83	13.53	14.53	12.50	12.08	--	Fluted Square Craftsman	1-1/4" x 42"	40	94	
LJF-5060V-34"	15.86	11.21	12.09	13.64	17.97	16.01	--	Fluted Sq. Craftsman V-Groove	1-1/4" x 34"	40	76	
LJF-5060V-38"	16.20	11.58	13.41	14.28	19.13	16.41	--	Fluted Sq. Craftsman V-Groove	1-1/4" x 38"	40	88	
LJF-5060V-42"	16.57	11.95	14.43	15.53	20.09	16.81	--	Fluted Sq. Craftsman V-Groove	1-1/4" x 42"	40	94	
LJF-5070-34"	10.55	8.78	10.80	11.60	12.85	11.88	--	Fluted Round Craftsman	1-1/4" x 34"	40	76	
LJF-5070-38"	11.25	9.40	12.43	13.35	13.90	12.70	--	Fluted Round Craftsman	1-1/4" x 38"	40	88	
LJF-5070-42"	11.70	9.83	13.55	14.53	14.95	13.58	--	Fluted Round Craftsman	1-1/4" x 42"	40	94	
LJF-5360-34"	14.45	12.35	16.65	18.83	16.63	17.53	--	Fluted Square Craftsman	1-3/4" x 34"	25	77	
LJF-5360-38"	16.48	14.20	18.75	21.10	18.23	19.23	--	Fluted Square Craftsman	1-3/4" x 38"	25	86	
LJF-5360-42"	17.33	14.93	20.78	23.53	19.80	20.85	--	Fluted Square Craftsman	1-3/4" x 42"	25	94	
LJF-5360V-34"	20.00	13.87	17.25	19.43	24.44	21.03	--	Fluted Sq. Craftsman V-Groove	1-3/4" x 34"	25	77	
LJF-5360V-38"	20.51	15.01	19.17	21.32	26.89	21.53	--	Fluted Sq. Craftsman V-Groove	1-3/4" x 38"	25	86	
LJF-5360V-42"	21.11	15.67	21.02	23.50	29.82	24.03	--	Fluted Sq. Craftsman V-Groove	1-3/4" x 42"	25	94	
LJF-5370-34"	14.45	12.35	16.65	18.83	20.00	19.73	--	Fluted Round Craftsman	1-3/4" x 34"	25	77	
LJF-5370-38"	16.48	14.20	18.78	21.10	21.80	21.43	--	Fluted Round Craftsman	1-3/4" x 38"	25	86	
LJF-5370-42"	17.33	14.93	20.78	23.53	23.63	23.15	--	Fluted Round Craftsman	1-3/4" x 42"	25	94	
LJP-2005-34"	5.73	13.20	14.25	17.65	27.05	15.85	--	Plain Square Top	1-3/4" x 34"	25	60	
LJP-2005-38"	6.23	16.08	17.43	18.98	32.90	19.30	--	Plain Square Top	1-3/4" x 38"	25	69	
LJP-2005-42"	6.80	19.60	21.10	19.80	43.33	23.53	--	Plain Square Top	1-3/4" x 42"	25	74	
LJP-20058-34"	--	N/A	27.13	31.63	35.50	27.55	N/A	Square Top Octagonal	1-3/4" x 34"	25	60	
LJP-20058-38"	--	N/A	33.03	38.48	43.23	33.50	N/A	Square Top Octagonal	1-3/4" x 38"	25	69	
LJP-20058-42"	--	N/A	43.45	50.63	56.88	44.10	N/A	Square Top Octagonal	1-3/4" x 42"	25	74	
LJP-2015-34"	9.58	13.40	14.55	16.30	27.53	16.08	--	Plain Taper Top	1-3/4" x 34"	25	51	
LJP-2015-38"	11.48	15.10	16.33	17.80	34.70	18.08	--	Plain Taper Top	1-3/4" x 38"	25	59	
LJP-2015-42"	13.03	17.63	19.15	20.00	43.33	21.18	--	Plain Taper Top	1-3/4" x 42"	25	63	
LJP-20158-34"	--	N/A	27.78	32.08	36.05	27.95	N/A	Octagonal Taper Top	1-3/4" x 34"	25	51	
LJP-20158-38"	--	N/A	30.95	36.10	40.55	31.45	N/A	Octagonal Taper Top	1-3/4" x 38"	25	59	
LJP-20158-42"	--	N/A	39.20	45.55	51.15	39.65	N/A	Octagonal Taper Top	1-3/4" x 42"	25	63	


## Woolf List Pricing

Any of our wood balusters are available with a painted finish. Please call for lead times and pricing.



NUMBER	WOOD TYPE							DESCRIPTION	SIZE	PCS/ BOX	LBS/ BOX
	PRIMED	POP-LAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK				
LJP-2105-34"	17.23	17.68	19.05	25.45	33.65	19.20	--	Challis Plain Urn Square Top	1-3/4" x 34"	25	60
LJP-2105-38"	20.98	21.55	23.35	31.08	38.55	23.38	--	Challis Plain Urn Square Top	1-3/4" x 38"	25	69
LJP-2105-42"	25.58	26.28	28.43	37.70	45.65	29.73	--	Challis Plain Urn Square Top	1-3/4" x 42"	25	74
LJP-2115-34"	17.48	17.93	19.58	25.88	33.65	19.48	--	Challis Plain Urn Pin Top	1-3/4" x 34"	25	51
LJP-2115-38"	19.68	20.20	21.85	29.13	38.55	21.93	--	Challis Plain Urn Pin Top	1-3/4" x 38"	25	59
LJP-2115-42"	23.08	23.73	25.60	34.00	45.65	25.73	--	Challis Plain Urn Pin Top	1-3/4" x 42"	25	63
LJP-2905-34"	17.80	24.50	25.01	27.23	31.85	22.68	--	Bristol Plain Square Top	1-3/4" x 34"	25	60
LJP-2905-38"	21.78	29.93	30.56	33.25	38.93	27.70	--	Bristol Plain Square Top	1-3/4" x 38"	25	69
LJP-2905-42"	26.85	36.50	37.28	40.58	47.48	35.35	--	Bristol Plain Square Top	1-3/4" x 42"	25	74
LJP-2915-34"	18.08	25.00	25.53	27.78	32.53	24.20	--	Bristol Plain Taper Top	1-3/4" x 34"	25	51
LJP-2915-38"	20.58	28.23	28.83	31.38	36.70	27.33	--	Bristol Plain Taper Top	1-3/4" x 38"	25	59
LJP-2915-42"	23.88	32.93	33.61	36.58	42.80	31.85	--	Bristol Plain Taper Top	1-3/4" x 42"	25	63
LJT-2005-34"	--	18.73	19.80	24.90	39.28	22.43	N/A	Twisted Square Top	1-3/4" x 34"	25	60
LJT-2005-38"	--	22.75	24.13	30.33	47.83	27.33	N/A	Twisted Square Top	1-3/4" x 38"	25	69
LJT-2005-42"	--	26.85	28.50	35.80	56.50	32.28	N/A	Twisted Square Top	1-3/4" x 42"	25	74
LJT-2015-34"	--	19.40	20.58	25.80	47.45	23.28	N/A	Twist Taper Top	1-3/4" x 34"	25	51
LJT-2015-38"	--	22.75	24.13	30.33	55.93	27.33	N/A	Twist Taper Top	1-3/4" x 38"	25	59
LJT-2015-42"	--	26.60	28.28	35.35	65.58	32.20	N/A	Twist Taper Top	1-3/4" x 42"	25	63

## Traditionally Manufactured ("S-line") Products



NUMBER	WOOD TYPE				DESCRIPTION	SIZE	PCS/ BOX	LBS/ BOX
	PRIMED	POP-LAR	BEECH	RED OAK				
S-5015-31"	3.55	5.55	6.35	7.25	1 1/4 COLONIAL TAPERTOP	1-1/4" x 31"	50	38
S-5015-34"	3.73	6.08	6.95	7.93	1 1/4 COLONIAL TAPERTOP	1-1/4" x 34"	50	43
S-5015-36"	4.00	6.45	7.33	8.20	1 1/4 COLONIAL TAPERTOP	1-1/4" x 36"	50	45
S-5015-39"	4.23	7.73	8.83	8.38	1 1/4 COLONIAL TAPERTOP	1-1/4" x 39"	50	49
S-5015-42"	4.45	9.58	10.85	10.10	1 1/4 COLONIAL TAPERTOP	1-1/4" x 42"	50	52
S-5067-31"	5.25	6.93	7.88	9.73	1 1/4 SQ TOP BALUSTER	1-1/4" x 31"	40	33
S-5067-34"	5.70	7.18	8.18	10.25	1 1/4 SQ TOP BALUSTER	1-1/4" x 34"	40	36
S-5067-36"	6.25	7.95	9.03	10.75	1 1/4 SQ TOP BALUSTER	1-1/4" x 36"	40	38
S-5067-39"	7.28	8.48	9.63	12.13	1 1/4 SQ TOP BALUSTER	1-1/4" x 39"	40	41
S-5067-42"	8.78	10.20	11.55	14.45	1 1/4 SQ TOP BALUSTER	1-1/4" x 42"	40	43
S-5105-31"	11.53	12.28	14.03	17.75	1 3/4 HAMPTON SQ TOP	1-3/4" x 31"	25	52
S-5105-34"	11.95	12.70	14.43	18.18	1 3/4 HAMPTON SQ TOP	1-3/4" x 34"	25	57
S-5105-36"	12.88	13.73	15.30	20.60	1 3/4 HAMPTON SQ TOP	1-3/4" x 36"	25	60
S-5105-39"	13.83	14.15	16.18	20.88	1 3/4 HAMPTON SQ TOP	1-3/4" x 39"	25	66
S-5105-42"	14.18	14.50	16.83	21.33	1 3/4 HAMPTON SQ TOP	1-3/4" x 42"	25	69
S-5141-31"	5.25	5.85	7.55	8.90	1 1/4 SQ TOP BAL	1-1/4" x 31"	40	39
S-5141-34"	5.70	6.20	8.00	9.43	1 1/4 SQ TOP BAL	1-1/4" x 34"	40	41
S-5141-36"	6.25	6.58	8.43	9.98	1 1/4 SQ TOP BAL	1-1/4" x 36"	40	44
S-5141-39"	7.28	7.03	8.85	10.65	1 1/4 SQ TOP BAL	1-1/4" x 39"	40	49
S-5141-42"	9.13	11.58	12.70	14.78	1 1/4 SQ TOP BAL	1-1/4" x 42"	40	51
S-5300-31"	12.13	12.45	15.58	18.93	1 3/4 HAMPTON TAPER TOP	1-3/4" x 31"	25	39
S-5300-34"	12.98	13.28	16.95	20.20	1 3/4 HAMPTON TAPER TOP	1-3/4" x 34"	25	43
S-5300-36"	13.40	14.28	17.78	21.68	1 3/4 HAMPTON TAPER TOP	1-3/4" x 36"	25	45
S-5300-39"	14.10	14.43	20.73	21.90	1 3/4 HAMPTON TAPER TOP	1-3/4" x 39"	25	49
S-5300-42"	16.73	16.13	20.93	24.38	1 3/4 HAMPTON TAPER TOP	1-3/4" x 42"	25	52

## Wool List Pricing


NEWEL POSTS									
NUMBER	POPLAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK*	DESCRIPTION	SIZE	LBS. EA.
LJ-3270	59.28	64.93	82.85	122.10	96.75	----	Shortest Utility	3"x43"	8
LJ-3274	69.75	76.58	88.93	134.20	106.73	----	Longest Utility	3"x50"	9.5
LJ-3275	81.55	92.18	120.33	179.80	144.38	----	Intermediate Landing	3"x58"	11
LJ-3277	95.10	107.78	140.05	221.00	170.28	----	Intermediate Landing	3"x65"	12.5
LJ-3278	132.28	135.50	175.70	262.75	214.13	----	Intermediate Landing	3"x73"	14
LJ-3513PT	67.30	77.70	83.75	100.73	72.40	----	Pin	3"x48"	8
LJ-4000	69.63	69.63	<b>78.85</b>	108.60	<b>76.85</b>	52.03	Craftsman	3-1/2"x48"	16
LJ-4001	76.13	76.53	<b>86.10</b>	118.65	<b>83.95</b>	64.53	Craftsman	3-1/2"x58"	21
LJ-4110	54.38	67.93	<b>81.75</b>	154.65	94.00	----	Craftsman	3"x48"	9
LJ-4111	64.23	85.85	<b>82.03</b>	209.93	113.90	----	Craftsman	3"x58"	10
LJ-4004	75.33	86.33	<b>89.73</b>	123.60	78.55	59.05	Utility	3-1/2"x48"	16
LJ-4005	75.75	95.28	<b>93.88</b>	136.50	86.65	68.50	2nd Floor Landing	3-1/2"x58"	21
LJ-4006	106.95	122.63	127.35	175.45	135.80	90.88	Intermediate Landing	3-1/2"x73"	26
LJ-4004RT	79.28	87.15	<b>107.03</b>	123.60	87.48	56.18	Utility	3-1/2"x48"	16
LJ-4005RT	67.48	96.23	<b>93.88</b>	136.50	96.65	68.50	2nd Floor Landing	3-1/2"x58"	21
LJ-4006RT	112.55	123.65	151.95	175.45	135.80	90.88	Intermediate Landing	3-1/2"x73"	26
LJ-4004COL	75.33	86.33	89.73	123.60	78.55	59.05	Utility	3-1/2"x48"	16
LJ-4005COL	83.13	95.28	99.10	136.50	86.65	68.50	2nd Floor Landing	3-1/2"x58"	21
LJ-4006COL	106.95	122.63	127.35	175.45	135.80	90.88	Intermediate Landing	3-1/2"x73"	26
LJ-4004SCR	----	----	----	----	----	56.18	Utility	3-1/4"x48"	9
LJ-4005SCR	----	----	----	----	----	68.50	2nd Floor Landing	3-1/4"x58"	10
LJ-4006SCR	----	----	----	----	----	90.88	Intermediate Landing	3-1/4"x73"	13.75
LJ-4013PT	63.63	67.30	72.55	83.80	62.73	----	Pin	3"x43"	8
LJ-4010	44.98	54.05	50.15	81.30	50.70	54.98	Shortest Utility	3"x43"	8
LJ-4014	48.85	60.30	57.53	89.73	61.93	59.95	Longest Utility	3"x50"	9.5
LJ-4015	62.33	76.68	74.73	123.60	74.03	82.45	Intermediate Landing	3"x58"	11
LJ-4017	79.25	89.40	102.23	147.25	88.23	94.43	Intermediate Landing	3"x65"	12.5
LJ-4018	110.23	112.00	128.23	185.55	111.15	121.58	Intermediate Landing	3"x73"	14
LJ-4040	44.25	59.00	<b>51.95</b>	88.75	<b>55.40</b>	56.58	Shortest Utility	3"x48"	8
LJ-4042	49.88	67.38	<b>60.23</b>	103.50	62.38	64.05	Longest Utility	3"x58"	9
LJ-4045	56.35	78.90	<b>66.50</b>	121.10	74.15	74.98	2nd Floor Landing	3"x58"	10
LJ-4046	59.70	93.85	70.38	162.13	96.53	88.00	Intermediate Landing	3"x73"	12
LJ-4053	75.75	83.33	94.30	134.38	84.38	79.93	Intermediate Landing	3"x62"	11
LJ-4055	84.68	89.70	102.78	154.53	91.95	87.05	Intermediate Landing	3"x73"	11.5
LJ-4058	100.43	106.38	138.98	166.90	108.50	103.13	Intermediate Landing	3"x78"	13
LJ-4040BT	44.25	59.00	<b>51.95</b>	88.75	55.40	56.58	Shortest Utility	3"x48"	8
LJ-4042BT	49.88	67.38	<b>60.23</b>	103.50	62.38	64.05	Longest Utility	3"x58"	9
LJ-4045BT	56.35	78.90	<b>66.50</b>	121.10	74.15	74.98	2nd Floor Landing	3"x58"	10
LJ-4046BT	64.95	93.85	103.85	162.13	96.53	88.00	Intermediate Landing	3"x73"	12
LJ-4053BT	75.75	83.33	94.30	134.38	84.38	79.93	Intermediate Landing	3"x62"	11
LJ-4055BT	84.68	89.70	102.78	154.53	91.95	87.05	Intermediate Landing	3"x73"	11.5
LJ-4058BT	100.43	106.38	138.98	166.90	104.15	103.13	Intermediate Landing	3"x78"	13
LJ-4050 †	37.90	36.75	44.55	85.18	38.60	----	Starting (Turned Bottom)	2-1/4"x43"	3.25
LJ-4060 †	56.43	60.83	59.48	99.38	53.48	----	Starting (Turned Bottom)	2-3/4"x43"	3.5
LJ-4104BT	----	----	----	----	----	54.33	4004 w/4900 Ball Top	3-1/4"x48"	9
LJ-4105BT	----	----	----	----	----	65.30	4005 w/4900 Ball Top	3-1/4"x58"	10
LJ-4106BT	----	----	----	----	----	77.15	4006 w/4900 Ball Top	3-1/4"x73"	13.75
LJ-4150	59.13	82.85	64.03	151.23	96.63	----	Shortest Utility	3"x48"	8
LJ-4152	68.13	97.58	99.33	177.43	114.23	----	Longest Utility	3"x58"	9
LJ-4155	79.28	114.43	116.03	210.00	133.43	----	2nd Floor Landing	3"x58"	10
LJ-4156	102.38	134.50	137.50	246.55	158.10	----	Intermediate Landing	3"x73"	12
LJ-4163	88.40	121.85	124.05	223.03	142.68	----	Intermediate Landing	3"x62"	11
LJ-4165	98.05	133.38	135.28	244.03	155.58	----	Intermediate Landing	3"x73"	11.5
LJ-4168	116.13	158.38	160.63	289.18	184.73	----	Intermediate Landing	3"x78"	13
LJ-4180	51.93	66.78	<b>68.75</b>	132.58	64.75	----	Shortest Utility	3-1/4"x48"	13.5
LJ-4182	77.00	78.30	<b>80.60</b>	161.03	78.65	----	Longest Utility	3-1/4"x58"	15.5
LJ-4185	70.25	89.23	<b>91.88</b>	179.35	86.55	----	2nd Floor Landing	3-1/4"x58"	16
LJ-4186	83.33	117.53	120.98	253.45	125.88	----	Intermediate Landing	3-1/4"x73"	20.5
LJ-4193	72.15	103.78	106.83	223.05	110.80	----	Intermediate Landing	3-1/4"x62"	17.5
LJ-4195	79.30	111.05	114.40	238.65	118.55	----	Intermediate Landing	3-1/4"x73"	20
LJ-4198	91.53	131.68	161.73	270.33	134.28	----	Intermediate Landing	3-1/4"x78"	22
LJ-4270	60.10	78.53	89.28	115.45	79.70	----	Shortest Utility	3-1/4"x43"	8
LJ-4274	105.08	124.55	127.20	174.75	121.20	78.50	Longest Utility	3-1/4"x50"	9.5
LJ-4275	69.88	134.63	98.98	222.73	154.75	92.15	Intermediate Landing	3-1/4"x58"	11
LJ-4277	136.60	161.90	165.38	253.90	185.08	----	Intermediate Landing	3-1/4"x65"	12.5
LJ-4278	153.38	181.85	212.00	266.78	189.05	----	Intermediate Landing	3-1/4"x73"	14

† Half newels are not available for LJ-4050 & LJ-4060 styles.

Wool Distributing - Crystal Lake





Shaded = In Stock Crystal Lake

June 2011







Woolf List Pricing

NEWEL POSTS									
NUMBER	POPLAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK*	DESCRIPTION	SIZE	LBS. EA.
LJ-42708	N/A	96.40	112.25	129.58	97.00	N/A	Shortest Utility	3-1/4"x43"	8
LJ-42748	N/A	145.15	168.95	195.08	146.03	N/A	Longest Utility	3-1/4"x50"	9.5
LJ-42758	N/A	165.30	192.45	222.20	166.35	N/A	Intermediate Landing	3-1/4"x58"	11
LJ-42778	N/A	188.70	219.63	253.60	189.85	N/A	Intermediate Landing	3-1/4"x65"	12.5
LJ-42788	N/A	211.93	246.65	284.80	213.20	N/A	Intermediate Landing	3-1/4"x73"	14
LJ-4500	64.53	85.73	71.10	137.73	89.58	54.33	Shortest Utility	3-1/2"x48"	15.5
LJ-4503	98.15	100.63	111.60	156.55	103.83	64.88	2nd Floor Landing	3-1/2"x58"	18.5
LJ-4504	62.30	92.23	75.63	149.48	98.83	59.83	Longest Utility	3-1/2"x58"	18
LJ-4505	91.13	117.53	127.30	184.88	115.80	76.35	Intermediate Landing	3-1/2"x73"	23.5
LJ-4553	68.05	107.08	80.60	165.40	109.90	64.95	Intermediate Landing	3-1/2"x62"	20
LJ-4555	98.00	113.48	122.70	174.30	113.48	67.13	Intermediate Landing	3-1/2"x73"	23
LJ-4558	98.38	141.60	145.30	194.65	128.43	84.75	Intermediate Landing	3-1/2"x78"	25.5
LJ-4500-COL	72.08	85.73	99.35	137.73	89.58	N/A	Shortest Utility	3-1/2"x48"	15.5
LJ-4503-COL	84.80	100.63	114.75	156.55	103.83	N/A	2nd Floor Landing	3-1/2"x58"	18.5
LJ-4504-COL	79.55	96.23	109.35	149.48	98.83	N/A	Longest Utility	3-1/2"x58"	18
LJ-4505-COL	91.13	117.53	127.30	224.08	208.88	N/A	Intermediate Landing	3-1/2"x73"	23.5
LJ-4553-COL	85.83	107.05	118.75	165.40	105.18	N/A	Intermediate Landing	3-1/2"x62"	20
LJ-4555-COL	88.08	113.48	122.70	174.30	169.88	N/A	Intermediate Landing	3-1/2"x73"	23
LJ-4558-COL	98.38	135.25	145.30	241.38	190.88	N/A	Intermediate Landing	3-1/2"x78"	25.5
LJ-45008	N/A	113.38	131.98	273.20	114.08	N/A	Shortest Utility	3-1/2"x48"	15.5
LJ-45038	N/A	107.43	152.65	296.45	129.63	N/A	2nd Floor Landing	3-1/2"x58"	18.5
LJ-45048	N/A	123.05	143.23	282.98	123.80	N/A	Longest Utility	3-1/2"x58"	18
LJ-45058	N/A	116.58	170.85	341.78	147.70	N/A	Intermediate Landing	3-1/2"x73"	23.5
LJ-45538	N/A	137.10	166.68	291.05	135.65	N/A	Intermediate Landing	3-1/2"x62"	20
LJ-45558	N/A	150.10	170.93	329.50	142.58	N/A	Intermediate Landing	3-1/2"x73"	23
LJ-45588	N/A	167.63	182.10	367.98	151.08	N/A	Intermediate Landing	3-1/2"x78"	25.5
LJ-4600	59.13	82.85	84.03	151.23	96.63	----	Shortest Utility	3"x48"	8
LJ-4603	68.13	97.58	99.33	177.43	114.23	----	2nd Floor Landing	3"x58"	9
LJ-4604	79.28	114.43	116.03	210.00	133.43	----	Longest Utility	3"x58"	10
LJ-4605	102.38	134.50	137.50	246.55	158.10	----	Intermediate Landing	3"x73"	12
LJ-4653	88.40	121.85	124.05	223.03	142.68	----	Intermediate Landing	3"x62"	11
LJ-4655	98.05	133.38	135.28	244.03	155.58	----	Intermediate Landing	3"x73"	11.5
LJ-4658	116.13	158.38	160.63	289.18	184.73	----	Intermediate Landing	3"x78"	13
LJ-4900	----	----	----	----	----	62.60	Shortest Utility	3-1/4"x48"	8
LJ-4902	----	----	----	----	----	71.58	Longest Utility	3-1/4"x58"	9
LJ-4905	----	----	----	----	----	75.10	2nd Floor Landing	3-1/4"x58"	9.5
LJ-4906	----	----	----	----	----	83.33	Intermediate Landing	3-1/4"x73"	12
LJ-4993	----	----	----	----	----	67.58	Intermediate Landing	3-1/4"x62"	10.25
LJ-4995	----	----	----	----	----	69.85	Intermediate Landing	3-1/4"x73"	11.5
LJ-4998	----	----	----	----	----	78.00	Intermediate Landing	3-1/4"x78"	13
LJB-3910	137.48	140.28	185.73	223.43	160.53	N/A	Bristol Shortest Utility	3-1/4"x43"	8
LJB-3914	169.80	173.25	227.00	273.08	196.20	N/A	Bristol Longest Utility	3-1/4"x50"	9.5
LJB-3915	193.50	197.45	260.68	313.58	225.33	N/A	Bristol Intermediate Landing	3-1/4"x58"	11
LJB-3917	219.90	224.40	297.65	358.05	257.28	N/A	Bristol Intermediate Landing	3-1/4"x65"	12.5
LJB-3918	246.13	251.13	331.08	382.28	286.18	N/A	Bristol Intermediate Landing	3-1/4"x73"	14
LJB-3940	160.45	163.73	184.10	221.50	159.18	N/A	Bristol Shortest Utility	3-1/4"x48"	13.5
LJB-3942	187.38	191.20	222.15	256.50	192.03	N/A	Bristol Longest Utility	3-1/4"x58"	15.5
LJB-3945	221.70	226.23	261.73	302.20	226.23	N/A	Bristol 2nd Floor Landing	3-1/4"x58"	16
LJB-3946	242.18	247.15	277.55	320.48	239.93	N/A	Bristol Intermediate Landing	3-1/4"x73"	20.5
LJB-3953	226.18	230.80	265.80	306.90	229.73	N/A	Bristol Intermediate Landing	3-1/4"x62"	17.5
LJB-3955	238.63	243.48	277.18	320.05	239.58	N/A	Bristol Intermediate Landing	3-1/4"x73"	20
LJB-3958	261.05	266.38	301.60	348.25	260.70	N/A	Bristol Intermediate Landing	3-1/4"x78"	22
LJC-4000	84.88	91.63	108.18	142.18	124.38	62.40	Chamfered Edge Craftsman	3-1/2"x48"	16
LJC-4001	93.00	101.23	117.30	166.40	134.90	77.38	Chamfered Edge Craftsman	3-1/2"x58"	21
LJC-4110	67.50	78.15	91.35	167.38	105.05	----	Chamfered Edge Craftsman	3"x48"	9
LJC-4111	75.98	97.80	111.43	219.83	128.13	----	Chamfered Edge Craftsman	3"x58"	10
LJF-3010	107.48	113.83	141.33	204.50	128.98	----	Shortest Utility	3-1/2"x43"	9
LJF-3014	132.65	141.38	174.53	252.65	159.18	----	Longest Utility	3-1/2"x50"	10.5
LJF-3015	153.85	163.85	198.98	292.70	184.63	----	Intermediate Landing	3-1/2"x58"	12
LJF-3017	173.95	185.05	241.48	331.15	210.25	----	Intermediate Landing	3-1/2"x65"	14
LJF-3018	194.88	210.18	281.83	381.55	232.50	----	Intermediate Landing	3-1/2"x73"	15.5




Woolf List Pricing

NEWEL POSTS									
NUMBER	POPLAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK*	DESCRIPTION	SIZE	LBS. EA.
LJF-3040	115.10	132.93	141.33	214.68	138.08	----	Shortest Utility	3-1/2"x48"	15.5
LJF-3042	142.03	155.58	170.93	257.78	170.43	----	Longest Utility	3-1/2"x58"	18
LJF-3045	163.20	182.30	200.30	289.28	198.95	----	2nd Floor Landing	3-1/2"x58"	18.5
LJF-3046	181.43	201.70	213.45	324.68	216.75	----	Intermediate Landing	3-1/2"x73"	23.5
LJF-3053	176.40	188.33	204.38	282.18	205.98	----	Intermediate Landing	3-1/2"x62"	20
LJF-3055	180.80	198.53	204.38	318.73	219.80	----	Intermediate Landing	3-1/2"x73"	22.5
LJF-3058	195.53	216.33	254.05	349.20	228.60	----	Intermediate Landing	3-1/2"x78"	25
LJF-3210	70.88	80.48	99.88	104.48	75.05	----	Challis Shortest Utility	3"x43"	8
LJF-3214	75.15	82.63	116.58	121.95	87.63	----	Challis Longest Utility	3"x50"	9
LJF-3215	87.93	114.13	148.35	155.18	111.50	----	Challis Intermediate Landing	3"x58"	11
LJF-3217	102.73	133.28	151.28	174.68	130.75	----	Challis Intermediate Landing	3"x65"	12
LJF-3218	142.60	166.68	189.63	218.95	163.90	----	Challis Intermediate Landing	3"x73"	14
LJF-3240	71.98	81.68	101.38	106.03	76.20	----	Challis Shortest Utility	3"x48"	8
LJF-3242	81.20	80.98	119.35	124.85	89.70	----	Challis Longest Utility	3"x58"	10
LJF-3245	96.28	94.98	139.85	146.28	105.10	----	Challis 2nd Floor Landing	3"x58"	10
LJF-3246	122.80	129.95	168.18	168.83	126.40	----	Challis Intermediate Landing	3"x73"	12
LJF-3253	91.13	100.30	129.00	148.95	111.50	----	Challis Intermediate Landing	3"x62"	11
LJF-3255	101.75	107.88	141.23	163.08	122.05	----	Challis Intermediate Landing	3"x73"	12
LJF-3258	120.90	128.15	167.00	192.85	144.38	----	Challis Intermediate Landing	3"x78"	13
LJF-3240BT	71.98	71.03	101.38	106.03	76.20	----	Challis Shortest Utility	3"x48"	8
LJF-3242BT	70.60	80.98	119.35	124.85	89.70	----	Challis Longest Utility	3"x58"	10
LJF-3245BT	83.73	94.98	139.85	146.28	105.10	----	Challis 2nd Floor Landing	3"x58"	10
LJF-3246BT	106.78	112.98	146.23	168.83	126.40	----	Challis Intermediate Landing	3"x73"	12
LJF-3253BT	91.13	100.30	148.35	148.95	111.50	----	Challis Intermediate Landing	3"x62"	11
LJF-3255BT	101.75	107.88	141.23	163.08	122.05	----	Challis Intermediate Landing	3"x73"	12
LJF-3258BT	120.90	128.15	167.00	192.85	144.38	----	Challis Intermediate Landing	3"x78"	13
LJF-3310	108.18	116.95	154.15	185.45	133.25	----	Challis Shortest Utility	3-1/2"x43"	10
LJF-3314	146.00	154.80	172.33	207.28	148.95	----	Challis Longest Utility	3-1/2"x50"	11
LJF-3315	166.90	176.38	199.88	240.45	172.78	----	Challis Intermediate Landing	3-1/2"x58"	13
LJF-3317	189.58	200.78	265.15	318.98	229.18	----	Challis Intermediate Landing	3-1/2"x65"	14
LJF-3318	213.33	226.60	297.85	343.90	257.48	----	Challis Intermediate Landing	3-1/2"x73"	16
LJF-3340	136.08	149.70	168.65	202.85	145.78	----	Challis Shortest Utility	3-1/2"x48"	16
LJF-3342	159.93	175.20	203.93	245.33	176.28	----	Challis Longest Utility	3-1/2"x58"	18
LJF-3345	183.78	205.30	238.95	287.45	206.55	----	Challis 2nd Floor Landing	3-1/2"x58"	18
LJF-3346	195.70	226.88	254.68	294.05	220.13	----	Challis Intermediate Landing	3-1/2"x73"	24
LJF-3353	189.98	211.78	243.83	293.33	210.75	----	Challis Intermediate Landing	3-1/2"x62"	20
LJF-3355	194.73	223.28	252.48	291.53	218.23	----	Challis Intermediate Landing	3-1/2"x73"	24
LJF-3358	210.55	243.30	274.08	316.48	236.93	----	Challis Intermediate Landing	3-1/2"x78"	26
LJF-3340BT	129.60	149.70	168.65	202.85	145.78	----	Challis Shortest Utility	3-1/2"x48"	16
LJF-3342BT	159.93	175.50	203.93	245.33	176.28	----	Challis Longest Utility	3-1/2"x58"	18
LJF-3345BT	183.78	205.30	238.95	275.93	206.55	----	Challis 2nd Floor Landing	3-1/2"x58"	18
LJF-3346BT	195.70	226.88	254.68	294.05	220.13	----	Challis Intermediate Landing	3-1/2"x73"	24
LJF-3353BT	189.98	211.78	243.83	293.33	210.75	----	Challis Intermediate Landing	3-1/2"x62"	20
LJF-3355BT	194.73	223.28	252.48	291.53	218.23	----	Challis Intermediate Landing	3-1/2"x73"	24
LJF-3358BT	210.55	243.30	274.08	316.48	263.93	----	Challis Intermediate Landing	3-1/2"x78"	26
LJF-3910	136.05	138.83	184.25	221.63	159.25	----	Bristol Shortest Utility	3-1/4"x43"	8
LJF-3914	168.35	171.78	225.50	271.28	194.93	----	Bristol Longest Utility	3-1/4"x50"	9.5
LJF-3915	192.08	196.00	259.18	311.78	224.05	----	Bristol Intermediate Landing	3-1/4"x58"	11
LJF-3917	218.48	222.93	296.18	341.98	256.00	----	Bristol Intermediate Landing	3-1/4"x65"	12.5
LJF-3918	244.70	249.70	329.60	380.58	284.90	----	Bristol Intermediate Landing	3-1/4"x73"	14
LJF-3940	159.03	162.28	182.65	219.70	157.88	----	Bristol Shortest Utility	3-1/4"x48"	13.5
LJF-3942	185.95	189.75	220.65	254.80	190.75	----	Bristol Longest Utility	3-1/4"x58"	15.5
LJF-3945	220.30	224.78	260.23	300.48	224.93	----	Bristol 2nd Floor Landing	3-1/4"x58"	16
LJF-3946	240.78	245.70	276.05	318.75	238.63	----	Bristol Intermediate Landing	3-1/4"x73"	20.5
LJF-3953	224.75	229.35	264.30	305.20	228.45	----	Bristol Intermediate Landing	3-1/4"x62"	17.5
LJF-3955	237.20	242.05	275.68	318.35	238.30	----	Bristol Intermediate Landing	3-1/4"x73"	20
LJF-3958	259.63	264.93	300.13	346.55	249.00	----	Bristol Intermediate Landing	3-1/4"x78"	22
LJF-4000	84.88	91.63	108.18	142.18	124.38	62.40	Fluted Craftsman	3-1/2"x48"	16
LJF-4001	96.30	101.23	117.30	166.40	134.90	77.38	Fluted Craftsman	3-1/2"x58"	21
LJF-4110	67.50	78.15	91.35	167.38	105.05	----	Fluted Craftsman	3"x48"	9
LJF-4111	75.98	97.80	111.43	219.83	128.13	----	Fluted Craftsman	3"x58"	10
LJP-3010	71.53	85.45	92.38	153.43	96.83	----	Shortest Utility	3-1/2"x43"	9
LJP-3014	74.40	112.93	98.65	203.65	127.90	----	Longest Utility	3-1/2"x50"	10.5
LJP-3015	88.30	131.20	115.48	237.15	148.65	----	Intermediate Landing	3-1/2"x58"	12
LJP-3017	140.95	149.38	182.75	270.20	169.13	----	Intermediate Landing	3-1/2"x65"	14
LJP-3018	158.00	162.40	210.18	303.45	194.43	----	Intermediate Landing	3-1/2"x73"	15.5






Woolf List Pricing

NEWEL POSTS									
NUMBER	POPLAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK*	DESCRIPTION	SIZE	LBS. EA.
LJP-30108	N/A	127.13	147.98	162.75	121.85	N/A	Shortest Utility	3-1/2"x43"	9
LJP-30148	N/A	160.72	186.78	215.65	161.43	N/A	Longest Utility	3-1/2"x50"	10.5
LJP-30158	N/A	182.98	213.00	245.93	184.10	N/A	Intermediate Landing	3-1/2"x58"	12
LJP-30178	N/A	208.98	242.78	280.33	209.85	N/A	Intermediate Landing	3-1/2"x65"	14
LJP-30188	N/A	234.68	272.65	314.83	235.68	N/A	Intermediate Landing	3-1/2"x73"	15.5
LJP-3040	71.80	106.38	87.33	172.28	110.50	----	Shortest Utility	3-1/2"x48"	15.5
LJP-3042	82.50	109.58	100.85	182.08	120.35	----	Longest Utility	3-1/2"x58"	18
LJP-3045	93.80	145.65	109.28	229.88	159.53	----	2nd Floor Landing	3-1/2"x58"	18.5
LJP-3046	118.75	167.80	129.48	260.48	177.90	----	Intermediate Landing	3-1/2"x73"	23.5
LJP-3053	141.08	152.80	161.93	239.48	163.93	----	Intermediate Landing	3-1/2"x62"	20
LJP-3055	142.48	161.98	168.40	251.48	170.48	----	Intermediate Landing	3-1/2"x73"	22.5
LJP-3058	156.73	175.60	185.25	280.18	187.35	----	Intermediate Landing	3-1/2"x78"	25
LJP-30408	N/A	131.48	156.40	180.60	135.20	N/A	Shortest Utility	3-1/2"x48"	15.5
LJP-30428	N/A	135.80	175.18	192.65	144.23	N/A	Longest Utility	3-1/2"x58"	18
LJP-30458	N/A	171.43	210.60	243.18	182.00	N/A	2nd Floor Landing	3-1/2"x58"	18.5
LJP-30468	N/A	196.68	234.98	333.15	203.13	N/A	Intermediate Landing	3-1/2"x73"	23.5
LJP-30538	N/A	185.58	223.78	309.20	193.43	N/A	Intermediate Landing	3-1/2"x62"	20
LJP-30558	N/A	191.13	231.98	267.83	191.88	N/A	Intermediate Landing	3-1/2"x73"	22.5
LJP-30588	N/A	211.95	273.20	292.08	209.88	N/A	Intermediate Landing	3-1/2"x78"	25
LJP-3210	55.43	62.88	78.10	86.98	62.50	N/A	Challis Shortest Utility	3"x43"	8
LJP-3214	67.63	74.23	87.20	97.10	69.78	N/A	Challis Longest Utility	3"x50"	9
LJP-3215	79.00	82.63	116.95	130.28	93.60	N/A	Challis Intermediate Landing	3"x58"	11
LJP-3217	92.38	96.40	135.80	151.25	108.70	N/A	Challis Intermediate Landing	3"x65"	12
LJP-3218	128.15	120.68	170.50	189.93	136.48	N/A	Challis Intermediate Landing	3"x73"	14
LJP-3240	58.73	66.58	82.63	92.03	66.13	N/A	Challis Shortest Utility	3"x48"	8
LJP-3242	66.13	70.40	97.45	108.45	77.95	N/A	Challis Longest Utility	3"x58"	10
LJP-3245	78.58	89.05	114.03	127.00	91.25	N/A	Challis 2nd Floor Landing	3"x58"	10
LJP-3246	100.00	98.10	135.58	150.98	108.50	N/A	Challis Intermediate Landing	3"x73"	12
LJP-3253	85.50	87.05	121.53	129.93	97.25	N/A	Challis Intermediate Landing	3"x62"	11
LJP-3255	88.48	93.73	132.40	141.55	105.95	N/A	Challis Intermediate Landing	3"x73"	12
LJP-3258	104.95	111.15	156.88	174.70	125.55	N/A	Challis Intermediate Landing	3"x78"	13
LJP-3240BT	58.73	66.58	82.63	92.03	66.13	N/A	Challis Shortest Utility	3"x48"	8
LJP-3242BT	66.13	76.05	97.40	108.45	77.95	N/A	Challis Longest Utility	3"x58"	10
LJP-3245BT	72.75	89.05	114.03	127.00	91.25	N/A	Challis 2nd Floor Landing	3"x58"	10
LJP-3246BT	100.00	98.10	135.58	150.98	108.50	N/A	Challis Intermediate Landing	3"x73"	12
LJP-3253BT	79.15	87.05	121.53	129.93	97.25	N/A	Challis Intermediate Landing	3"x62"	11
LJP-3255BT	95.55	93.73	132.40	147.45	105.95	N/A	Challis Intermediate Landing	3"x73"	12
LJP-3258BT	104.95	111.15	145.23	167.70	125.55	N/A	Challis Intermediate Landing	3"x78"	13
LJP-3310	99.38	105.18	138.63	154.40	110.95	N/A	Challis Shortest Utility	3-1/2"x43"	10
LJP-3314	121.58	128.80	145.38	174.88	125.68	N/A	Challis Longest Utility	3-1/2"x50"	11
LJP-3315	138.75	146.80	172.33	207.28	148.95	N/A	Challis Intermediate Landing	3-1/2"x58"	13
LJP-3317	157.70	166.95	220.43	265.15	190.53	N/A	Challis Intermediate Landing	3-1/2"x65"	14
LJP-3318	177.45	188.08	247.80	298.08	214.20	N/A	Challis Intermediate Landing	3-1/2"x73"	16
LJP-3340	108.88	129.33	141.83	162.48	116.78	N/A	Challis Shortest Utility	3-1/2"x48"	16
LJP-3342	118.60	133.63	156.05	178.80	128.48	N/A	Challis Longest Utility	3-1/2"x58"	18
LJP-3345	149.70	164.03	190.93	229.70	165.03	N/A	Challis 2nd Floor Landing	3-1/2"x58"	18
LJP-3346	156.90	181.00	204.38	245.85	176.65	N/A	Challis Intermediate Landing	3-1/2"x73"	24
LJP-3353	151.73	169.08	193.18	223.05	167.00	N/A	Challis Intermediate Landing	3-1/2"x62"	20
LJP-3355	153.75	179.15	200.25	231.25	173.08	N/A	Challis Intermediate Landing	3-1/2"x73"	24
LJP-3358	168.45	194.70	219.43	263.95	189.65	N/A	Challis Intermediate Landing	3-1/2"x78"	26
LJP-3340BT	103.70	119.78	135.08	162.48	116.78	N/A	Challis Shortest Utility	3-1/2"x48"	16
LJP-3342BT	112.95	123.73	148.63	178.80	128.48	N/A	Challis Longest Utility	3-1/2"x58"	18
LJP-3345BT	149.70	164.03	190.93	229.70	165.03	N/A	Challis 2nd Floor Landing	3-1/2"x58"	18
LJP-3346BT	156.90	181.00	204.38	236.00	176.65	N/A	Challis Intermediate Landing	3-1/2"x73"	24
LJP-3353BT	151.73	169.08	193.18	232.40	167.00	N/A	Challis Intermediate Landing	3-1/2"x62"	20
LJP-3355BT	153.75	179.15	200.25	231.25	173.08	N/A	Challis Intermediate Landing	3-1/2"x73"	24
LJP-3358BT	168.45	194.70	219.43	253.38	189.65	N/A	Challis Intermediate Landing	3-1/2"x78"	26
LJP-3910	107.33	109.50	144.48	165.53	118.93	N/A	Bristol Shortest Utility	3-1/4"x43"	8
LJP-3914	134.68	137.45	181.48	218.28	156.88	N/A	Bristol Longest Utility	3-1/4"x50"	9.5
LJP-3915	155.23	158.40	208.90	251.28	180.58	N/A	Bristol Intermediate Landing	3-1/4"x58"	11
LJP-3917	175.75	179.35	236.35	284.30	204.30	N/A	Bristol Intermediate Landing	3-1/4"x65"	12.5
LJP-3918	197.03	201.05	265.18	318.98	229.20	N/A	Bristol Intermediate Landing	3-1/4"x73"	14



## Woolf List Pricing

NEWEL POSTS									
NUMBER	POPLAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK*	DESCRIPTION	SIZE	LBS. EA.
LJP-3940	127.93	130.55	146.28	175.95	126.45	N/A	Bristol Shortest Utility	3-1/4"x48"	13.5
LJP-3942	131.30	134.00	157.18	189.05	135.83	N/A	Bristol Longest Utility	3-1/4"x58"	15.5
LJP-3945	174.08	177.63	207.35	249.43	179.23	N/A	Bristol 2nd Floor Landing	3-1/4"x58"	16
LJP-3946	192.45	196.40	221.95	256.28	191.85	N/A	Bristol Intermediate Landing	3-1/4"x73"	20.5
LJP-3953	181.13	184.80	210.00	242.48	181.50	N/A	Bristol Intermediate Landing	3-1/4"x62"	17.5
LJP-3955	192.80	196.00	217.10	250.65	187.65	N/A	Bristol Intermediate Landing	3-1/4"x73"	20
LJP-3958	207.40	211.63	240.05	277.18	207.48	N/A	Bristol Intermediate Landing	3-1/4"x78"	22
LJT-3010	107.48	113.83	141.28	204.50	128.98	N/A	Shortest Utility	3-1/2"x43"	9
LJT-3014	132.65	140.60	174.53	253.58	159.18	N/A	Longest Utility	3-1/2"x50"	10.5
LJT-3015	153.85	163.85	198.98	294.33	184.63	N/A	Intermediate Landing	3-1/2"x58"	12
LJT-3017	166.15	186.78	241.48	335.55	210.45	N/A	Intermediate Landing	3-1/2"x65"	14
LJT-3018	186.08	209.20	273.95	375.80	225.58	N/A	Intermediate Landing	3-1/2"x73"	15.5
LJT-3040	115.10	132.93	141.28	214.68	138.08	N/A	Shortest Utility	3-1/2"x48"	15.5
LJT-3042	142.03	155.58	170.93	257.78	170.43	N/A	Longest Utility	3-1/2"x58"	18
LJT-3045	163.20	183.28	200.30	287.68	195.83	N/A	2nd Floor Landing	3-1/2"x58"	18.5
LJT-3046	181.43	210.30	236.93	325.05	209.50	N/A	Intermediate Landing	3-1/2"x73"	23.5
LJT-3053	176.00	191.33	226.05	276.33	201.13	N/A	Intermediate Landing	3-1/2"x62"	20
LJT-3055	179.55	200.90	235.10	312.23	209.18	N/A	Intermediate Landing	3-1/2"x73"	22.5
LJT-3058	193.88	218.98	256.28	346.60	218.85	N/A	Intermediate Landing	3-1/2"x78"	25
NEWEL DROPS									
NUMBER	POPLAR	BEECH	RED OAK	CHERRY	MAPLE	HEMLOCK	DESCRIPTION	SIZE	LBS. EA.
LJ-4099A	10.83	10.93	14.15	13.10	9.85	8.48	3" Newel Drop	1-11/16"x3"	0.25
LJ-4299A	11.68	12.40	15.55	17.95	13.45	N/A	3 1/2" Newel Drop	1-11/16"x3-1/2"	0.25
LJ-4399A	20.63	16.28	18.95	21.90	16.38	N/A	4" Newel Drop	1-11/16"x4"	0.25



## Woolf List Pricing

**BOX NEWELS - The half newel of any design is 70% of the listed newel price, and both halves must be purchased.**

NUMBER	POPLAR	BEECH	RED OAK	MAPLE	CHERRY	PRIMED	Iron Inlay Alder	DESCRIPTION	SIZE	LBS. EA.
LJ-4075	107.38	156.40	<b>135.85</b>	<b>153.95</b>	242.30	169.83	--	Box Newel	3-1/2"x66-3/4"	16
LJ-4075-50	117.48	123.30	161.48	217.30	231.28	135.23	--	Box Newel	3-1/2"x50"	12
LJ-4175	165.33	198.63	212.43	244.08	348.18	216.43	--	LJ-4075 with Sleeve	4 1/2"x66 3/4"	30
LJ-4175-50	154.78	164.73	213.90	280.93	307.70	175.45	--	LJ-4075-50 with Sleeve	4 1/2"x50"	22
LJ-4175SL	47.95	51.28	66.58	80.13	95.88	58.05	--	LJ-4175 Sleeve Only	4 1/2"x22 3/16"	4
LJ-4091	153.70	278.73	<b>180.48</b>	<b>274.25</b>	431.50	302.63	--	Traditional Style Box Newel	6-1/4"x55"	31
LJF-4091	278.97	295.47	437.51	554.40	505.88	322.88	--	Traditional Style Fluted Box Newel	6-1/4"x55"	31
LJRC-4091	293.97	310.48	452.50	569.40	520.62	337.88	--	Trad. Recessed Panel Box Newel	6-1/4"x55"	31
LJRA-4091	298.97	315.48	457.50	574.40	525.87	137.15	--	Traditional Raised Panel Box Newel	6-1/4"x55"	31
LJ-4092	341.50	656.03	383.53	883.23	817.08	707.98	--	Plain Panel Box Newel	7-1/2"x53-1/2"	29
LJ-4093	466.55	681.48	548.85	889.10	839.58	724.20	--	Fluted Panel Box Newel	7-1/2"x53-1/2"	29
LJ-4094	466.55	838.50	523.98	1145.45	1086.95	884.78	--	Recessed Panel Box Newel	7-1/2"x53-1/2"	29
LJ-4095	525.00	865.95	589.65	1165.48	1129.65	916.98	--	Raised Panel Box Newel	7-1/2"x53-1/2"	29
LJ-4096-xx*	--	--	874.13	1005.23	1188.65	--	114.25	Diamond/Trapezoid Inlay Box Newel	7-1/2"x53-1/2"	29
LJ-4097-xx*	--	--	867.78	997.95	1175.35	--	114.25	Rectangle Inlay Box Newel	7-1/2"x53-1/2"	29
LJ-4391	228.03	247.93	266.55	363.25	419.25	258.90	--	Box Newel w/Interchangeable Cap	5-1/2"x56"	20
LJ-4392	195.45	364.80	187.00	570.12	674.32	204.20	--	Plain Panel Inter. Box Newel	4-1/4"x62"	16.5
LJ-4393	471.05	471.80	222.70	655.72	760.00	436.84	--	Fluted Panel Inter. Box Newel	4-1/4"x62"	15.5
LJ-4394	255.20	472.80	285.65	775.08	388.65	226.00	--	Recessed Panel Inter. Box Newel	4-1/4"x62"	15
LJ-4395	255.20	534.52	285.65	836.80	949.20	226.00	--	Raised Panel Inter. Box Newel	4-1/4"x62"	15
LJ-4396-xx*	--	--	701.40	806.58	883.93	--	114.25	Diamd/Trapezoid Inlay Inter. Box Nwl	4-1/4"x62"	16.5
LJ-4397-xx*	--	--	701.40	806.58	883.93	--	114.25	Rectangle Inlay Inter. Box Newel	4-1/4"x62"	16.5



























\* Must specify Inlay specie when ordering. Example LJ-4096-OW Oak newel with Walnut inlay.  
Please refer to catalog for a list of Inlay woods and finishes available.

### BOX NEWEL ACCESSORIES


















NUMBER	POPLAR	BEECH	RED OAK	MAPLE	CHERRY	PRIMED	DESCRIPTION	SIZE	OZ. EA.
LJ-9000	26.23	28.05	31.25	34.28	35.60	N/A	Flat Top Plate for Box Newel	5"x5"x1"	10.5
LJ-9001	27.23	29.13	32.43	35.85	36.95	N/A	Chamfered Top Plate for Box Newel	5"x5"x1-1/4"	8.5
LJ-9002	38.78	41.45	46.15	42.73	45.75	N/A	Chablis Box Newel Finial	3-1/4"x6-7/16"	9.5
LJ-9003	38.78	41.45	46.15	42.73	45.75	N/A	Acorn Box Newel Finial	3-1/4"x6"	12
LJ-9004	38.78	36.08	46.15	42.73	45.75	N/A	Champagne Box Newel Finial	3-1/4"x5-13/16"	8.5
LJ-9005	38.78	36.08	46.15	42.73	45.75	N/A	Teardrop Box Newel Finial	3-1/4"x6-7/16"	13
LJ-9006	36.58	39.10	43.53	40.73	43.15	N/A	Alladin Box Newel Finial	3-1/4"x4-3/4"	6
LJ-9007	36.58	39.10	43.53	40.73	43.15	N/A	Ball top Box Newel Finial	3-1/4"x5-3/16"	11
LJ-9008	36.58	39.10	43.53	40.73	43.15	N/A	Colonial Ball Top Box Newel Finial	3-1/4"x4-7/16"	10.5
LJ-9009	38.78	41.45	46.15	43.05	45.75	N/A	Lighthouse Box Newel Finial	3-1/8"x6-1/2"	10.5
LJ-9100	12.53	12.75	13.25	15.25	19.15	N/A	4" Square Rosette Block	1/2"x4"x4"	3.5
LJ-9101	11.98	12.13	12.65	14.53	18.38	N/A	3 1/2" Square Rosette Block	1/2"x3-1/2"x3-1/2"	2.5
LJ-9102	N/A	2.90	3.90	4.50	4.84	N/A	Flower Embossed Carving	1/8"x3-1/2"x3-1/2"	1
LJ-9103	N/A	2.65	3.45	3.98	4.33	N/A	Fan Embossed Carving	1/8"x3"x3-5/8"	0.5
LJ-9104	N/A	2.33	2.98	3.43	3.90	N/A	Gingerbread Embossed Carving	1/8"x3"x3"	0.5
LJ-9105	N/A	2.78	3.55	4.10	4.50	N/A	Shell Embossed Carving	1/8"x3-1/4"x3-1/2"	0.5
LJ-9203	24.75	26.77	28.41	32.02	35.38	27.78	Box Newel Small Picture Frame Kit	3/4" Moulding	0.25
LJ-9204	32.32	35.53	40.15	44.85	45.78	37.63	Box Newel Large Picture Frame Kit	1" Moulding	0.25
LJ-9300	21.00	21.43	23.43	26.95	33.73	N/A	Flat Top Plate for Intermediate Box Newel	7/8"x3-5/8"	0.5
LJ-9301	21.83	22.28	24.30	27.98	35.03	N/A	Chamfered Top Plate for Intermediate Box Newel	15/16"x3-5/8"	0.5









































## Woolf List Pricing

		LJ-6010 RAIL FITTINGS						LBS. EA.	
		NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE		DESCRIPTION
		LJ-7008	11.05	13.25	16.60	20.05	14.38	Coped End for LJ-6010	1.5
		LJ-7009	9.83	8.73	<b>11.60</b>	12.70	<b>9.08</b>	Returned End for LJ-6010	1
		LJ-7010SB	19.88	52.15	<b>18.13</b>	65.05	46.58	Starting Easing	2
		LJ-7010P	45.40	52.15	68.10	65.05	46.58	Plowed Starting Easing	2
		LJ-7010-90SB	48.38	55.55	72.60	68.80	49.28	Starting Easing w/90° Upeasing	2
		LJ-7010-90P	48.38	55.55	72.60	68.80	47.33	Plowed Starting Easing w/90° Upeasing	2
		LJ-7011	20.53	38.75	<b>23.75</b>	47.85	<b>34.33</b>	Level Quarterturn	1.5
		LJ-7011-135	77.78	89.23	116.60	110.05	78.93	Level 135° Quarterturn	1.5
		LJ-7012SB	18.13	37.98	<b>19.93</b>	41.88	30.00	Upeasing	2
		LJ-7012P	33.13	37.98	<b>27.00</b>	41.88	30.00	Plowed Upeasing	2
		LJ-7013	21.35	35.48	26.05	45.65	32.70	Overhand Easing	2
		LJ-7013P	61.63	66.10	77.63	77.00	63.33	Plowed Overhand Easing	2
		LJ-7014SB	21.35	41.38	26.05	45.65	32.70	Upeasing 90°	2
		LJ-7014P	36.10	41.38	54.15	45.65	32.70	Plowed Upeasing 90°	2
		LJ-7015SB	45.60	52.30	68.30	58.43	42.00	Starting Easing Round 1 End	2
		LJ-7015P	45.60	52.30	68.30	58.43	42.00	Plowed Starting Easing Round 1 End	2
		LJ-7016	45.60	52.30	68.30	83.53	46.03	Overhand Easing Round 1 End	2
		LJ-7016P	76.23	82.93	99.65	107.35	73.58	Plowed Overhand Easing Round 1 End	2
		LJ-7019	10.80	22.30	<b>13.08</b>	28.83	20.70	One Opening Newel Cap	1.25
		LJ-7020	18.20	30.15	<b>20.10</b>	41.13	29.43	Two Opening Newel Cap	1.25
		LJ-7021	22.00	44.48	<b>24.35</b>	57.65	41.30	Quarterturn Newel Cap	1.5
		LJ-7021-135	93.40	99.53	124.18	123.40	88.33	135° Quarterturn Newel Cap	1.5
		LJ-7030SB	55.93	139.78	<b>62.30</b>	134.38	<b>96.28</b>	Left Hand Volute	4
		LJ-7030P	121.91	139.80	156.73	191.85	152.40	Plowed Left Hand Volute	4
		LJ-7030-90SB	124.93	143.18	187.15	138.15	99.00	Left Hand Volute w/90° Upeasing	4
		LJ-7030-90P	181.08	199.30	244.63	195.63	148.93	Plowed Left Hand Volute w/90° Upeasing	4
		LJ-7031	185.75	212.88	265.23	416.23	242.35	Left Hand Compound Climbing Volute	4
		LJ-7035SB	55.93	139.78	<b>62.30</b>	134.38	<b>96.28</b>	Right Hand Volute	4
		LJ-7035P	121.91	139.80	156.73	191.85	152.40	Plowed Right Hand Volute	4
		LJ-7035-90SB	124.93	143.18	187.15	138.15	99.00	Right Hand Volute w/90° Upeasing	4
		LJ-7035-90P	181.08	199.30	244.63	195.63	148.93	Plowed Right Hand Volute w/90° Upeasing	4
		LJ-7036	185.75	212.88	265.23	416.23	242.35	Right Hand Compound Climbing Volute	4
		LJ-7038	88.05	92.70	109.65	197.35	126.10	Vertical Volute	4
		LJ-7040SB	41.40	80.40	51.58	101.73	72.83	Left Hand Turnout	3
		LJ-7040P	70.05	80.40	102.35	133.08	103.45	Plowed Left Hand Turnout	3
		LJ-7040-90SB	73.03	83.78	109.40	105.48	72.30	Left Hand Turnout w/90° Upeasing	3
		LJ-7040-90P	103.63	114.40	140.75	136.85	101.93	Plowed Left Hand Turnout w/90° Upeasing	3
		LJ-7045SB	41.40	80.40	51.58	101.73	72.83	Right Hand Turnout	3
		LJ-7045P	70.05	80.40	102.35	133.08	103.45	Plowed Right Hand Turnout	3
		LJ-7045-90SB	73.03	83.78	109.40	105.48	72.30	Right Hand Turnout w/90° Upeasing	3
		LJ-7045-90P	103.63	114.40	140.75	136.85	101.93	Plowed Right Hand Turnout w/90° Upeasing	3
		LJ-7041SB	68.40	78.45	102.50	97.98	70.15	Left Hand Turnout	2.5
		LJ-7041P	68.43	78.48	102.53	129.33	100.78	Plowed Left Hand Turnout	2.5
		LJ-7041-90SB	70.88	81.85	107.03	101.73	72.88	Left Hand Turnout w/90° Upeasing	2.5
		LJ-7041-90P	101.50	112.48	138.35	133.08	99.33	Plowed Left Hand Turnout w/90° Upeasing	2.5
		LJ-7046SB	68.40	78.45	102.50	97.98	70.15	Right Hand Turnout	2.5
		LJ-7046P	68.43	78.48	102.53	129.33	100.78	Plowed Right Hand Turnout	2.5
		LJ-7046-90SB	70.88	81.85	107.03	101.73	72.88	Right Hand Turnout w/90° Upeasing	2.5
		LJ-7046-90P	101.50	112.48	138.35	133.08	99.33	Plowed Right Hand Turnout w/90° Upeasing	2.5
		LJ-7047	80.05	84.50	91.08	135.23	79.40	Left Hand "S" Fitting	3
		LJ-7048	80.05	84.50	91.08	135.23	79.40	Right Hand "S" Fitting	3
		LJ-70RD	11.50	13.65	<b>12.93</b>	21.78	<b>12.78</b>	Rail Drop	1.5
















## Woolf List Pricing

		LJ-6109 RAIL FITTINGS						LBS. EA.	
		NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE	DESCRIPTION	
	LJ-7X09	LJ-7109	16.35	19.40	20.09	29.85	18.20	Returned End for LJ-6109	1
	LJ-7X11	LJ-7110SB	144.00	171.03	184.33	263.60	160.58	Starting Easing	2
		LJ-7110P0	144.00	171.03	184.33	263.60	160.58	Plowed 1 1/4" Starting Easing	2
		LJ-7110P1	144.00	171.03	184.33	263.60	160.58	Plowed 3/4" Starting Easing	2
		LJ-7110-90SB	153.53	182.30	196.50	281.00	164.35	Starting Easing w/90° Upeasing	2
		LJ-7110-90P0	153.53	182.30	196.50	281.00	164.35	Plowed 1 1/4" Starting Easing w/90° Upeasing	2
		LJ-7110-90P1	153.53	182.30	196.50	281.00	164.35	Plowed 3/4" Starting Easing w/90° Upeasing	2
	LJ-7X12	LJ-7111	66.58	79.05	85.20	121.83	74.23	Level Quarterturn	1.5
		LJ-7111-135	150.38	153.43	196.38	209.35	171.08	Level 135° Quarterturn	1.5
		LJ-7112SB	57.48	68.25	73.55	105.25	64.10	Upeasing	2
		LJ-7112P0	57.48	68.25	73.55	105.25	64.10	Plowed 1 1/4" Upeasing	2
		LJ-7112P1	57.48	68.25	73.55	105.25	64.10	Plowed 3/4" Upeasing	2
	LJ-7X13	LJ-7113	69.13	82.10	88.48	127.20	77.10	Overhand Easing	2
		LJ-7113P0	101.13	114.10	121.25	161.70	105.63	Plowed 1 1/4" Overhand Easing	2
		LJ-7113P1	101.13	114.10	121.25	161.70	105.63	Plowed 3/4" Overhand Easing	2
	LJ-7X14	LJ-7114SB	72.60	86.23	92.93	132.83	80.98	Upeasing 90°	1.5
		LJ-7114P0	72.60	86.23	92.93	132.83	80.98	Plowed 1 1/4" Upeasing 90°	1.5
		LJ-7114P1	72.60	86.23	92.93	132.83	80.98	Plowed 3/4" Upeasing 90°	1.5
	LJ-7X10	LJ-7115SB	91.78	109.00	117.48	168.20	98.25	Starting Easing Round 1 End	2
		LJ-7115P0	91.78	109.00	117.48	168.20	98.25	Plowed 1 1/4" Starting Easing Round 1 End	2
		LJ-7115P1	91.78	109.00	117.48	168.20	98.25	Plowed 3/4" Starting Easing Round 1 End	2
	LJ-7X16	LJ-7116P0	123.78	140.98	150.23	202.68	125.65	Plowed 1 1/4" Overhand Easing Round 1 End	2
		LJ-7116P1	123.78	140.98	150.23	202.68	125.65	Plowed 3/4" Overhand Easing Round 1 End	2
		LJ-7119	64.83	76.98	82.95	118.58	72.30	One Opening Newel Cap	1.25
		LJ-7120	70.93	84.23	90.78	130.13	79.10	Two Opening Newel Cap	1.75
		LJ-7121	80.98	96.13	103.68	148.25	90.30	Quarterturn Newel Cap	1.75
	LJ-7X15	LJ-7121-135	172.95	205.35	221.35	240.90	192.88	135° Quarterturn Newel Cap	1.75
		LJ-7130SB	220.90	262.33	282.73	404.83	246.35	Left Hand Volute	4
		LJ-7130P0	279.58	320.98	342.80	468.05	298.70	Plowed 1 1/4" Left Hand Volute	4
		LJ-7130P1	279.58	320.98	342.80	468.05	298.70	Plowed 3/4" Left Hand Volute	4
	LJ-7X19	LJ-7130-90SB	236.08	280.30	302.10	432.43	252.68	Left Hand Volute w/90° Upeasing	4
		LJ-7130-90P0	294.73	338.95	362.18	495.65	302.90	Plowed 1 1/4" Left Hand Volute w/90° Upeasing	4
		LJ-7130-90P1	294.73	338.95	362.18	495.65	302.90	Plowed 3/4" Left Hand Volute w/90° Upeasing	4
	LJ-7X20	LJ-7131	291.90	347.05	374.03	535.53	325.88	Left Hand Compound Climbing Volute	4
		LJ-7135SB	220.90	262.33	282.73	404.83	246.35	Right Hand Volute	4
		LJ-7135P0	279.58	320.98	342.80	468.05	298.70	Plowed 1 1/4" Right Hand Volute	4
		LJ-7135P1	279.58	320.98	342.80	468.05	298.70	Plowed 3/4" Right Hand Volute	4
	LJ-7X21	LJ-7135-90SB	236.08	280.30	302.10	432.43	252.68	Right Hand Volute w/90° Upeasing	4
		LJ-7135-90P0	294.73	338.95	362.18	495.65	302.90	Plowed 1 1/4" Right Hand Volute w/90° Upeasing	4
		LJ-7135-90P1	294.73	338.95	362.18	495.65	302.90	Plowed 3/4" Right Hand Volute w/90° Upeasing	4
	LJ-7X30	LJ-7136	291.90	347.05	374.03	535.53	325.88	Right Hand Compound Climbing Volute	4
		LJ-7138	116.78	138.83	149.62	214.23	172.05	Vertical Volute	4
	LJ-7X31	LJ-7140SB	148.58	176.45	190.18	272.30	165.68	Left Hand Turnout	3
		LJ-7140P0	180.58	208.45	222.93	306.78	186.48	Plowed 1 1/4" Left Hand Turnout	3
		LJ-7140P1	180.58	208.45	222.93	306.78	186.48	Plowed 3/4" Left Hand Turnout	3
		LJ-7140-90SB	163.70	194.43	209.53	300.03	175.25	Left Hand Turnout w/90° Upeasing	3
		LJ-7140-90P0	195.73	226.40	242.30	334.53	202.65	Plowed 1 1/4" Left Hand Turnout w/90° Upeasing	3
		LJ-7140-90P1	195.73	226.40	242.30	334.53	202.65	Plowed 3/4" Left Hand Turnout w/90° Upeasing	3
	LJ-7X40	LJ-7145SB	148.58	176.45	190.18	272.30	165.68	Right Hand Turnout	3
		LJ-7145P0	180.58	208.45	222.93	306.78	186.48	Plowed 1 1/4" Right Hand Turnout	3
		LJ-7145P1	180.58	208.45	222.93	306.78	186.48	Plowed 3/4" Right Hand Turnout	3
		LJ-7145-90SB	163.70	194.43	209.53	300.03	175.25	Right Hand Turnout w/90° Upeasing	3
		LJ-7145-90P0	195.73	226.40	242.30	334.53	202.65	Plowed 1 1/4" Right Hand Turnout w/90° Upeasing	3
		LJ-7145-90P1	195.73	226.40	242.30	334.53	202.65	Plowed 3/4" Right Hand Turnout w/90° Upeasing	3
	LJ-7X48	LJ-7141SB	145.18	172.40	185.80	265.80	161.90	Left Hand Turnout	3
		LJ-7141P0	177.18	204.40	218.58	300.28	190.45	Plowed 1 1/4" Left Hand Turnout	3
		LJ-7141P1	177.18	204.40	218.58	300.28	190.45	Plowed 3/4" Left Hand Turnout	3
		LJ-7141-90SB	160.33	190.38	205.20	293.50	171.63	Left Hand Turnout w/90° Upeasing	3
		LJ-7141-90P0	192.33	222.38	237.95	327.98	199.00	Plowed 1 1/4" Left Hand Turnout w/90° Upeasing	3
		LJ-7141-90P1	192.33	222.38	237.95	327.98	199.00	Plowed 3/4" Left Hand Turnout w/90° Upeasing	3
	LJ-7X47	LJ-7146SB	145.18	172.40	185.80	265.80	161.90	Right Hand Turnout	3
		LJ-7146P0	177.18	204.40	218.58	300.28	190.45	Plowed 1 1/4" Right Hand Turnout	3
		LJ-7146P1	177.18	204.40	218.58	300.28	190.45	Plowed 3/4" Right Hand Turnout	3
		LJ-7146-90SB	160.33	190.38	205.20	293.50	171.63	Right Hand Turnout w/90° Upeasing	3
		LJ-7146-90P0	192.33	222.38	237.95	327.98	199.00	Plowed 1 1/4" Right Hand Turnout w/90° Upeasing	3
		LJ-7146-90P1	192.33	222.38	237.95	327.98	199.00	Plowed 3/4" Right Hand Turnout w/90° Upeasing	3
	LJ-7XRD	LJ-7147	119.50	141.88	152.90	218.65	198.78	Left Hand "S" Fitting	3
		LJ-7148	119.50	141.88	152.90	218.65	198.78	Right Hand "S" Fitting	3
		LJ-71RD	21.60	25.68	27.68	39.20	24.10	Rail Drop	1.5


















## Woolf List Pricing

		LJ-6210 RAIL FITTINGS						LBS. EA.	
		NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE	DESCRIPTION	
	LJ-7X08	LJ-7208	15.53	18.60	23.43	24.25	17.40	Coped End for LJ-6210	2
	LJ-7X09	LJ-7209	10.88	12.33	12.80	16.85	12.08	Returned End for LJ-6210	1.25
	LJ-7X11	LJ-7210SB	27.30	73.63	23.93	87.13	62.83	Starting Easing	2.5
	LJ-7X12	LJ-7210P	63.63	73.63	87.13	96.05	62.38	Plowed Starting Easing	2.5
	LJ-7X14	LJ-7210-90SB	67.78	78.45	97.85	102.33	67.30	Starting Easing w/90° Upeasing	2.5
	LJ-7X13	LJ-7210-90P	67.78	78.45	97.85	102.33	67.30	Plowed Starting Easing w/90° Upeasing	2.5
	LJ-7X15	LJ-7211	32.60	54.65	37.00	62.83	45.00	Level Quarterturn	1.75
	LJ-7X16	LJ-7211-135	102.93	109.73	120.63	136.85	86.40	Level 135° Quarterturn	1.75
	LJ-7X17	LJ-7212SB	28.15	53.65	23.98	59.73	42.75	Upeasing	2.5
	LJ-7X18	LJ-7212P	46.38	53.65	59.73	69.98	42.75	Plowed Upeasing	2.5
	LJ-7X19	LJ-7213	26.65	50.28	31.00	61.68	44.18	Overhand Easing	2.5
	LJ-7X20	LJ-7213P	74.03	80.88	93.03	96.93	74.80	Plowed Overhand Easing	2.5
	LJ-7X21	LJ-7214SB	26.65	58.48	31.00	70.48	50.50	Upeasing 90°	2.5
	LJ-7X22	LJ-7214P	50.53	58.48	70.48	76.28	50.50	Plowed Upeasing 90°	2.5
	LJ-7X23	LJ-7215SB	63.83	73.90	83.88	96.40	59.88	Starting Easing Round 1 End	2.5
	LJ-7X24	LJ-7215P	63.83	73.90	83.88	96.40	59.88	Plowed Starting Easing Round 1 End	2.5
	LJ-7X25	LJ-7216	63.83	73.90	86.36	96.40	61.88	Overhand Easing Round 1 End	2.5
	LJ-7X26	LJ-7216P	94.45	104.50	117.70	127.78	92.50	Plowed Overhand Easing Round 1 End	2.5
	LJ-7X27	LJ-7219	17.43	31.60	21.68	35.33	25.30	One Opening Newel Cap	1.5
	LJ-7X28	LJ-7220	24.45	42.63	28.68	50.10	35.93	Two Opening Newel Cap	1.5
	LJ-7X29	LJ-7221	27.43	62.88	32.30	72.75	52.13	Quarterturn Newel Cap	1.5
	LJ-7X30	LJ-7221-135	110.38	117.05	130.93	147.53	93.83	135° Quarterturn Newel Cap	1.5
	LJ-7X31	LJ-7230SB	76.33	197.63	87.98	211.35	155.18	Left Hand Volute	4.5
	LJ-7X32	LJ-7230P	170.78	197.65	257.80	268.83	214.75	Plowed Left Hand Volute	4.5
	LJ-7X33	LJ-7230-90SB	174.90	202.45	222.10	264.08	155.90	Left Hand Volute w/90° Upeasing	4.5
	LJ-7X34	LJ-7230-90P	231.03	258.58	321.53	279.58	209.60	Plowed Left Hand Volute w/90° Upeasing	4.5
	LJ-7X35	LJ-7231	228.70	264.68	345.23	516.55	300.30	Left Hand Compound Climbing Volute	4
	LJ-7X36	LJ-7235SB	76.33	197.63	87.98	211.35	155.18	Right Hand Volute	4.5
	LJ-7X37	LJ-7235P	170.78	197.65	257.80	268.83	214.75	Plowed Right Hand Volute	4.5
	LJ-7X38	LJ-7235-90SB	174.90	202.45	222.10	264.08	155.90	Right Hand Volute w/90° Upeasing	4.5
	LJ-7X39	LJ-7235-90P	231.03	258.58	321.53	279.58	209.60	Plowed Right Hand Volute w/90° Upeasing	4.5
	LJ-7X40	LJ-7236	228.70	264.68	345.23	516.55	300.30	Right Hand Compound Climbing Volute	4
	LJ-7X41	LJ-7238	124.28	130.83	154.73	206.63	177.93	Vertical Volute	4.5
	LJ-7X42	LJ-7240SB	61.33	113.13	72.15	133.53	95.70	Left Hand Turnout	3.25
	LJ-7X43	LJ-7240P	98.13	113.13	148.10	164.88	126.30	Plowed Left Hand Turnout	3.25
	LJ-7X44	LJ-7240-90SB	102.25	118.35	144.28	154.35	99.28	Left Hand Turnout w/90° Upeasing	3.25
	LJ-7X45	LJ-7240-90P	132.88	148.98	175.63	185.73	134.05	Plowed Left Hand Turnout w/90° Upeasing	3.25
	LJ-7X46	LJ-7245SB	61.33	113.13	72.15	133.53	95.70	Right Hand Turnout	3.25
	LJ-7X47	LJ-7245P	98.13	113.13	148.10	164.88	126.30	Plowed Right Hand Turnout	3.25
	LJ-7X48	LJ-7245-90SB	102.25	118.35	144.28	154.35	99.28	Right Hand Turnout w/90° Upeasing	3.25
	LJ-7X49	LJ-7245-90P	132.88	148.98	175.63	185.73	134.05	Plowed Right Hand Turnout w/90° Upeasing	3.25
	LJ-7X50	LJ-7241SB	95.75	110.83	128.58	144.55	92.08	Left Hand Turnout	2.75
	LJ-7X51	LJ-7241P	95.78	110.83	144.58	159.90	122.70	Plowed Left Hand Turnout	2.75
	LJ-7X52	LJ-7241-90SB	99.93	115.68	139.53	150.83	95.83	Left Hand Turnout w/90° Upeasing	2.75
	LJ-7X53	LJ-7241-90P	130.55	146.28	170.65	182.18	125.20	Plowed Left Hand Turnout w/90° Upeasing	2.75
	LJ-7X54	LJ-7246SB	95.75	110.83	128.58	144.55	92.08	Right Hand Turnout	2.75
	LJ-7X55	LJ-7246P	95.78	110.83	144.58	159.90	122.70	Plowed Right Hand Turnout	2.75
	LJ-7X56	LJ-7246-90SB	99.93	115.68	139.53	150.83	95.83	Right Hand Turnout w/90° Upeasing	2.75
	LJ-7X57	LJ-7246-90P	130.55	146.28	170.65	182.18	125.20	Plowed Right Hand Turnout w/90° Upeasing	2.75
	LJ-7X58	LJ-7247	112.78	119.05	128.30	190.55	134.15	Left Hand "S" Fitting	4.5
	LJ-7X59	LJ-7248	112.78	119.05	128.30	190.55	134.15	Right Hand "S" Fitting	4.5
	LJ-7XRD	LJ-72RD	17.18	20.33	21.90	32.53	18.93	Rail Drop	1.5

















## Woolf List Pricing

		LJ-6400 RAIL FITTINGS						LBS. EA.	
		NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE		DESCRIPTION
		LJ-7409	11.13	12.88	16.80	23.88	14.50	Returned End for LJ-6400	1.25
		LJ-7410SB	66.48	76.95	100.38	142.55	87.05	Starting Easing	2.5
		LJ-7410P	66.48	76.95	100.38	142.55	87.05	Plowed Starting Easing	2.5
		LJ-7410-90SB	70.83	81.98	106.93	151.85	89.03	Starting Easing w/90° Upeasing	2.5
		LJ-7410-90P	70.83	81.98	106.93	151.85	89.03	Plowed Starting Easing w/90° Upeasing	2.5
		LJ-7411	49.33	57.13	74.50	105.83	64.60	Level Quarterturn	1.75
		LJ-7411-135	107.55	114.68	143.00	160.13	124.40	Level 135° Quarterturn	1.75
		LJ-7412SB	48.45	56.08	73.13	103.88	63.40	Upeasing	2.5
		LJ-7412P	48.45	56.08	73.13	103.88	63.40	Plowed Upeasing	2.5
		LJ-7413	45.38	52.53	68.53	97.33	59.43	Overhand Easing	2.5
		LJ-7413P	77.38	84.50	101.28	131.83	87.85	Plowed Overhand Easing	2.5
		LJ-7414SB	52.80	61.13	79.70	113.23	69.13	Upeasing 90°	2.5
		LJ-7414P	52.80	61.13	79.70	113.23	69.13	Plowed Upeasing 90°	2.5
		LJ-7415SB	66.73	77.23	100.75	143.08	87.35	Starting Easing Round 1 End	2.5
		LJ-7415P	66.73	77.23	100.75	143.08	87.35	Plowed Starting Easing Round 1 End	2.5
		LJ-7416	66.73	77.23	100.75	143.08	87.35	Overhand Easing Round 1 End	2.5
		LJ-7416P	98.70	109.23	133.53	177.58	111.15	Plowed Overhand Easing Round 1 End	2.5
		LJ-7419	28.55	33.03	43.05	61.15	37.33	One Opening Newel Cap	1.5
		LJ-7420	38.48	44.55	58.10	82.53	50.38	Two Opening Newel Cap	1.5
		LJ-7421	56.75	65.70	85.70	121.73	74.30	Quarterturn Newel Cap	1.5
		LJ-7421-135	115.35	122.33	154.18	176.03	133.68	135° Quarterturn Newel Cap	1.5
		LJ-7430SB	178.43	206.50	269.38	382.58	233.63	Left Hand Volute	4.5
		LJ-7430P	237.10	265.18	329.43	445.83	285.70	Plowed Left Hand Volute	4.5
		LJ-7430-90SB	182.78	211.58	275.95	391.93	229.73	Left Hand Volute w/90° Upeasing	4.5
		LJ-7430-90P	241.45	270.23	226.00	455.10	279.73	Plowed Left Hand Volute w/90° Upeasing	4.5
		LJ-7431	239.00	276.60	360.75	516.55	312.88	Left Hand Compound Climbing Volute	5
		LJ-7435SB	178.43	206.50	269.38	382.58	233.63	Right Hand Volute	4.5
		LJ-7435P	237.10	265.18	329.43	445.83	285.70	Plowed Right Hand Volute	4.5
		LJ-7435-90SB	182.78	211.58	275.95	391.93	229.73	Right Hand Volute w/90° Upeasing	4.5
		LJ-7435-90P	241.45	270.23	226.00	455.10	279.73	Plowed Right Hand Volute w/90° Upeasing	4.5
		LJ-7436	239.00	276.60	360.75	516.55	312.88	Right Hand Compound Climbing Volute	5
		LJ-7438	124.28	130.83	154.23	206.63	177.38	Vertical Volute	4
		LJ-7440SB	102.50	118.63	154.75	219.78	134.20	Left Hand Turnout	3.25
		LJ-7440P	134.53	150.63	187.50	254.25	162.60	Plowed Left Hand Turnout	3.25
		LJ-7440-90SB	106.88	123.65	161.30	229.13	133.88	Left Hand Turnout w/90° Upeasing	3.25
		LJ-7440-90P	138.85	155.65	194.08	263.60	161.05	Plowed Left Hand Turnout w/90° Upeasing	3.25
		LJ-7445SB	102.50	118.63	154.75	219.78	134.20	Right Hand Turnout	3.25
		LJ-7445P	134.53	150.63	187.50	254.25	162.60	Plowed Right Hand Turnout	3.25
		LJ-7445-90SB	106.88	123.65	161.30	229.13	133.88	Right Hand Turnout w/90° Upeasing	3.25
		LJ-7445-90P	138.85	155.65	194.08	263.60	161.05	Plowed Right Hand Turnout w/90° Upeasing	3.25
		LJ-7441SB	100.08	115.83	151.05	214.55	130.98	Left Hand Turnout	2.75
		LJ-7441P	132.08	147.83	183.83	249.03	159.43	Plowed Left Hand Turnout	2.75
		LJ-7441-90SB	104.43	120.85	157.60	223.88	131.20	Left Hand Turnout w/90° Upeasing	2.75
		LJ-7441-90P	136.40	152.85	190.38	258.35	158.48	Plowed Left Hand Turnout w/90° Upeasing	2.75
		LJ-7446SB	100.08	115.83	151.05	214.55	130.98	Right Hand Turnout	2.75
		LJ-7446P	132.08	147.83	183.83	249.03	159.43	Plowed Right Hand Turnout	2.75
		LJ-7446-90SB	104.43	120.85	157.60	223.88	131.20	Right Hand Turnout w/90° Upeasing	2.75
		LJ-7446-90P	136.40	152.85	190.38	258.35	158.48	Plowed Right Hand Turnout w/90° Upeasing	2.75
		LJ-7447	112.78	119.05	133.10	190.55	153.10	Left Hand "S" Fitting	3
		LJ-7448	112.78	119.05	133.10	190.55	153.10	Right Hand "S" Fitting	3
		LJ-74RD	17.95	21.25	22.88	32.53	19.85	Rail Drop	2


















## Woolf List Pricing

LJ-6519 RAIL FITTINGS							DESCRIPTION	LBS. EA.
NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE			
 LJ-7X09	LJ-7509	20.15	22.85	29.28	31.18	24.83	Returned End for LJ-6519	1
 LJ-7X11	LJ-7510SB	91.80	102.98	133.48	133.40	106.18	Starting Easing	2
 LJ-7X12	LJ-7510P	91.80	102.98	133.48	133.40	106.18	Plowed Starting Easing	2
 LJ-7X13	LJ-7510-90SB	96.63	108.38	140.55	142.13	108.18	Starting Easing w/90° Upeasing	2
 LJ-7X14	LJ-7510-90P	96.63	108.38	140.55	142.13	108.18	Plowed Starting Easing w/90° Upeasing	2
 LJ-7X10	LJ-7511	71.40	80.28	98.98	103.58	78.78	Level Quarterturn	1.5
 LJ-7X15	LJ-7511-135	137.78	147.90	169.15	161.33	128.43	Level 135° Quarterturn	1.5
 LJ-7X16	LJ-7512SB	66.55	74.88	96.75	97.13	77.33	Upeasing	2
 LJ-7X19	LJ-7512P	66.55	74.88	96.75	97.13	77.33	Plowed Upeasing	2
 LJ-7X20	LJ-7513	66.55	74.88	96.75	97.13	77.33	Overhand Easing	2
 LJ-7X21	LJ-7513P	98.55	106.90	129.53	128.50	103.33	Plowed Overhand Easing	2
 LJ-7X30	LJ-7514SB	71.40	80.28	103.80	105.85	84.23	Upeasing 90°	2
 LJ-7X31	LJ-7514P	71.40	80.28	103.80	105.85	84.23	Plowed Upeasing 90°	2
 LJ-7X40	LJ-7515SB	89.70	101.65	128.33	136.00	108.80	Starting Easing Round 1 End	2
 LJ-7X47	LJ-7515P	89.70	101.65	128.33	136.00	108.80	Plowed Starting Easing Round 1 End	2
 LJ-7X48	LJ-7516	89.70	101.65	128.33	136.00	108.80	Overhand Easing Round 1 End	2
 LJ-7XRD	LJ-7516P	121.70	133.63	161.08	161.33	139.43	Plowed Overhand Easing Round 1 End	2
	LJ-7519	52.88	59.45	57.25	76.85	45.55	One Opening Newel Cap	2.75
	LJ-7520	49.85	56.05	72.48	77.03	61.30	Two Opening Newel Cap	1.25
	LJ-7521	82.15	92.33	102.00	119.38	81.18	Quarterturn Newel Cap	2
	LJ-7521-135	127.28	161.65	158.08	184.98	125.85	135° Quarterturn Newel Cap	2
	LJ-7530SB	300.43	337.53	362.88	436.70	288.78	Left Hand Volute	6
	LJ-7530P	359.05	396.18	420.33	496.78	344.90	Plowed Left Hand Volute	6
	LJ-7530-90SB	305.23	342.93	371.53	443.78	282.90	Left Hand Volute w/90° Upeasing	6
	LJ-7530-90P	363.88	401.58	429.03	503.85	336.63	Plowed Left Hand Volute w/90° Upeasing	6
	LJ-7531	345.73	388.48	502.58	719.55	437.90	Left Hand Compound Climbing Volute	5
	LJ-7535SB	300.43	337.53	362.88	436.70	288.78	Right Hand Volute	6
	LJ-7535P	359.05	396.18	420.33	496.78	344.90	Plowed Right Hand Volute	6
	LJ-7535-90SB	305.23	342.93	371.53	443.78	282.90	Right Hand Volute w/90° Upeasing	6
	LJ-7535-90P	363.88	401.58	429.03	503.85	336.63	Plowed Right Hand Volute w/90° Upeasing	6
	LJ-7536	345.73	388.48	502.58	719.55	437.90	Right Hand Compound Climbing Volute	5
	LJ-7538	138.30	155.40	201.03	287.83	231.20	Vertical Volute	4
	LJ-7540SB	155.43	176.15	206.23	225.95	160.70	Left Hand Turnout	2.75
	LJ-7540P	187.43	208.13	237.60	258.73	191.33	Plowed Left Hand Turnout	2.75
	LJ-7540-90SB	160.25	181.53	214.95	233.00	160.85	Left Hand Turnout w/90° Upeasing	2.75
	LJ-7540-90P	192.25	213.55	246.30	265.78	190.23	Plowed Left Hand Turnout w/90° Upeasing	2.75
	LJ-7545SB	155.43	176.15	206.23	225.95	160.70	Right Hand Turnout	2.75
	LJ-7545P	187.43	208.13	237.60	258.73	191.33	Plowed Right Hand Turnout	2.75
	LJ-7545-90SB	160.25	181.53	214.95	233.00	160.85	Right Hand Turnout w/90° Upeasing	2.75
	LJ-7545-90P	192.25	213.55	246.30	265.78	190.23	Plowed Right Hand Turnout w/90° Upeasing	2.75
	LJ-7541SB	151.78	171.95	220.58	199.08	157.55	Left Hand Turnout	3
	LJ-7541P	183.78	203.93	253.33	230.43	188.18	Plowed Left Hand Turnout	3
	LJ-7541-90SB	156.60	177.35	227.63	207.78	157.83	Left Hand Turnout w/90° Upeasing	3
	LJ-7541-90P	188.60	209.35	260.43	229.55	187.23	Plowed Left Hand Turnout w/90° Upeasing	3
	LJ-7546SB	151.78	171.95	220.58	199.08	157.55	Right Hand Turnout	3
	LJ-7546P	183.78	203.93	253.33	230.43	188.18	Plowed Right Hand Turnout	3
	LJ-7546-90SB	156.60	177.35	227.63	207.78	157.83	Right Hand Turnout w/90° Upeasing	3
	LJ-7546-90P	188.60	209.35	260.43	229.55	187.23	Plowed Right Hand Turnout w/90° Upeasing	3
	LJ-7547	127.48	144.05	186.30	279.18	214.25	Left Hand "S" Fitting	3
	LJ-7548	127.48	144.05	186.30	279.18	214.25	Right Hand "S" Fitting	3
	LJ-75RD	18.65	22.08	23.08	35.65	20.65	Rail Drop	1.5


## Woolf List Pricing

		LJ-6601 RAIL FITTINGS					DESCRIPTION	LBS. EA.	
		NUMBER	POPLAR	BEECH	R. OAK	CHERRY			MAPLE
	LJ-7X09	LJ-7609	7.93	9.13	11.90	13.10	10.30	Returned End for LJ-6601	1
	LJ-7X11	LJ-7610SB	47.45	54.50	71.20	78.20	61.55	Starting Easing	2
	LJ-7X12	LJ-7610P	47.45	54.50	71.20	78.20	61.55	Plowed Starting Easing	2
	LJ-7X14	LJ-7611	35.25	40.45	52.88	58.10	45.73	Level Quarterturn	1.5
	LJ-7X13	LJ-7611-135	81.25	93.28	121.85	133.88	101.15	Level 135° Quarterturn	1.5
	LJ-7X16	LJ-7612SB	34.63	39.68	51.88	57.00	44.88	Upeasing	2
	LJ-7X10	LJ-7612P	34.63	39.68	51.88	57.00	44.88	Plowed Upeasing	2
	LJ-7X20	LJ-7613	32.40	37.05	48.38	53.13	41.83	Overhand Easing	2
	LJ-7X19	LJ-7613P	64.40	69.08	81.13	85.58	67.35	Plowed Overhand Easing	2
	LJ-7X15	LJ-7614SB	37.73	43.25	56.60	62.18	48.95	Upeasing 90°	2
	LJ-7X21	LJ-7614P	37.73	43.25	56.60	62.18	48.95	Plowed Upeasing 90°	2
	LJ-7X30	LJ-7615SB	47.68	54.65	71.35	61.70	59.05	Starting Easing Round 1 End	2
	LJ-7X31	LJ-7615P	47.68	54.65	71.35	61.70	59.05	Plowed Starting Easing Round 1 End	2
	LJ-7X40	LJ-7616	47.68	54.65	71.35	61.70	59.05	Overhand Easing Round 1 End	2
	LJ-7X48	LJ-7616P	79.65	86.65	104.13	109.83	86.18	Plowed Overhand Easing Round 1 End	2
	LJ-7X47	LJ-7619	20.35	23.50	30.53	33.55	26.43	One Opening Newel Cap	1.25
		LJ-7620	27.50	31.53	41.13	45.18	35.55	Two Opening Newel Cap	1.25
		LJ-7621	40.55	46.48	60.75	66.78	52.55	Quarterturn Newel Cap	1.5
		LJ-7621-135	97.60	104.00	129.78	142.60	107.40	135° Quarterturn Newel Cap	1.5
		LJ-7630SB	127.45	146.08	190.90	209.75	165.10	Left Hand Volute	4
		LJ-7630P	186.10	204.73	250.98	275.73	217.03	Plowed Left Hand Volute	4
		LJ-7631	194.10	222.48	290.70	319.40	251.40	Left Hand Compound Climbing Volute	4
		LJ-7635SB	127.45	146.08	190.90	209.75	165.10	Right Hand Volute	4
		LJ-7635P	186.10	204.73	250.98	275.73	217.03	Plowed Right Hand Volute	4
		LJ-7636	194.10	222.48	290.70	319.40	251.40	Right Hand Compound Climbing Volute	4
		LJ-7638	77.00	88.98	116.28	209.33	133.73	Vertical Volute	4
		LJ-7640SB	73.18	84.00	109.63	120.45	94.83	Left Hand Turnout	3
		LJ-7640P	105.20	116.00	142.38	156.48	118.20	Plowed Left Hand Turnout	3
		LJ-7645SB	73.18	84.00	109.63	120.45	94.83	Right Hand Turnout	3
		LJ-7645P	105.20	116.00	142.38	156.48	118.20	Plowed Right Hand Turnout	3
		LJ-7641SB	71.48	81.98	107.13	117.70	92.65	Left Hand Turnout	2.5
		LJ-7641P	103.48	113.98	139.90	147.55	116.13	Plowed Left Hand Turnout	2.5
		LJ-7646SB	71.48	81.98	107.13	117.70	92.65	Right Hand Turnout	2.5
		LJ-7646P	103.48	113.98	139.90	147.55	116.13	Plowed Right Hand Turnout	2.5
		LJ-7647	63.25	72.60	94.90	170.78	109.13	Left Hand "S" Fitting	3
		LJ-7648	63.25	72.60	94.90	170.78	109.13	Right Hand "S" Fitting	3
		LJ-76RD	12.00	14.25	15.38	16.93	13.30	Rail Drop	1.5

## Woolf List Pricing




















		LJ-6701 RAIL FITTINGS						LBS. EA.	
		NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE		DESCRIPTION
	LJ-7X09	LJ-7709	12.63	14.60	19.05	20.90	16.45	Returned End for LJ-6701	1.25
	LJ-7X11	LJ-7710SB	78.03	90.33	117.18	124.25	101.88	Starting Easing	2.5
	LJ-7X12	LJ-7710P	78.03	90.33	117.18	124.25	101.88	Plowed Starting Easing	2.5
	LJ-7X14	LJ-7711	49.95	57.85	75.45	82.90	65.25	Level Quarterturn	1.5
	LJ-7X13	LJ-7711-135	63.63	67.80	84.58	92.93	73.15	Level 135° Quarterturn	1.5
	LJ-7X10	LJ-7712SB	43.10	49.20	64.15	70.48	55.48	Upeasing	2.5
	LJ-7X16	LJ-7712P	43.10	49.20	64.15	70.48	55.48	Plowed Upeasing	2.5
	LJ-7X15	LJ-7713	47.45	57.83	71.65	78.75	61.98	Overhand Easing	2.5
	LJ-7X20	LJ-7713P	79.45	89.83	104.43	114.75	90.33	Plowed Overhand Easing	2.5
	LJ-7X19	LJ-7714SB	46.33	53.63	69.93	76.85	60.48	Upeasing 90°	2
	LJ-7X21	LJ-7714P	46.33	53.63	69.93	76.85	60.48	Plowed Upeasing 90°	2
	LJ-7X30	LJ-7715SB	69.50	80.45	104.98	115.35	90.78	Starting Easing Round 1 End	3.75
	LJ-7X31	LJ-7715P	69.50	80.45	104.98	115.35	90.78	Plowed Starting Easing Round 1 End	3.75
	LJ-7X40	LJ-7716	69.50	80.45	104.98	115.35	90.78	Overhand Easing Round 1 End	3.75
	LJ-7X48	LJ-7716P	101.50	112.45	137.75	145.28	114.33	Plowed Overhand Easing Round 1 End	3.75
	LJ-7X47	LJ-7719	39.68	45.93	59.88	65.80	51.78	One Opening Newel Cap	1.5
	LJ-7XRD	LJ-7720	39.68	45.93	59.88	65.80	51.78	Two Opening Newel Cap	1.75
		LJ-7721	62.40	72.25	94.25	103.55	81.48	Quarterturn Newel Cap	1.75
		LJ-7721-135	78.93	83.73	105.50	115.93	91.25	135° Quarterturn Newel Cap	1.75
		LJ-7730SB	159.68	184.78	241.05	264.85	208.48	Left Hand Volute	4.5
		LJ-7730P	218.33	243.45	301.13	317.58	249.20	Plowed Left Hand Volute	4.5
		LJ-7731	239.00	276.60	360.75	396.38	312.00	Left Hand Compound Climbing Volute	4
		LJ-7735SB	159.68	184.78	241.05	264.85	208.48	Right Hand Volute	4.5
		LJ-7735P	218.33	243.45	301.13	317.58	249.20	Plowed Right Hand Volute	4.5
		LJ-7736	239.00	276.60	360.75	396.38	312.00	Right Hand Compound Climbing Volute	4
		LJ-7738	95.60	110.63	144.30	259.75	176.93	Vertical Volute	4
		LJ-7740SB	114.78	132.83	173.25	190.38	149.83	Left Hand Turnout	3.25
		LJ-7740P	146.78	164.83	206.03	217.30	171.05	Plowed Left Hand Turnout	3.25
		LJ-7745SB	114.78	132.83	173.25	190.38	149.83	Right Hand Turnout	3.25
		LJ-7745P	146.78	164.83	206.03	217.30	171.05	Plowed Right Hand Turnout	3.25
		LJ-7741SB	104.18	120.55	157.23	172.78	136.00	Left Hand Turnout	3
		LJ-7741P	136.18	152.55	190.00	200.40	157.75	Plowed Left Hand Turnout	3
		LJ-7746SB	104.18	120.55	157.23	172.78	136.00	Right Hand Turnout	3
		LJ-7746P	136.18	152.55	190.00	200.40	157.75	Plowed Right Hand Turnout	3
		LJ-7747	89.65	103.80	135.38	243.70	155.70	Left Hand "S" Fitting	3
		LJ-7748	89.65	103.80	135.38	243.70	155.70	Right Hand "S" Fitting	3
		LJ-77RD	20.33	24.08	25.93	28.50	22.43	Rail Drop	1.5

## Woolf List Pricing






































LJ-6900 RAIL FITTINGS							DESCRIPTION	LBS. EA.
NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE			
LJ-7909	24.28	24.78	31.70	34.83	27.43	Returned End for LJ-6900	1	
LJ-7910SB	109.30	111.53	144.95	159.28	125.33	Starting Easing	2	
LJ-7910P	109.30	111.53	144.95	159.28	125.33	Plowed Starting Easing		
LJ-7910-90SB	115.88	118.25	153.45	161.85	132.73	Starting Easing w/90° Upeasing	2	
LJ-7910-90P	115.88	118.25	153.45	161.85	132.73	Plowed Starting Easing w/90° Upeasing	2	
LJ-7911	85.50	87.25	112.55	123.65	97.33	Level Quarterturn	1.5	
LJ-7911-135	157.25	160.45	183.00	201.10	158.28	Level 135° Quarterturn	1.5	
LJ-7912SB	79.48	81.10	104.98	115.35	90.78	Upeasing	2	
LJ-7912P	79.48	81.10	104.98	115.35	90.78	Plowed Upeasing	2	
LJ-7913	79.48	81.10	104.98	115.35	90.78	Overhand Easing	2	
LJ-7913P	110.85	113.10	137.75	141.45	113.98	Plowed Overhand Easing	2	
LJ-7914SB	85.65	87.43	113.68	124.88	98.30	Upeasing 90°	2	
LJ-7914P	85.65	87.43	113.68	124.88	98.30	Plowed Upeasing 90°	2	
LJ-7915SB	108.68	110.88	139.50	153.28	120.63	Starting Easing Round 1 End	2	
LJ-7915P	108.68	110.88	139.50	153.28	120.63	Plowed Starting Easing Round 1 End	2	
LJ-7916	108.68	110.88	139.50	153.28	120.63	Overhand Easing Round 1 End	2	
LJ-7916P	140.13	142.88	172.25	181.68	143.00	Plowed Overhand Easing Round 1 End	2	
LJ-7919	62.95	64.23	83.85	92.15	72.50	One Opening Newel Cap	2.75	
LJ-7920	60.03	61.28	78.55	86.33	67.93	Two Opening Newel Cap	1.25	
LJ-7921	98.00	100.00	130.15	143.00	112.55	Quarterturn Newel Cap	2	
LJ-7921-135	172.40	175.90	199.98	219.70	172.93	135° Quarterturn Newel Cap	2	
LJ-7930SB	358.58	365.88	472.08	518.73	408.25	Left Hand Volute	6	
LJ-7930P	416.05	424.53	532.15	584.70	460.20	Plowed Left Hand Volute	6	
LJ-7930-90SB	363.98	371.40	480.18	527.60	415.28	Left Hand Volute w/90° Upeasing	6	
LJ-7930-90P	421.45	430.05	540.23	569.78	467.18	Plowed Left Hand Volute w/90° Upeasing	6	
LJ-7931	412.30	420.70	545.28	599.13	471.55	Left Hand Compound Climbing Volute	5	
LJ-7935SB	358.58	365.88	472.08	518.73	408.25	Right Hand Volute	6	
LJ-7935P	416.05	424.53	532.15	584.70	460.20	Plowed Right Hand Volute	6	
LJ-7935-90SB	363.98	371.40	480.18	527.60	415.28	Right Hand Volute w/90° Upeasing	6	
LJ-7935-90P	421.45	430.05	540.23	569.78	467.18	Plowed Right Hand Volute w/90° Upeasing	6	
LJ-7936	412.30	420.70	545.28	599.13	471.55	Right Hand Compound Climbing Volute	5	
LJ-7938	164.93	168.28	218.10	392.60	283.80	Vertical Volute	4	
LJ-7940SB	187.67	191.45	245.38	269.60	212.20	Left Hand Turnout	2.75	
LJ-7940P	218.98	223.48	278.13	293.35	240.55	Plowed Left Hand Turnout	2.75	
LJ-7940-90SB	192.85	196.78	252.35	266.15	218.25	Left Hand Turnout w/90° Upeasing	2.75	
LJ-7940-90P	224.20	228.78	285.10	300.70	246.58	Plowed Left Hand Turnout w/90° Upeasing	2.75	
LJ-7945SB	187.67	191.45	245.38	269.60	212.20	Right Hand Turnout	2.75	
LJ-7945P	218.98	223.48	278.13	293.35	240.55	Plowed Right Hand Turnout	2.75	
LJ-7945-90SB	192.85	196.78	252.35	266.15	218.25	Right Hand Turnout w/90° Upeasing	2.75	
LJ-7945-90P	224.20	228.78	285.10	300.70	246.58	Plowed Right Hand Turnout w/90° Upeasing	2.75	
LJ-7941SB	182.50	186.23	240.88	264.65	208.30	Left Hand Turnout	3	
LJ-7941P	213.85	218.23	273.63	288.60	236.65	Plowed Left Hand Turnout	3	
LJ-7941-90SB	188.08	191.90	248.58	273.13	214.98	Left Hand Turnout w/90° Upeasing	3	
LJ-7941-90P	219.40	223.90	281.35	296.73	243.33	Plowed Left Hand Turnout w/90° Upeasing	3	
LJ-7946SB	182.50	186.23	240.88	264.65	208.30	Right Hand Turnout	3	
LJ-7946P	213.85	218.23	273.63	288.60	236.65	Plowed Right Hand Turnout	3	
LJ-7946-90SB	188.08	191.90	248.58	273.13	214.98	Right Hand Turnout w/90° Upeasing	3	
LJ-7946-90P	219.40	223.90	281.35	296.73	243.33	Plowed Right Hand Turnout w/90° Upeasing	3	
LJ-7947	153.45	156.58	201.95	363.53	232.25	Left Hand "S" Fitting	3	
LJ-7948	153.45	156.58	201.95	363.53	232.25	Right Hand "S" Fitting	3	
LJ-79RD	23.50	24.00	37.15	40.80	32.10	Rail Drop	1.5	

## Woolf List Pricing


		LJ-6A10 RAIL FITTINGS						DESCRIPTION	LBS. EA.
		NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE		
	LJ-7X08	LJ-7A08	37.53	41.30	41.70	75.05	36.28	Coped End for LJ-6A10	1.5
		LJ-7X09	LJ-7A09	25.00	27.53	27.80	50.03	24.18	Returned End for LJ-6A10
		LJ-7X11	LJ-7A10SB	64.03	70.43	71.15	128.05	61.88	Starting Easing
		LJ-7X12	LJ-7A10P0	64.03	70.43	71.15	128.05	61.88	Plowed 1 1/4" Starting Easing
		LJ-7X13	LJ-7A10P1	64.03	70.43	71.15	128.05	61.88	Plowed 1 3/4" Starting Easing
		LJ-7X14	LJ-7A10-90SB	64.03	70.43	71.15	128.05	61.88	Starting Easing w/90° Upeasing
		LJ-7X10	LJ-7A10-90P0	64.03	70.43	71.15	128.05	61.88	Plowed 1 1/4" Starting Easing w/90° Upeasing
		LJ-7X15	LJ-7A10-90P1	64.03	70.43	71.15	128.05	61.88	Plowed 1 3/4" Starting Easing w/90° Upeasing
		LJ-7X16	LJ-7A11	47.70	52.50	53.03	95.43	46.13	Level Quarterturn
		LJ-7X19	LJ-7A11-135	107.88	118.65	119.85	215.75	104.30	Level 135° Quarterturn
		LJ-7X20	LJ-7A12SB	47.70	52.50	53.03	95.43	46.13	Upeasing
		LJ-7X21	LJ-7A12P0	47.70	52.50	53.03	95.43	46.13	Plowed 1 1/4" Upeasing
		LJ-7X22	LJ-7A12P1	47.70	52.50	53.03	95.43	46.13	Plowed 1 3/4" Upeasing
		LJ-7X23	LJ-7A13	47.70	52.50	53.03	95.43	46.13	Overhand Easing
		LJ-7X24	LJ-7A13P0	77.00	81.80	82.33	124.75	75.45	Plowed 1 1/4" Overhand Easing
		LJ-7X25	LJ-7A13P1	77.00	81.80	82.33	124.75	75.45	Plowed 1 3/4" Overhand Easing
		LJ-7X26	LJ-7A14SB	45.45	49.98	50.50	90.88	43.95	Upeasing 90°
		LJ-7X27	LJ-7A14P0	45.45	49.98	50.50	90.88	43.95	Plowed 1 1/4" Upeasing 90°
		LJ-7X28	LJ-7A14P1	45.45	49.98	50.50	90.88	43.95	Plowed 1 3/4" Upeasing 90°
		LJ-7X29	LJ-7A15SB	57.60	63.35	63.98	115.18	55.68	Starting Easing Round 1 End
		LJ-7X30	LJ-7A15P0	57.60	63.35	63.98	115.18	55.68	Plowed 1 1/4" Starting Easing Round 1 End
		LJ-7X31	LJ-7A15P1	57.60	63.35	63.98	115.18	55.68	Plowed 1 3/4" Starting Easing Round 1 End
		LJ-7X32	LJ-7A16	57.60	63.35	63.98	115.18	55.68	Overhand Easing Round 1 End
		LJ-7X33	LJ-7A16P0	86.90	92.65	93.30	144.48	84.98	Plowed 1 1/4" Overhand Easing Round 1 End
		LJ-7X34	LJ-7A16P1	86.90	92.65	93.30	144.48	84.98	Plowed 1 3/4" Overhand Easing Round 1 End
		LJ-7X35	LJ-7A19	32.88	36.20	36.55	65.78	31.80	One Opening Newel Cap
		LJ-7X36	LJ-7A20	43.80	48.18	48.68	87.60	42.33	Two Opening Newel Cap
		LJ-7X37	LJ-7A21	58.03	63.83	64.48	116.08	56.10	Quarterturn Newel Cap
		LJ-7X38	LJ-7A21-135	58.03	63.83	64.48	116.08	56.10	135° Quarterturn Newel Cap
		LJ-7X39	LJ-7A30SB	169.70	186.65	188.55	339.38	164.05	Left Hand Volute
		LJ-7X40	LJ-7A30P0	219.80	241.80	244.25	439.65	212.50	Plowed 1 1/4" Left Hand Volute
		LJ-7X41	LJ-7A30P1	219.80	241.80	244.25	439.65	212.50	Plowed 1 3/4" Left Hand Volute
		LJ-7X42	LJ-7A30-90SB	175.18	192.68	194.63	350.33	169.33	Left Hand Volute w/90° Upeasing
		LJ-7X43	LJ-7A30-90P0	228.88	246.40	248.35	404.05	223.05	Plowed 1 1/4" Left Hand Volute w/90° Upeasing
		LJ-7X44	LJ-7A30-90P1	228.88	246.40	248.35	404.05	223.05	Plowed 1 3/4" Left Hand Volute w/90° Upeasing
		LJ-7X45	LJ-7A31	541.03	595.13	601.15	1082.05	522.98	Left Hand Compound Climbing Volute
		LJ-7X46	LJ-7A35SB	169.70	186.65	188.55	339.38	164.05	Right Hand Volute
		LJ-7X47	LJ-7A35P0	219.80	241.80	244.25	439.65	212.50	Plowed 1 1/4" Right Hand Volute
		LJ-7X48	LJ-7A35P1	219.80	241.80	244.25	439.65	212.50	Plowed 1 3/4" Right Hand Volute
		LJ-7X49	LJ-7A35-90SB	175.18	192.68	194.63	350.33	169.33	Right Hand Volute w/90° Upeasing
		LJ-7X50	LJ-7A35-90P0	228.88	246.40	248.35	404.05	223.05	Plowed 1 1/4" Right Hand Volute w/90° Upeasing
		LJ-7X51	LJ-7A35-90P1	228.88	246.40	248.35	404.05	223.05	Plowed 1 3/4" Right Hand Volute w/90° Upeasing
		LJ-7X52	LJ-7A36	541.03	595.13	601.15	1082.05	522.98	Right Hand Compound Climbing Volute
		LJ-7X53	LJ-7A38	216.40	238.08	240.45	432.83	209.20	Vertical Volute
		LJ-7X54	LJ-7A40SB	104.35	114.78	115.95	208.70	100.88	Left Hand Turnout
		LJ-7X55	LJ-7A40P0	135.65	149.23	150.73	271.30	131.13	Plowed 1 1/4" Left Hand Turnout
		LJ-7X56	LJ-7A40P1	137.83	148.68	149.88	246.33	134.20	Plowed 1 3/4" Left Hand Turnout
		LJ-7X57	LJ-7A40-90SB	108.53	119.35	120.58	217.05	104.90	Left Hand Turnout w/90° Upeasing
		LJ-7X58	LJ-7A40-90P0	137.83	148.68	149.88	246.33	134.20	Plowed 1 1/4" Left Hand Turnout w/90° Upeasing
		LJ-7X59	LJ-7A40-90P1	137.83	148.68	149.88	246.33	134.20	Plowed 1 3/4" Left Hand Turnout w/90° Upeasing
		LJ-7X60	LJ-7A45SB	104.35	114.78	115.95	208.70	100.88	Right Hand Turnout
		LJ-7X61	LJ-7A45P0	135.65	149.23	150.73	271.30	131.13	Plowed 1 1/4" Right Hand Turnout
		LJ-7X62	LJ-7A45P1	137.83	148.68	149.88	246.33	134.20	Plowed 1 3/4" Right Hand Turnout
		LJ-7X63	LJ-7A45-90SB	108.53	119.35	120.58	217.05	104.90	Right Hand Turnout w/90° Upeasing
		LJ-7X64	LJ-7A45-90P0	137.83	148.68	149.88	246.33	134.20	Plowed 1 1/4" Right Hand Turnout w/90° Upeasing
		LJ-7X65	LJ-7A45-90P1	137.83	148.68	149.88	246.33	134.20	Plowed 1 3/4" Right Hand Turnout w/90° Upeasing
		LJ-7X66	LJ-7A41SB	102.25	112.48	113.63	204.53	98.85	Left Hand Turnout
		LJ-7X67	LJ-7A41P0	131.55	141.80	142.93	233.83	128.15	Plowed 1 1/4" Left Hand Turnout
		LJ-7X68	LJ-7A41P1	131.55	141.80	142.93	233.83	128.15	Plowed 1 3/4" Left Hand Turnout
		LJ-7X69	LJ-7A41-90SB	132.95	146.25	147.70	265.88	128.53	Left Hand Turnout w/90° Upeasing
		LJ-7X70	LJ-7A41-90P0	162.25	175.55	177.03	295.18	157.80	Plowed 1 1/4" Left Hand Turnout w/90° Upeasing
		LJ-7X71	LJ-7A41-90P1	162.25	175.55	177.03	295.18	157.80	Plowed 1 3/4" Left Hand Turnout w/90° Upeasing
		LJ-7X72	LJ-7A46SB	102.25	112.48	113.63	204.53	98.85	Right Hand Turnout
		LJ-7X73	LJ-7A46P0	131.55	141.80	142.93	233.83	128.15	Plowed 1 1/4" Right Hand Turnout
		LJ-7X74	LJ-7A46P1	131.55	141.80	142.93	233.83	128.15	Plowed 1 3/4" Right Hand Turnout
		LJ-7X75	LJ-7A46-90SB	132.95	146.25	147.70	265.88	128.53	Right Hand Turnout w/90° Upeasing
		LJ-7X76	LJ-7A46-90P0	162.25	175.55	177.03	295.18	157.80	Plowed 1 1/4" Right Hand Turnout w/90° Upeasing
		LJ-7X77	LJ-7A46-90P1	162.25	175.55	177.03	295.18	157.80	Plowed 1 3/4" Right Hand Turnout w/90° Upeasing
		LJ-7X78	LJ-7A47	85.65	94.20	95.15	171.28	82.80	Left Hand "S" Fitting
		LJ-7X79	LJ-7A48	85.65	94.20	95.15	171.28	82.80	Right Hand "S" Fitting
		LJ-7X80	LJ-7ARD	15.23	16.78	16.93	30.48	14.73	Rail Drop

Woolf List Pricing


LJ-6B10 RAIL FITTINGS								LBS. EA.
NUMBER	POPLAR	BEECH	R. OAK	CHERRY	MAPLE	DESCRIPTION		
 LJ-7B09	25.00	27.53	27.80	50.03	24.18	Returned End for LJ-6B10	1	
 LJ-7B10SB	64.03	70.43	71.15	128.05	61.88	Starting Easing	2	
 LJ-7B10P0	64.03	70.43	71.15	128.05	61.88	Plowed 1 1/4" Starting Easing	2	
 LJ-7B10P1	64.03	70.43	71.15	128.05	61.88	Plowed 1 3/4" Starting Easing	2	
 LJ-7B10-90SB	64.03	70.43	71.15	128.05	61.88	Starting Easing w/90° Upeasing	2	
 LJ-7B10-90P0	64.03	70.43	71.15	128.05	61.88	Plowed 1 1/4" Starting Easing w/90° Upeasing	2	
 LJ-7B10-90P1	64.03	70.43	71.15	128.05	61.88	Plowed 1 3/4" Starting Easing w/90° Upeasing	2	
 LJ-7B11	47.70	52.50	53.03	95.43	46.13	Level Quarterturn	1.5	
 LJ-7B11-135	107.88	118.65	119.85	215.75	104.30	Level 135° Quarterturn	1.5	
 LJ-7B12SB	47.70	52.50	53.03	95.43	46.13	Upeasing	2	
 LJ-7B12P0	47.70	52.50	53.03	95.43	46.13	Plowed 1 1/4" Upeasing	2	
 LJ-7B12P1	47.70	52.50	53.03	95.43	46.13	Plowed 1 3/4" Upeasing	2	
 LJ-7B13	47.70	52.50	53.03	95.43	46.13	Overhand Easing	2	
 LJ-7B13P0	77.00	81.80	82.33	124.75	75.45	Plowed 1 1/4" Overhand Easing	2	
 LJ-7B13P1	77.00	81.80	82.33	124.75	75.45	Plowed 1 3/4" Overhand Easing	2	
 LJ-7B14SB	45.45	49.98	50.50	90.88	43.95	Upeasing 90°	1.5	
 LJ-7B14P0	45.45	49.98	50.50	90.88	43.95	Plowed 1 1/4" Upeasing 90°	1.5	
 LJ-7B14P1	45.45	49.98	50.50	90.88	43.95	Plowed 1 3/4" Upeasing 90°	1.5	
 LJ-7B15SB	57.60	63.35	63.98	115.18	55.68	Starting Easing Round 1 End	2	
 LJ-7B15P0	57.60	63.35	63.98	115.18	55.68	Plowed 1 1/4" Starting Easing Round 1 End	2	
 LJ-7B15P1	57.60	63.35	63.98	115.18	55.68	Plowed 1 3/4" Starting Easing Round 1 End	2	
 LJ-7B16	57.60	63.35	63.98	115.18	55.68	Overhand Easing Round 1 End	2	
 LJ-7B16P0	86.90	92.65	93.90	144.48	84.98	Plowed 1 1/4" Overhand Easing Round 1 End	2	
 LJ-7B16P1	86.90	92.65	93.90	144.48	84.98	Plowed 1 3/4" Overhand Easing Round 1 End	2	
 LJ-7B19	32.88	36.20	36.55	65.78	31.80	One Opening Newel Cap	1.25	
 LJ-7B20	43.80	48.18	48.68	87.60	42.33	Two Opening Newel Cap	1.75	
 LJ-7B21	58.03	63.83	64.48	116.08	56.10	Quarterturn Newel Cap	1.75	
 LJ-7B21-135	58.03	63.83	64.48	116.08	56.10	135° Quarterturn Newel Cap	1.75	
 LJ-7B30SB	169.70	186.65	188.55	339.38	164.05	Left Hand Volute	4	
 LJ-7B30P0	219.80	241.80	244.25	439.65	212.50	Plowed 1 1/4" Left Hand Volute	4	
 LJ-7B30P1	219.80	241.80	244.25	439.65	212.50	Plowed 1 3/4" Left Hand Volute	4	
 LJ-7B30-90SB	175.18	192.68	194.63	350.33	169.33	Left Hand Volute w/90° Upeasing	4	
 LJ-7B30-90P0	228.88	246.40	248.35	404.05	223.05	Plowed 1 1/4" Left Hand Volute w/90° Upeasing	4	
 LJ-7B30-90P1	228.88	246.40	248.35	404.05	223.05	Plowed 1 3/4" Left Hand Volute w/90° Upeasing	4	
 LJ-7B31	541.03	595.13	601.15	1082.05	522.98	Left Hand Compound Climbing Volute	4	
LJ-7B35SB	169.70	186.65	188.55	339.38	164.05	Right Hand Volute	4	
LJ-7B35P0	219.80	241.80	244.25	439.65	212.50	Plowed 1 1/4" Right Hand Volute	4	
LJ-7B35P1	219.80	241.80	244.25	439.65	212.50	Plowed 1 3/4" Right Hand Volute	4	
LJ-7B35-90SB	175.18	192.68	194.63	350.33	169.33	Right Hand Volute w/90° Upeasing	4	
LJ-7B35-90P0	228.88	246.40	248.35	404.05	223.05	Plowed 1 1/4" Right Hand Volute w/90° Upeasing	4	
LJ-7B35-90P1	228.88	246.40	248.35	404.05	223.05	Plowed 1 3/4" Right Hand Volute w/90° Upeasing	4	
LJ-7B36	541.03	595.13	601.15	1082.05	522.98	Right Hand Compound Climbing Volute	4	
LJ-7B38	216.40	238.05	240.45	432.83	209.20	Vertical Volute	4	
LJ-7B40SB	104.35	114.78	115.95	208.70	100.88	Left Hand Turnout	3	
LJ-7B40P0	135.65	149.23	150.73	271.30	131.13	Plowed 1 1/4" Left Hand Turnout	3	
LJ-7B40P1	135.65	149.23	150.73	271.30	131.13	Plowed 1 3/4" Left Hand Turnout	3	
LJ-7B40-90SB	108.53	119.35	120.58	217.05	104.90	Left Hand Turnout w/90° Upeasing	3	
LJ-7B40-90P0	137.83	148.68	149.88	246.33	134.20	Plowed 1 1/4" Left Hand Turnout w/90° Upeasing	3	
LJ-7B40-90P1	137.83	148.68	149.88	246.33	134.20	Plowed 1 3/4" Left Hand Turnout w/90° Upeasing	3	
LJ-7B45SB	104.35	114.78	115.95	208.70	100.88	Right Hand Turnout	3	
LJ-7B45P0	135.65	149.23	150.73	271.30	131.13	Plowed 1 1/4" Right Hand Turnout	3	
LJ-7B45P1	135.65	149.23	150.73	271.30	131.13	Plowed 1 3/4" Right Hand Turnout	3	
LJ-7B45-90SB	108.53	119.35	120.58	217.05	104.90	Right Hand Turnout w/90° Upeasing	3	
LJ-7B45-90P0	137.83	148.68	149.88	246.33	134.20	Plowed 1 1/4" Right Hand Turnout w/90° Upeasing	3	
LJ-7B45-90P1	137.83	148.68	149.88	246.33	134.20	Plowed 1 3/4" Right Hand Turnout w/90° Upeasing	3	
LJ-7B41SB	102.25	112.48	113.63	204.53	98.85	Left Hand Turnout	3	
LJ-7B41P0	131.55	141.80	142.93	233.83	128.15	Plowed 1 1/4" Left Hand Turnout	3	
LJ-7B41P1	131.55	141.80	142.93	233.83	128.15	Plowed 1 3/4" Left Hand Turnout	3	
LJ-7B41-90SB	162.25	175.55	177.03	295.18	157.80	Left Hand Turnout w/90° Upeasing	3	
LJ-7B41-90P0	162.25	175.55	177.03	295.18	157.80	Plowed 1 1/4" Left Hand Turnout w/90° Upeasing	3	
LJ-7B41-90P1	162.25	175.55	177.03	295.18	157.80	Plowed 1 3/4" Left Hand Turnout w/90° Upeasing	3	
LJ-7B46SB	102.25	112.48	113.63	204.53	98.85	Right Hand Turnout	3	
LJ-7B46P0	131.55	141.80	142.93	233.83	128.15	Plowed 1 1/4" Right Hand Turnout	3	
LJ-7B46P1	131.55	141.80	142.93	233.83	128.15	Plowed 1 3/4" Right Hand Turnout	3	
LJ-7B46-90SB	162.25	175.55	177.03	295.18	157.80	Right Hand Turnout w/90° Upeasing	3	
LJ-7B46-90P0	162.25	175.55	177.03	295.18	157.80	Plowed 1 1/4" Right Hand Turnout w/90° Upeasing	3	
LJ-7B46-90P1	162.25	175.55	177.03	295.18	157.80	Plowed 1 3/4" Right Hand Turnout w/90° Upeasing	3	
LJ-7B47	85.65	94.20	95.15	171.28	82.80	Left Hand "S" Fitting	3	
LJ-7B48	85.65	94.20	95.15	171.28	82.80	Right Hand "S" Fitting	3	
LJ-7BRD	15.23	16.78	16.93	30.48	14.73	Rail Drop	1.5	

## Woolf List Pricing


WALL RAIL FITTINGS						LBS. EA.
NUMBER	POPLAR	BEECH	R. OAK	MAPLE	DESCRIPTION	
LJ-7001	37.83	45.48	56.88	49.18	Quarterturn for LJ-6041	1.5
LJ-7002	33.10	37.53	46.93	40.60	Starting Easing for LJ-6041	1
LJ-7003	34.08	38.60	51.18	44.25	Over Easing for LJ-6041	1
LJ-7005	37.83	42.88	56.88	49.18	Quarterturn for LJ-6042	1.5
LJ-7006	31.25	35.43	46.93	40.60	Starting Easing for LJ-6042	1
LJ-7007	34.08	38.60	51.18	44.25	Over Easing for LJ-6042	1
LJ-7023	37.83	42.88	56.88	49.18	Quarterturn for LJ-6040	1.5
LJ-7024	31.25	35.43	46.93	40.60	Starting Easing for LJ-6040	1
LJ-7025	34.08	38.60	51.18	42.35	Over Easing for LJ-6040	1



LJ-7001




LJ-7002




LJ-7003



LJ-




LJ-7006




LJ-7007



LJ-7023




LJ-7024




LJ-7025

## Woolf List Pricing Traditionally Manufactured ("S-line") Products



6010 ASSEMBLED RAIL FITTINGS							LBS. EA.
NUMBER	POPLAR	BEECH	R.OAK	MAPLE	HEMLOCK	DESCRIPTION	
S-7008	11.05	13.25	19.80	14.38	13.60	Coped End for LJ-6010	1.5
S-7008P	41.68	43.88	47.95			Plowed Coped End for LJ-6010	1.5
S-7009	7.58	8.73	11.58	9.08	8.88	Returned End for LJ-6010	1
S-7010	45.40	52.15	19.85	46.58	53.83	Starting Easing	2
S-7010P	76.03	82.78	99.45	46.58		Plowed Starting Easing	2
S-7011	33.75	38.73	23.73	34.33	40.03	Level Quarterturn	1.5
S-7011P	64.38	69.35	81.95			Plowed Level Quarterturn	1.5
S-7011-135	33.75	38.73	23.73	78.93		Level 135° Quarterturn	1.5
S-7011-135P	108.38	119.85	147.98			Plowed Level 135° Quarterturn	1.5
S-7012	33.13	37.98	19.93	30.00	38.13	Upeasing	2
S-7012P	63.75	68.60	81.00	30.00		Plowed Upeasing	2
S-7013	31.00	35.48	26.03	32.70	35.93	Overhand Easing	2
S-7013P	61.63	66.10	77.65	63.33		Plowed Overhand Easing	2
S-7014	36.10	41.38	54.15	32.70	42.33	Upeasing 90°	2
S-7014P	66.73	72.00	85.50	32.70		Plowed Upeasing 90°	2
S-7015	45.60	52.30	48.05	42.00		Starting Easing Round 1 End	2
S-7015P	76.23	82.93	99.65	42.00		Plowed Starting Easing Round 1 End	2
S-7016	45.60	52.30	48.05	46.03		Overhand Easing Round 1 End	2
S-7016P	76.23	82.93	99.65	73.58		Plowed Overhand Easing Round 1 End	2
S-7019	19.48	22.33	13.08	20.70	22.83	One Opening Newel Cap	1.25
S-7019P	50.10	52.93	60.58			Plowed One Opening Newel Cap	1.25
S-7020	26.30	30.15	20.08	29.43	30.98	Two Opening Newel Cap	1.25
S-7020P	56.93	60.78	70.70			Plowed Two Opening Newel Cap	1.25
S-7021	38.80	44.48	24.33	41.30	45.63	Quarterturn Newel Cap	1.5
S-7021P	69.40	75.10	89.50			Plowed Quarterturn Newel Cap	1.5
S-7021-135	93.40	99.53	124.18	88.33		Quarterturn 135° Newel Cap	1.5
S-7021-135P	124.03	130.15	155.53			Plowed Quarterturn 135° Newel Cap	1.5
S-7030	121.95	139.78	62.28	96.28	146.68	Left Hand Volute	4
S-7030P	178.10	195.90	240.15	152.40		Plowed Left Hand Volute	4
S-7035	121.95	139.78	62.28	96.28		Right Hand Volute	4
S-7035P	178.10	195.90	240.15	152.40		Plowed Right Hand Volute	4
S-7040	70.05	80.40	51.55	72.83	89.48	Left Hand Turnout	3
S-7040P	100.65	111.00	136.25	103.45		Plowed Left Hand Turnout	3
S-7045	70.05	80.40	51.55	72.83		Right Hand Turnout	3
S-7045P	100.65	111.00	136.25	103.45		Plowed Right Hand Turnout	3
S-7041	68.40	78.45	62.50	70.15		Left Hand Turnout	2.5
S-7041P	99.00	109.80	133.85	100.78		Plowed Left Hand Turnout	2.5
S-7046	68.40	78.45	62.50	70.15		Right Hand Turnout	2.5
S-7046P	99.00	109.80	133.85	100.78		Plowed Right Hand Turnout	2.5
S-7050	109.73	125.88	113.70	107.11	133.10	Left Hand Gooseneck 2 Riser No Cap	5.5
S-7050P	165.85	182.03	221.98			Plowed Left Hand Gooseneck 2 Riser No Cap	5.5
S-7055	109.73	125.88	113.70	107.11	133.10	Right Hand Gooseneck 2 Riser No Cap	5.5
S-7055P	165.85	182.03	221.98			Plowed Right Hand Gooseneck 2 Riser No Cap	5.5
S-7060	116.55	133.58	76.03	114.05	140.18	Left Hand Gooseneck 2 Riser With Cap	6
S-7060P	172.68	189.73	232.10			Plowed Left Hand Gooseneck 2 Riser With Cap	6
S-7065	116.55	133.58	76.03	114.05	140.18	Right Hand Gooseneck 2 Riser With Cap	6
S-7065P	172.68	189.73	232.10			Plowed Right Hand Gooseneck 2 Riser With Cap	6
S-7071	87.45	100.18	79.28	77.11	96.53	Left Hand Gooseneck 2 Riser No Cap	4
S-7071P	143.58	156.30	188.40			Plowed Left Hand Gooseneck 2 Riser No Cap	4
S-7076	87.45	100.18	79.28	77.11	96.53	Right Hand Gooseneck 2 Riser No Cap	4
S-7076P	143.58	156.30	188.40			Plowed Right Hand Gooseneck 2 Riser No Cap	4
S-7081	90.93	104.18	79.28	84.08	107.18	Left Hand Gooseneck 2 Riser With Cap	4
S-7081P	147.05	160.30	193.73			Plowed Left Hand Gooseneck 2 Riser With Cap	4
S-7086	90.93	104.18	79.28	84.04	107.18	Right Hand Gooseneck 2 Riser With Cap	4
S-7086P	147.05	160.30	193.73			Plowed Right Hand Gooseneck 2 Riser With Cap	4
S-7088-2	70.23	80.53	79.33	72.21	91.05	Gooseneck 2 Riser With Cap	3.5
S-7088-2P	126.36	136.65	162.70			Plowed Gooseneck 2 Riser With Cap	3.5
S-7090-2	104.25	118.15	172.43	111.44	120.98	Left Hand Gooseneck 2 Riser No Cap	5.5
S-7090-2P	160.40	174.30	214.15			Plowed Left Hand Gooseneck 2 Riser No Cap	5.5
S-7091-2	111.45	124.88	181.65	118.41	129.88	Left Hand Gooseneck 2 Riser With Cap	5.5
S-7091-2P	167.58	181.00	222.55			Plowed Left Hand Gooseneck 2 Riser With Cap	5.5
S-7092-2	111.45	124.88	181.65	118.41	129.88	Right Hand Gooseneck 2 Riser With Cap	5.5
S-7092-2P	167.58	181.00	222.55			Plowed Right Hand Gooseneck 2 Riser With Cap	5.5
S-7095-2	104.25	118.15	172.43	111.44	120.98	Right Hand Gooseneck 2 Riser No Cap	5.5
S-7095-2P	160.40	174.30	214.15			Plowed Right Hand Gooseneck 2 Riser No Cap	5.5
S-7097	73.93	82.10	70.93	63.48	81.75	Gooseneck 2 Riser With Cap	3
S-7097P	127.05	138.23	164.60			Plowed Gooseneck 2 Riser With Cap	3
S-7099	60.73	69.90	76.03	51.85	61.38	Gooseneck 2 Riser No Cap	3.5
S-7099P	116.85	125.73	148.40			Plowed Gooseneck 2 Riser No Cap	3.5


## Woolf List Pricing Traditionally Manufactured ("S-line") Products



6210 ASSEMBLED RAIL FITTINGS					LBS. EA.
NUMBER	POPLAR	BEECH	R.OAK	DESCRIPTION	
S-7208	15.53	18.60	23.43	Coped End for LJ-6210	2
S-7208P	46.13	49.23	54.75	Plowed Coped End for LJ-6210	2
S-7209	15.07	12.33	16.08	Returned End for LJ-6210	1.25
S-7210	63.63	73.63	96.05	Starting Easing	2.5
S-7210P	94.25	104.25	127.40	Plowed Starting Easing	2.5
S-7211	47.23	54.65	71.28	Level Quarterturn	1.75
S-7211P	77.85	85.28	102.65	Plowed Level Quarterturn	1.75
S-7211-135	102.93	109.73	136.85	Level 135° Quarterturn	1.75
S-7211-135P	133.53	140.33	168.20	Plowed Level 135° Quarterturn	1.75
S-7212	46.38	53.65	69.98	Upeasing	2.5
S-7212P	77.00	84.28	101.35	Plowed Upeasing	2.5
S-7213	43.34	50.28	65.58	Overhand Easing	2.5
S-7213P	74.03	80.88	96.93	Plowed Overhand Easing	2.5
S-7214	50.53	58.48	76.28	Upeasing 90°	2.5
S-7214P	81.15	89.10	107.63	Plowed Upeasing 90°	2.5
S-7215	63.83	73.88	96.40	Starting Easing Round 1 End	2.5
S-7215P	94.45	104.50	127.75	Plowed Starting Easing Round 1 End	2.5
S-7216	63.83	73.88	96.40	Overhand Easing Round 1 End	2.5
S-7216P	94.45	104.50	127.75	Plowed Overhand Easing Round 1 End	2.5
S-7219	27.30	31.63	41.20	One Opening Newel Cap	1.5
S-7219P	57.90	62.23	72.55	Plowed One Opening Newel Cap	1.5
S-7220	36.83	42.63	55.60	Two Opening Newel Cap	1.5
S-7220P	67.45	73.25	86.93	Plowed Two Opening Newel Cap	1.5
S-7221	54.33	62.88	82.00	Quarterturn Newel Cap	1.5
S-7221P	84.93	93.50	113.35	Plowed Quarterturn Newel Cap	1.5
S-7221-135	141.00	147.68	178.88	Quarterturn 135° Newel Cap	1.5
S-7221-135P	141.00	147.68	178.88	Plowed Quarterturn 135° Newel Cap	1.5
S-7230	170.75	197.63	257.78	Left Hand Volute	4.5
S-7230P	226.88	253.75	315.28	Plowed Left Hand Volute	4.5
S-7235	170.75	197.63	257.78	Right Hand Volute	4.5
S-7235P	226.88	253.75	315.28	Plowed Right Hand Volute	4.5
S-7240	98.10	113.53	148.08	Left Hand Turnout	3.25
S-7240P	128.70	144.13	179.43	Plowed Left Hand Turnout	3.25
S-7245	98.10	113.53	148.08	Right Hand Turnout	3.25
S-7245P	128.70	144.13	179.43	Plowed Right Hand Turnout	3.25
S-7241	95.75	110.83	144.55	Left Hand Turnout	2.75
S-7241P	126.38	141.45	175.90	Plowed Left Hand Turnout	2.75
S-7246	95.75	110.83	144.55	Right Hand Turnout	2.75
S-7246P	126.38	141.45	175.90	Plowed Right Hand Turnout	2.75
S-7250	153.65	177.83	231.98	Left Hand Gooseneck 2 Riser No Cap	6
S-7250P	209.75	233.98	289.45	Plowed Left Hand Gooseneck 2 Riser No Cap	6
S-7255	153.65	177.83	231.98	Right Hand Gooseneck 2 Riser No Cap	6
S-7255P	209.75	233.98	289.45	Plowed Right Hand Gooseneck 2 Riser No Cap	6
S-7260	163.18	188.88	246.33	Left Hand Gooseneck 2 Riser With Cap	6.25
S-7260P	219.30	245.00	303.80	Plowed Left Hand Gooseneck 2 Riser With Cap	6.25
S-7265	163.18	188.88	246.33	Right Hand Gooseneck 2 Riser With Cap	6.25
S-7265P	219.30	245.00	303.80	Plowed Right Hand Gooseneck 2 Riser With Cap	6.25
S-7271	122.40	141.65	184.78	Left Hand Gooseneck 2 Riser No Cap	4.5
S-7271P	178.53	197.78	242.25	Plowed Left Hand Gooseneck 2 Riser No Cap	4.5
S-7276	122.40	141.65	184.78	Right Hand Gooseneck 2 Riser No Cap	4.5
S-7276P	178.53	197.78	242.25	Plowed Right Hand Gooseneck 2 Riser No Cap	4.5
S-7281	127.30	147.28	192.15	Left Hand Gooseneck 2 Riser With Cap	4.5
S-7281P	183.40	203.43	249.63	Plowed Left Hand Gooseneck 2 Riser With Cap	4.5
S-7286	127.30	147.28	192.15	Right Hand Gooseneck 2 Riser With Cap	4.5
S-7286P	183.40	203.43	249.63	Plowed Right Hand Gooseneck 2 Riser With Cap	4.5
S-7288-2	98.30	113.78	148.40	Gooseneck 2 Riser With Cap	3.5
S-7288-2P	154.43	169.90	205.88	Plowed Gooseneck 2 Riser With Cap	3.5
S-7290-2	145.98	168.15	220.38	Left Hand Gooseneck 2 Riser No Cap	5.5
S-7290-2P	202.10	224.30	277.85	Plowed Left Hand Gooseneck 2 Riser No Cap	5.5
S-7291-2	154.33	175.68	229.53	Left Hand Gooseneck 2 Riser With Cap	5.5
S-7291-2P	210.45	231.80	287.00	Plowed Left Hand Gooseneck 2 Riser With Cap	5.5
S-7292-2	154.33	175.68	229.55	Right Hand Gooseneck 2 Riser With Cap	5.5
S-7292-2P	210.45	231.80	287.00	Plowed Right Hand Gooseneck 2 Riser With Cap	5.5
S-7295-2	145.98	168.15	220.38	Right Hand Gooseneck 2 Riser No Cap	5.5
S-7295-2P	202.10	224.30	277.85	Plowed Right Hand Gooseneck 2 Riser No Cap	5.5
S-7297	99.30	114.93	149.93	Gooseneck 2 Riser With Cap	3.25
S-7297P	155.43	171.08	207.38	Plowed Gooseneck 2 Riser With Cap	3.25
S-7299	85.00	98.40	128.35	Gooseneck 2 Riser No Cap	4
S-7299P	141.13	154.53	185.83	Plowed Gooseneck 2 Riser No Cap	4


## Woolf List Pricing

STARTING STEPS					
NUMBER	RED OAK	CHERRY	MAPLE	DESCRIPTION	LBS. EA.
LJ-8010-48"	<b>214.43</b>	297.85	<b>261.80</b>	Single Bull-Nose	32
LJ-8010-54"	269.21	367.81	330.70	Single Bull-Nose	36
LJ-8010-60"	333.05	407.81	370.70	Single Bull-Nose	40
LJ-8015-48"	284.23	457.00	402.10	Double-End Bull Nose	39
LJ-8015-54"	391.94	543.47	557.40	Double-End Bull Nose	43
LJ-8015-60"	431.94	583.47	597.40	Double-End Bull Nose	47
LJ-8030-48"	295.78	423.00	331.73	Single-End Half Circle	32
LJ-8030-54"	314.60	432.72	443.70	Single-End Half Circle	37
LJ-8030-60"	381.95	472.72	483.70	Single-End Half Circle	44
LJ-8040-48"	225.38	431.33	252.78	Single-End Quarter-Circle	28
LJ-8040-54"	289.24	440.45	347.60	Single-End Quarter-Circle	32
LJ-8040-60"	294.24	480.45	387.60	Single-End Quarter-Circle	36
LJ-8050-48"	440.25	629.63	493.78	Double-End Half Circle	45
LJ-8050-54"	448.74	644.55	640.91	Double-End Half Circle	50
LJ-8050-60"	488.74	664.55	680.91	Double-End Half Circle	53
LJ-8060-48"	347.08	496.40	389.28	Double-End Quarter Circle	42
LJ-8060-54"	362.24	500.85	513.73	Double-End Quarter Circle	46
LJ-8060-60"	402.24	540.85	553.73	Double-End Quarter Circle	50
LJ-8210-48"	504.68	908.38	532.03	Single Bull-Nose Bowed	34
LJ-8210-60"	623.40	1,122.13	652.18	Single Bull-Nose Bowed	38
LJ-8215-48"	770.50	1,386.90	806.10	Double Bull-Nose Bowed	42
LJ-8310-48"	340.38	559.18	491.53	Single Bull-Nose	36
LJ-8310-54"	356.01	644.81	504.58	Single Bull-Nose	40
LJ-8310-60"	396.01	684.81	544.58	Single Bull-Nose	44
LJ-8315-48"	506.38	884.23	777.98	Double-End Bull Nose	45
LJ-8315-54"	510.11	997.36	731.11	Double-End Bull Nose	49
LJ-8315-60"	550.11	1,037.36	771.11	Double-End Bull Nose	53
LJ-8440-48"	522.10	746.65	585.55	Single-End Quarter-Circle	30
LJ-8440-54"	524.71	763.20	752.56	Single-End Quarter-Circle	34
LJ-8440-60"	564.71	773.20	792.56	Single-End Quarter-Circle	36
LJ-8460-48"	637.69	920.70	693.10	Double-End Quarter Circle	44
LJ-8460-54"	643.78	934.78	918.67	Double-End Quarter Circle	48
LJ-8460-60"	677.69	944.78	958.67	Double-End Quarter Circle	52
LJ-8640-48"	560.94	802.48	629.35	Single-End Quarter-Circle	32
LJ-8640-54"	566.13	815.03	805.84	Single-End Quarter-Circle	34
LJ-8640-60"	600.94	825.03	845.84	Single-End Quarter-Circle	38
LJ-8660-48"	673.93	976.53	735.13	Double-End Quarter Circle	46
LJ-8660-54"	682.80	986.62	971.96	Double-End Quarter Circle	52
LJ-8660-60"	713.93	996.62	1,011.96	Double-End Quarter Circle	58
LJ-8010-2	<b>81.60</b>	190.30	167.28	False End and Riser	6
LJ-8310-2	217.15	293.33	257.78	False End and Riser	6



Longer lengths should be quoted. Price for Starting Steps shorter than 48" is the 48" price.  
 Single bull-nose starting steps are available in the following lengths only: 48", 54", 60", 66", 72", 78", 84".



RISERS					
NUMBER	RED OAK	CHERRY	POPLAR	MAPLE	LBS. EA.
LJ-8075 3/4" x 7 1/2" x 36"	20.33	43.28	11.63	42.93	5
LJ-8075 3/4" x 7 1/2" x 42"	24.28	50.25	13.50	49.83	6
LJ-8075 3/4" x 7 1/2" x 48"	26.95	57.28	16.38	56.80	7
LJ-8075 3/4" x 7 1/2" x 54"	33.63	63.80	19.13	63.25	8
LJ-8075 3/4" x 7 1/2" x 60"	37.95	71.35	21.60	70.78	9
LJ-8075 3/4" x 7 1/2" x 72"	45.48	85.90	25.85	85.18	10
LJ-8075 3/4" x 8" x 36"	21.60	47.95	12.33	47.53	6
LJ-8075 3/4" x 8" x 42"	<b>25.73</b>	55.38	14.35	54.93	7
LJ-8075 3/4" x 8" x 48"	<b>30.25</b>	63.05	17.35	<b>62.53</b>	8
LJ-8075 3/4" x 8" x 54"	36.38	71.08	20.65	72.68	9
LJ-8075 3/4" x 8" x 60"	40.33	79.00	22.93	78.40	10
LJ-8075 3/4" x 8" x 72"	48.28	94.58	27.45	93.83	12



LJ-8075

## Woolf List Pricing



TREADS	RED OAK PLAIN	CHERRY PLAIN	POPLAR PLAIN	MAPLE PLAIN	CHERRY M.R. 1 END	MAPLE M.R. 1 END	LBS. EA.
NUMBER							
LJ-8070 1" x 10 1/2" x 36"	35.93	80.93	19.95	80.25	100.13	99.30	10
LJ-8070 1" x 10 1/2" x 42"	43.35	93.00	23.18	92.25	112.23	111.30	11.5
LJ-8070 1" x 10 1/2" x 48"	51.13	105.08	29.53	104.20	124.30	123.25	13
LJ-8070 1" x 10 1/2" x 54"	61.33	118.13	33.45	117.13	137.35	136.23	14.5
LJ-8070 1" x 10 1/2" x 60"	68.03	132.18	37.10	131.10	151.40	150.13	16
LJ-8070 1" x 10 1/2" x 72"	81.40	159.88	44.38	158.55	179.08	169.93	20
LJ-8070 1" x 11 1/2" x 36"	<b>39.23</b>	87.38	21.78	86.68	106.60	105.70	11
LJ-8070 1" x 11 1/2" x 42"	<b>43.03</b>	100.80	25.30	99.95	120.03	119.03	12.5
LJ-8070 1" x 11 1/2" x 48"	<b>50.50</b>	113.63	30.68	<b>112.63</b>	132.83	131.70	14.5
LJ-8070 1" x 11 1/2" x 54"	64.73	130.25	36.48	129.15	149.43	148.20	16.5
LJ-8070 1" x 11 1/2" x 60"	<b>71.65</b>	155.18	40.48	153.90	174.38	172.93	18.5
LJ-8070 1" x 11 1/2" x 72"	88.80	194.30	48.43	192.65	213.55	211.78	23




MR1 Treads: Add 1 3/16" to measurement across finished skirtboards (outside to outside) for one end miter returned treads.  
MR2 Treads: Measure across finished skirtboards (outside to outside) for both end miter returned treads.

TREADS	RED OAK REVERSIBLE 1 END	CHERRY REVERSIBLE 1 END	POPLAR REVERSIBLE 1 END	MAPLE REVERSIBLE 1 END	RED OAK M.R. 2 ENDS	CHERRY M.R. 2 ENDS	MAPLE M.R. 2 ENDS	LBS. EA.
NUMBER								
LJ-8070 1" x 10 1/2" x 36"	45.40	94.23	29.40	106.68	80.78	119.30	118.33	10
LJ-8070 1" x 10 1/2" x 42"	52.78	106.33	32.63	123.48	89.00	131.43	130.38	11.5
LJ-8070 1" x 10 1/2" x 48"	60.58	118.40	37.18	135.45	97.13	143.53	142.30	13
LJ-8070 1" x 10 1/2" x 54"	70.78	131.43	42.88	148.40	105.98	156.55	149.03	14.5
LJ-8070 1" x 10 1/2" x 60"	77.45	145.50	46.55	162.30	115.50	170.63	161.90	16
LJ-8070 1" x 10 1/2" x 72"	90.85	173.20	53.80	189.75	134.25	198.30	188.78	20
LJ-8070 1" x 11 1/2" x 36"	48.65	100.70	31.23	117.90	85.15	125.75	124.75	11
LJ-8070 1" x 11 1/2" x 42"	56.70	114.13	34.73	131.20	94.25	139.23	138.05	12.5
LJ-8070 1" x 11 1/2" x 48"	<b>65.20</b>	126.93	40.13	<b>143.88</b>	102.90	152.00	150.73	14.5
LJ-8070 1" x 11 1/2" x 54"	<b>76.30</b>	143.58	45.95	160.38	114.10	168.65	167.15	16.5
LJ-8070 1" x 11 1/2" x 60"	<b>83.65</b>	168.50	49.93	185.13	131.05	193.60	191.95	18.5
LJ-8070 1" x 11 1/2" x 72"	98.23	207.60	57.88	223.95	157.58	232.75	230.85	23

HYBRID TREADS	PINE/RED OAK REV. 1 END	LBS./EA.
NUMBER		
LJ-8074 1" x 11 1/2" x 48"	36.85	14.50
LJ-8074 1" x 11 1/2" x 54"	44.35	16.50
LJ-8074 1" x 11 1/2" x 60"	46.28	18.50



FALSE TREADS AND RISERS						
NUMBER	RED OAK	CHERRY	POPLAR	MAPLE	DESCRIPTION	LBS. EA.
LJ-8079	<b>15.28</b>	26.08	17.78	<b>16.18</b>	Reversible False Tread/Riser Kit	1.5
LJ-8078 per lineal foot	5.73	7.00	5.00	6.33	False Tread Moulding	0.1
LJ-8076	<b>4.28</b>	9.70	6.45	<b>6.68</b>	False Riser	0.12
LJ-8179	35.43	36.90	34.13	26.83	Double Miter Return Kit	1.5
LJ-8172	27.00	28.13	24.18	19.60	Closed Tread Kit	1.5
S-8071LH	11.08	40.60	17.28	29.33	Left Hand False End w/M.R.	1.5
S-8071RH	11.08	40.60	17.28	29.33	Right Hand False End w/M.R.	1.5
S-8072	12.80	31.68	13.48	23.73	False End No Miter Return	1.5



LANDING TREADS (LINEAL)							
NUMBER	RED OAK	CHERRY	POPLAR	MAPLE	DESCRIPTION	QTY./BDL	LBS./FT.
LJ-8090	4.48		3.15	9.48	3 1/2" Lineal Landing Tread	150'	0.9
LJ-8090-5	<b>6.60</b>	19.03	<b>4.98</b>	14.38	5 1/4" Lineal Landing Tread	100'	1.5

OAK LANDING TREADS (SPECIFIED LENGTHS)								
NUMBER	8'	10'	12'	14'	16'	DESCRIPTION	QTY./BDL	LBS./FT.
LJ-8090 Oak	34.68	43.35	52.02	66.76	76.30	3 1/2" Lineal Oak Landing Tread	80'-160'	0.9
LJ-8090-5 Oak	56.30	70.38	84.46	108.39	123.87	5 1/4" Lineal Oak Landing Tread	80'-160'	1.5

BENDING LANDING TREADS						
NUMBER	RED OAK	MAPLE	DESCRIPTION	QTY. /BDL.	LBS./FT.	
LJ-8090-5B-12	309.63	335.46	5 1/4" x 12' Bending Landing Tread	120'	1.5	
LJ-8090-5B-16	412.84	447.29	5 1/4" x 16' Bending Landing Tread	160'	1.5	


MOULDINGS							
NUMBER	RED OAK	CHERRY	POPLAR	MAPLE	DESCRIPTION	QTY./BDL	LBS./FT.
LJ-8080	2.28	3.23	1.88	2.60	Lineal Return Nosing	150'	0.5
LJ-8080-13	2.70	3.88	2.30	3.10	Tread Returns	25	0.5
LJ-8095	<b>0.88</b>	1.28	0.83	<b>1.00</b>	Lineal Cove Moulding	500'	0.8
LJ-8422	0.85	1.23	0.78	0.98	Lineal Shoe Moulding	500'	0.8
LJ-8950	2.40	4.53	2.18	---	Cap for Skirtboard/Fascia	300'	0.1
LJ-205	2.20	---	2.05	---	8" Outside Corner Bead	50	0.5

Shaded = In Stock Crystal Lake


## Woolf List Pricing

ACCESSORIES									
NUMBER	POPLAR	BEECH	RED OAK	CHERRY	HEMLOCK	MAPLE	PRIMED	DESCRIPTION	PCS./BOX
LJ-7026	4.53	6.68	4.88	9.98	6.25	6.58	---	Round Rosette	12
LJ-7027	<b>5.25</b>	8.68	<b>5.83</b>	15.73	10.85	<b>10.98</b>	---	Oval Rosette	12
LJ-7033	9.88	10.45	<b>13.70</b>	19.48	---	<b>13.70</b>	---	Rectangular Rosette	12
LJ-7028	5.60	6.33	6.68	9.70	---	5.75	---	Stair Bracket	25
LJ-7029	7.73	8.75	8.10	13.38	---	9.28	---	Stair Bracket	25
LJ-7126	---	---	---	---	6.68	---	---	Round Dish Rosette	12
LJ-7127	---	---	---	---	11.80	---	---	Oval Dish Rosette	12


SKIRTBOARD				
NUMBER	RED OAK	POPLAR	DESCRIPTION	WT./L.F.
LJ-8912-08	113.83	54.00	3/4 x 11 1/4 x 8 Skirtboard	2.9 lbs
LJ-8912-12	170.75	80.98	3/4 x 11 1/4 x 12 Skirtboard	2.9 lbs
LJ-8912-14	199.20	97.53	3/4 x 11 1/4 x 14 Skirtboard	2.9 lbs
LJ-8912-16	227.65	111.45	3/4 x 11 1/4 x 16 Skirtboard	2.9 lbs



LJ-8080



LJ-8090



LJ-8090-5




LJ-8095




LJ-8422




LJ-8950




LJ-7026




LJ-7027




LJ-7033




LJ-7028



LJ-7029



LJ-7126



LJ-7127

## Woolf List Pricing

HARDWARE								Pcs/Packs	LBS./	
NUMBER		R.OAK	MAPLE	POPLAR	HEMLOCK	CHERRY	NEUTRAL	DESCRIPTION	Per Box	BOX
LJ-3000		0.78	0.68	0.58	0.65	1.10		Rail Plug	1	0.001
LJ-3001	2.68							Rail Bolt (5/16" x 3 1/2")	1	0.01
LJ-3004	13.80							Newel Mounting Kit	32	9.1
LJ-3005	20.40							Keylock Newel Post Fastener	12	8.8
LJ-3006		33.50	28.65	25.83	31.28	37.30		Newel Mounting Plate	18	31.2
LJ-3007HDWE		10.98	10.28	10.10	8.78	12.10		Newel Mounting Hardware	40	16.4
LJ-3008		18.50	18.50	18.48	18.45	19.63		Sure-Tite Newel Post Fastener-16"	28	24
LJ-3008-10		18.50	18.50	18.48	18.45	19.63		Sure-Tite Newel Post Fastener-10 3/4"	10	6.2
LJ-3009		31.00	24.60	28.15	27.85	32.53		Newel Post Anchor-3" Newels	20	19.2
LJ-3019		31.00	24.60	28.15	27.85	32.53		Newel Post Anchor-3 1/2" Newels	20	20
LJ-3020	3.30							Wood Glue	1	0.02
LJ-3021	27.13							Wood Glue-10 Pack	1	0.15
LJ-3022		3.63					3.58	Realwood Wood Putty	1	0.02
LJ-3023		29.28					28.98	Realwood Wood Putty-10 Pack	1	0.15
LJ-3024		35.95	38.13	35.83	35.78	39.08		100 - 1/2" Tapered Plugs	1	0.02
LJ-3025		16.60	14.25	12.00	13.40	25.28		25 - 1" Tapered Plugs	1	0.04
LJ-3026		18.83	19.90	18.65	18.60	22.40		50 - 1/2" Button Plugs	1	0.02
LJ-3070		17.05			17.05			Threadlock Newel Post Fastener	12	6.8
LJ-3071		20.90	22.18	20.83	20.80	22.05		Toggle Bolt Newel Post Fastener	1	0.1
LJ-3074	11.40							Mr. Grip-16 Pack	1	0.001
LJ-3075		7.85	8.28	7.73	7.63	8.35		Flush Mount Kit	32	4.6
LJ-3076	16.58							Dowel-Fast-50 Pack	12	22.1
LJ-3077	9.37							Rails2Post Connector	8	2.2
LJ-3078		2.08	1.73	1.58	1.55	1.85		Rail & Post Fastener	32	3.2
LJ-3079		1.68	3.73	3.48	3.38	3.78		Rail Bolt Kit	48	5.4
LJ-3080		32.05	33.35	31.13	30.50	33.95		Rail Bolt Kit-10 Pack	1	0.14

### WALL RAIL BRACKETS

NUMBER	BRASS	SATIN NICKEL	POLISHED CHROME	BLACK MATTE	ANTIQUE NICKEL	OIL RUBBED BRONZE	DESCRIPTION	Pcs/Packs	LBS.
								Per Box	EACH
LJ-3012	4.05	4.05	4.05	4.05	4.05	4.05	Wall Rail Bracket	1	0.06
LJ-3027	28.80	--	--	--	--	--	Solid Brass Wall Rail Bracket	1	0.06
LJ-3127	7.15	7.15	7.15	7.15	7.15	7.15	Wall Rail Bracket	1	0.06

### TOOLS

NUMBER	PRICE	DESCRIPTION	PCS./BOX	LBS. EA.
LJ-3031	62.00	Chuck-Buster	1	0.06
LJ-3032	19.58	Rail Bolt-Runner	1	0.02
LJ-3033	19.58	Dowel-Runner	1	0.02
LJ-3034	26.60	Screw-Runner	1	0.02
LJ-3035	35.20	Centaur	1	0.04
LJ-3036	81.10	Dowel-Fast Tap	1	0.02
LJ-3040-6010	21.85	Scraper for 6010, 6210	1	0.004
LJ-3040-6109	22.23	Scraper fo 6109	1	0.004
LJ-3040-6400	22.23	Scraper for 6400	1	0.004
LJ-3040-6519	22.23	Scraper for 6519	1	0.004
LJ-3040-6701	22.23	Scraper for 6601, 6701	1	0.004
LJ-3041	68.35	Scraper Sharpener	1	0.02
LJ-3043	77.63	Scraper Handle	1	0.08
LJ-3044	17.35	VersaTool	1	0.04
LJ-3047	212.15	Telescoping Baluster Marking Tool	1	1.1
LJ-3049	613.68	Drill Bit Pack	1	2.1
LJ-3052	408.45	The Stair Wizard	1	4.1
LJ-3053	94.68	Stair Wizard Extensions-2 pack	1	0.14
LJ-3060	1,272.95	Bore Buster	1	14.1
LJ-3061	1,958.38	Bore Buster Plus	1	21
LJ-3062	148.53	Canvas Tool Bag (Empty)	1	1
LJ-3064	490.63	Tool Pack #1	1	2.2
LJ-3066	1,295.55	Tool Pack #2	1	12.2
LJ-3084	190.45	Baluster Runner Set	1	4.7
LJ-3084-1	62.28	Baluster Runner for 1 1/4"	1	0.56
LJ-3084-2	85.23	Baluster Runner for 1 3/4"	1	0.87
LJ-3084-3	20.63	Baluster Wrench	1	0.33
LJ-3085	40.18	Insert-Runner	1	0.02
LJ-3090	226.90	BalconyPro	1	4.1
LJ-3090-1	10.43	BalconyPro Marker Stick Assembly	1	0.02
LJ-3090-2	47.48	BalconyPro End Assembly Set	1	0.18
LJ-3090-3	29.38	BalconyPro Rivet Set	1	0.001
C-88	10.60	Baluster Centerline Tool	1	0.5

## Woolf List Pricing

TRADITIONAL RAIL PRO 4" SPHERE	CONTEMPORARY RAILPRO 4" SPHERE	RED OAK	HEMLOCK	RED OAK/HEMLOCK	LBS. EA.
RT-344-02	RC-3404-02	156.98	120.28	139.93	5.5
RT-344-03	RC-3404-03	235.45	180.45	209.88	8.25
RT-344-04	RC-3404-04	313.93	240.63	279.88	11
RT-344-05	RC-3404-05	392.43	300.75	349.85	13.75
RT-344-06	RC-3404-06	470.90	360.90	419.80	16.5
RT-344-07	RC-3404-07	549.40	421.05	489.80	19.25
RT-344-08	RC-3404-08	627.90	481.20	559.73	22
RT-344-09	RC-3404-09	706.35	541.38	629.68	24.75
RT-344-10	RC-3404-10	784.83	601.53	699.68	27.5
RT-344-12	RC-3404-12	941.83	721.83	839.63	33
RT-344-14	RC-3404-14	1098.78	842.15	979.53	38.5
RT-424-02	RC-4204-02	171.88	132.23	154.28	8
RT-424-03	RC-4204-03	257.83	198.38	231.45	13.25
RT-424-04	RC-4204-04	343.75	264.45	308.60	17.5
RT-424-05	RC-4204-05	429.70	330.58	385.73	22
RT-424-06	RC-4204-06	515.65	396.70	462.93	26
RT-424-07	RC-4204-07	601.60	462.83	540.25	30.75
RT-424-08	RC-4204-08	687.53	528.93	617.20	35
RT-424-09	RC-4204-09	773.55	595.08	694.43	39.5
RT-424-10	RC-4204-10	859.40	661.18	771.50	44
RT-424-12	RC-4204-12	1031.28	793.40	925.78	52.75
RT-424-14	RC-4204-14	1203.15	1080.10	925.63	61.5

6" SPHERE RULE	6" SPHERE RULE				
RT-346-02	RC-3406-02	121.15	92.63	108.00	5.5
RT-346-03	RC-3406-03	181.73	139.00	162.00	8.25
RT-346-04	RC-3406-04	242.30	185.30	216.00	11
RT-346-05	RC-3406-05	302.85	231.65	269.98	13.75
RT-346-06	RC-3406-06	363.45	277.95	324.00	16.5
RT-346-07	RC-3406-07	424.03	324.28	378.00	19.25
RT-346-08	RC-3406-08	484.58	370.63	432.00	22
RT-346-09	RC-3406-09	545.15	416.95	486.00	24.75
RT-346-10	RC-3406-10	605.73	463.28	540.00	27.5
RT-346-12	RC-3406-12	726.85	555.93	648.00	33
RT-346-14	RC-3406-14	848.03	648.58	756.00	38.5
RT-426-02	RC-4206-02	209.63	101.83	118.73	7.5
RT-426-03	RC-4206-03	198.35	152.78	178.05	11.25
RT-426-04	RC-4206-04	264.48	203.68	237.43	15
RT-426-05	RC-4206-05	330.58	254.60	296.75	18.75
RT-426-06	RC-4206-06	396.72	305.50	356.13	22.5
RT-426-07	RC-4206-07	462.65	356.48	415.48	26.25
RT-426-08	RC-4206-08	528.93	407.37	474.83	30
RT-426-09	RC-4206-09	595.05	458.28	534.18	33.75
RT-426-10	RC-4206-10	661.18	509.23	593.53	37.5
RT-426-12	RC-4206-12	793.40	611.05	712.23	45
RT-426-14	RC-4206-14	925.63	712.90	830.95	52.5

RAILPRO NEWEL POSTS			
ITEM	RED OAK	HEMLOCK	DESCRIPTION
LJRP4046BT	125.25	72.68	Traditional Newel with Hardware
LJRP4001	112.28	71.90	Contemporary Newel with Hardware
LJRP4046BTH	79.40	56.45	Traditional Half Newel with Hardware
LJRP4001H	72.93	56.03	Contemporary Half Newel with Hardware

RAILPRO HARDWARE			
ITEM	RED OAK	HEMLOCK	DESCRIPTION
LJ-3004	13.80	13.80	Newel Mounting Kit
LJ-3006	33.50	31.28	Newel Mounting Plate
LJ-3007	10.98	8.78	Newel Mounting Hardware*

See previous page for wall rail brackets

\*Included with each RailPro newel

RAILPRO WALL RAIL			
ITEM	RED OAK	HEMLOCK	DESCRIPTION
RT-6112	9.72	7.00	Traditional Style-no plow
RC-6160	9.96	7.24	Contemporary Style-no plow